Map ID MAP FINDINGS

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number** 

93 DAVID W. THORNTON SWF/LF S107666122 WSW **686 POPLAR STREET** N/A

1/4-1/2 MACON, GA 31201

0.454 mi. 2396 ft.

SWF/LF: Relative: Status: Higher

Not reported Facility Type Description: Industrial Landfill Actual: Facility Mgr Name: Not reported 361 ft. Facility Mgr Addr: Not reported Facility Mgr City/State/Zip: Not reported

Facility Mgr Telephone: Not reported Incoming Waste Stream Type: Not reported Permit Number: PBR-011-29IL Operating Status: Not reported Dominion: Private Type: IL

Owner Name: Not reported Owner Address: Not reported Owner City: Not reported Not reported Owner State: Owner Zip: Not reported Owner Phone: Not reported Mailing Address: Not reported Mailing City: Not reported Mailing State: Not reported Mailing Zip: Not reported Date Ceased Accepting Waste: Not reported EDR Link ID:

PBR-011-29IL Date Closed: Not reported Post Closure Period: Not reported

94 OLD ICE CREAM BUILDING (SITE 1)

LUST U003004387 SSW **5TH AND PLUM ST** UST N/A MACON, GA 31201 1/4-1/2 **Financial Assurance** 0.465 mi.

2453 ft.

LUST: Relative:

Higher Facility ID: 09011156 Leak ID:

Actual: Description: Confirmed Release

321 ft. Cleanup Status: NFA - No Further Action

02/29/1996 Date Received: Project Officer: Troup, Nancy

Facility:

Facility Id: 9011156 Facility Status: Closed Facility Type: Commercial District: West Central

Contact Id: 1368

Owner Name: NORFOLK SOUTHERN CORPORATION Owner Address: 600 W PEACHTREE ST NW STE 1702

Owner City: **ATLANTA** Owner State: GA 30308 Owner Zip:

Owner City, St, Zip: ATLANTA, GA 30308

MAP FINDINGS Map ID

Direction Distance Elevation

Site

Database(s)

SWF/LF

**NPDES** 

S107665994

N/A

EDR ID Number **EPA ID Number** 

U003004387

### OLD ICE CREAM BUILDING (SITE 1) (Continued)

Owner Telephone:

404-527-3451

Tanks:

Tank ID:

551

Status: Status Date: Installed Not reported

Tank ID:

551

Status:

Upgrade Repair Not Marked

Status Date:

Not reported

01/10/1996

Tank ID:

551

Status:

Removed From Ground

Status Date:

Tank ID:

551

Product1:

Diesel

Material: Capacity: Marked Unknown

2000

Pipe Material: Pipe Type:

Unknown Not Marked

Overfill Protection:

Not reported

Overfill Installed:

Not reported Not reported

Tank Exempt From Spill: Date Spill Device Installed:

Not reported

GA Financial Assurance 1:

Region:

Facility ID: Financial Responsibility: 9011156 Not Marked

R95

WSW

CITY OF MACON LANDFILL 327 LOWER POPLAR ST MACON, GA 31206

1/4-1/2 0.465 mi.

2455 ft. Relative:

SWF/LF:

Higher Actual:

368 ft.

Status:

Facility Type Description: Facility Mgr Name:

Not reported Industrial Landfill R.A. POWELL

Facility Mgr Addr: Facility Mgr City/State/Zip:

Site 2 of 3 in cluster R

700 POPLAR ST MACON, GA 31201-3215

Facility Mgr Telephone:

478 751-9125751-9125 Not reported

Incoming Waste Stream Type: Permit Number:

PBR-011-37IL Not reported

Operating Status:

Public IL

Dominion: Type: Owner Name:

Owner Address:

Not reported Not reported Not reported Not reported

Owner City: Owner State: Owner Zip: Owner Phone: Mailing Address: Mailing City:

Not reported Not reported Not reported Not reported

Site

#### MAP FINDINGS

Database(s)

EDR ID Number EPA ID Number

S107665994

#### CITY OF MACON LANDFILL (Continued)

Mailing State:

Mailing Zip:

Not reported

Date Ceased Accepting Waste:

Not reported

Not reported

EDR Link ID:

PBR-011-37IL

Date Closed:

Not reported

Post Closure Period:

Not reported

NPDES:

NPDES Id:

Not reported

Notice of Intent Num:

10460

Facility Type Desc:

Not reported

NOI Type:

Notice of Intent

River Basin:

Not reported

Permit Sub Type:

Not reported

**R96** 

MACON - WALKER RD PH 2 (SL)

SWF/LF

S109571841

wsw 1/4-1/2 **ELEVENTH STREET** 

N/A

0.465 mi.

MACON, GA 31201

Financial Assurance

2455 ft.

Site 3 of 3 in cluster R

Relative:

Higher Actual:

368 ft.

SWF/LF:

Status: Facility Type Description: Not reported

Facility Mgr Name:

Unlined Sanitary Landfill Larry Dunning

Facility Mgr Addr:

Not reported

Facility Mgr City/State/Zip:

Not reported

Facility Mgr Telephone:

(478) 751-2737

Incoming Waste Stream Type:

Not reported

Permit Number:

011-017D(SL)

Operating Status: Dominion:

Operating

Public

Type:

Not reported

Owner Name: Owner Address: Hon. Robert Reichert

Not reported

Owner City:

Not reported

Not reported

Owner State:

Owner Zip:

Not reported

Owner Phone:

(478) 751-9131

Mailing Address:

Not reported

Not reported

Mailing City:

Mailing State:

Not reported

Mailing Zip:

Not reported

Date Ceased Accepting Waste:

Not reported

EDR Link ID:

011-017D(SL)

Date Closed:

Not reported Not reported

Status:

Not reported

Facility Type Description:

Not reported

Facility Mgr Name:

Post Closure Period:

Not reported

Facility Mgr Addr:

Not reported

Facility Mgr City/State/Zip:

Not reported

Facility Mgr Telephone:

Not reported

Incoming Waste Stream Type:

Not reported

Permit Number: Operating Status: 011-017D(SL) Operating

Site

#### MAP FINDINGS

Database(s)

EDR ID Number EPA ID Number

## MACON - WALKER RD PH 2 (SL) (Continued)

S109571841

Dominion:

Public

Type: Owner Name: Unlined Sanitary Landfill Hon. Robert Reichert

Owner Address:

Not reported

Owner City: Owner State: Owner Zip:

Not reported Not reported Not reported (478) 751-9131

Owner Phone: Mailing Address: Mailing City: Mailing State: Mailing Zip: Date Ceased Accepting Waste:

Not reported Not reported Not reported Not reported Not reported

EDR Link ID: Date Closed:

011-017D(SL) Not reported Not reported

Post Closure Period:

Financial Assurance 2:

011-017D(SL)

Permit Number: Type Instrument:

LGT

Date Ceased Accepting Waste: Date Closure Certificate Issued: Not reported Not reported 06/30/2009

Fiscal Year End: Date FA Due: Date FA Received:

12/30/2009 Not reported Not reported 06/16/2005 06/16/2005

CL Base Date: PC Base Date: PC/C Period: CA Base Date:

Date FA Appvd:

30 Not reported

False

Discount: Current CL Amt: Current PC Amt:

\$3,438,537.85 \$15,369,779.16

Current CA Amt: Current Assured Cost: \$0.00 \$18,808,317.01

EPD Engineer:

DG

Comments: FA Required: Not reported True

Facility Type: Operation Status: Dominion: His Listed:

Public True 183 False

SL

Permit Number:

Site ID:

Private:

011-017D(SL) LGT

Type Instrument: Date Ceased Accepting Waste:

Not reported Date Closure Certificate Issued: Not reported 06/30/2010 12/30/2010 Not reported Not reported Not reported

Date FA Received: Date FA Appvd: CL Base Date: PC Base Date:

Fiscal Year End:

Date FA Due:

Not reported 30

PC/C Period: CA Base Date:

Not reported

MAP FINDINGS

Database(s)

EDR ID Number **EPA ID Number** 

S109571841

#### MACON - WALKER RD PH 2 (SL) (Continued)

Discount:

Site

Current CL Amt:

\$3,479,800.30 \$15,554,216.51

Current PC Amt: Current CA Amt:

\$0.00

Current Assured Cost:

\$19,034,016.81

EPD Engineer:

Not reported

Comments: FA Required: Not reported True

Facility Type: Operation Status: Dominion:

SL Public

His Listed: Site ID: Private:

True 977 False

Permit Number:

011-017D(SL)

Type Instrument:

LGT

Date Ceased Accepting Waste: Date Closure Certificate Issued: Not reported Not reported 06/30/2011

Fiscal Year End: Date FA Due:

12/30/2011 12/09/2011

Date FA Received: Date FA Appvd: CL Base Date:

12/27/2011 Not reported Not reported

PC Base Date: PC/C Period:

30

CA Base Date:

Not reported False

Discount: Current CL Amt:

\$3,514,598.00

Current PC Amt:

\$15,709,759.00

Current CA Amt:

\$0.00

Current Assured Cost: EPD Engineer:

\$19,224,357.00 Not reported

Comments: FA Required: Not reported True

Facility Type: Operation Status:

SL 1 Public

Dominion: His Listed:

True 1432

Site ID: Private:

False

Permit Number:

011-017D(SL)

Type Instrument: LGT

Date Closure Certificate Issued:

Date Ceased Accepting Waste:

Not reported Not reported 06/30/2012 12/30/2012

Fiscal Year End: Date FA Due: Date FA Received:

01/02/2013 01/03/2013 Not reported

Date FA Appvd: CL Base Date: PC Base Date: PC/C Period:

Not reported 30

CA Base Date:

Not reported False

Discount: Current CL Amt:

\$3,588,404.86

Current PC Amt:

\$8,254,500.00

Map ID MAP FINDINGS

Direction Distance Elevation

Site

Database(s)

EDR ID Number EPA ID Number

S109571841

#### MACON - WALKER RD PH 2 (SL) (Continued)

Current CA Amt:

\$0.00

Current Assured Cost:

\$11,842,904.86 Not reported

EPD Engineer: Comments:

minor mod approved by EPD on 2/22/12 reduced total assured costs

FA Required: Facility Type: Operation Status: True SL 1 Public

Dominion: His Listed: Site ID: Private:

True 1722 False

Permit Number:

011-017D(SL)

Type Instrument:
Date Ceased Accepting Waste:

LGT Not reported

Date Closure Certificate Issued: Fiscal Year End:

Not reported 06/30/2013 12/30/2013

Date FA Due: Date FA Received: Date FA Appvd: CL Base Date:

01/06/2014 01/23/2014 Not reported Not reported

PC Base Date: PC/C Period: CA Base Date: Discount:

30 Not reported False

Current CL Amt: Current PC Amt:

\$3,652,996.15 \$8,403,081.00 \$0.00

Current CA Amt: Current Assured Cost: EPD Engineer:

\$12,056,077.15 Not reported Not reported

Comments: FA Required: Facility Type: Operation Status:

True SL 1 Public True 1723 False

Private:

Permit Number:

Dominion:

His Listed:

Site ID:

011-017D(SL)

Type Instrument: LGT

Date Ceased Accepting Waste: Date Closure Certificate Issued: Fiscal Year End:

Not reported Not reported 06/30/2014 12/30/2014 Not reported Not reported Not reported

CL Base Date: PC Base Date: PC/C Period:

Date FA Appvd:

Date FA Received:

Date FA Due:

Not reported Not reported

CA Base Date: Discount: 30 Not reported False Not reported

Current CL Amt: Current PC Amt:

Not reported Not reported

Current CA Amt: Current Assured Cost: EPD Engineer:

Not reported Not reported

Site

#### MAP FINDINGS

Database(s)

EDR ID Number EPA ID Number

S109571841

### MACON - WALKER RD PH 2 (SL) (Continued)

Comments: Not reported FA Required: True

FA Required: True
Facility Type: SL
Operation Status: 1
Dominion: Public

His Listed: True
Site ID: 2005
Private: False

Permit Number: 011-017D(SL)

Type Instrument: LGT

Date Ceased Accepting Waste: Not reported

Date Closure Certificate Issued: Not reported Fiscal Year End: 06/30/2014 Date FA Due: 12/31/2014

Date FA Bue: 01/05/2015
Date FA Appvd: Not reported
CL Base Date: Not reported
PC Base Date: Not reported
PC/C Period: 30

CA Base Date: Not reported

 Discount:
 False

 Current CL Amt:
 \$3,707,000.00

 Current PC Amt:
 \$16,573,000.00

Current CA Amt: Not reported
Current Assured Cost: \$20,280,000.00
EPD Engineer: Not reported
Comments: Not reported

True

Facility Type: SL
Operation Status: 1
Dominion: Public
His Listed: True
Site ID: 2264
Private: False

FA Required:

Permit Number: 011-017D(SL)

Type Instrument: LGT

Date Ceased Accepting Waste:
Date Closure Certificate Issued:
Not reported
Piscal Year End:
Date FA Due:
Date FA Received:
Date FA Appvd:
CL Base Date:
Not reported
Not reported
Not reported
Not reported

PC Base Date: Not reported PC/C Period: 30

CA Base Date: Not reported Discount: False

Current CL Amt: \$3,763,407.96 Current PC Amt: \$10,581,555.34 Current CA Amt: \$0.00

Current Assured Cost: \$14,344,963.30
EPD Engineer: Not reported

Comments: post closure cost from 2/2012 mod. County LGT assures 20,585,000

FA Required: True Facility Type: SL

Site

#### MAP FINDINGS

Database(s)

EDR ID Number **EPA ID Number** 

S109571841

#### MACON - WALKER RD PH 2 (SL) (Continued)

Operation Status:

Dominion:

His Listed:

Site ID: Private: Public

True 2518

011-017D(SL)

Permit Number: Type Instrument:

Date Ceased Accepting Waste:

Date Closure Certificate Issued: Fiscal Year End: Date FA Due:

Date FA Received: Date FA Appvd: CL Base Date:

PC Base Date: PC/C Period: CA Base Date:

Discount: Current CL Amt: Current PC Amt: Current CA Amt: Current Assured Cost: EPD Engineer: Comments:

FA Required: Facility Type: Operation Status: Dominion: His Listed:

Site ID: Private: False

Not reported Not reported Not reported

06/30/2016 12/30/2016 Not reported Not reported Not reported

Not reported 30

Not reported False Not reported

Not reported Not reported Not reported Not reported Not reported False

SL Public True 2726

False

Q97 SSW WORLD TIRE INC (SITE 2)

INTERSECTION OF MLK BLVD & PLUM

MACON, GA 31201

1/4-1/2 0.470 mi. 2479 ft.

Site 2 of 2 in cluster Q

Relative: Higher

Actual:

329 ft.

LUST:

Facility ID:

Leak ID:

Description:

Cleanup Status:

Confirmed Release NFA - No Further Action

Date Received:

01/16/1996

09011157

Project Officer:

Coughlan, Michael F

Facility:

Facility Id: Facility Status: 9011157 Closed Commercial West Central

Facility Type: District: Contact Id:

Owner Name:

NORFOLK SOUTHERN CORPORATION 600 W PEACHTREE ST NW STE 1702

Owner Address: Owner City:

ATLANTA

Owner State:

GA

U003004388

N/A

LUST

**Financial Assurance** 

UST

Map ID MAP FINDINGS
Direction

Distance Elevation Site

Site

Database(s)

EDR ID Number

**EPA ID Number** 

U003004388

WORLD TIRE INC (SITE 2) (Continued)

Owner Zip:

30308

Owner City,St,Zip:

ATLANTA, GA 30308

Owner Telephone:

404-527-3451

Tanks:

Tank ID:

1

Status: Status Date: Installed Not reported

Tank ID:

Status:

Permanently Out Of Use

Status Date:

Not reported

Tank ID:

ואוט:

Status:

**Upgrade Repair Not Marked** 

Status Date: Not reported

Tank ID:

1

Product1:

Gas

Material: Capacity: Marked Unknown

Capacity: Pipe Material: 2000 Unknown

Pipe Material:
Pipe Type:
Overfill Protection:

Not Marked Not reported

Overfill Installed: Tank Exempt From Spill: Date Spill Device Installed:

Not reported Not reported Not reported

Tank ID:

2

Upgrade Repair Not Marked

Status: Status Date:

Not reported

Tank ID:

2

Status: Status Date: Installed Not reported

Tank ID:

2

Status: Removed From Ground

Status Date: 01/11/1996

Tank ID:

2

Product1:

Gas Marke 560

Material:

Marked Unknown

Capacity: Pipe Material:

Unknown Not Marked

Pipe Type: Overfill Protection:

Not reported Not reported

Overfill Installed: Tank Exempt From Spill: Date Spill Device Installed:

Not reported Not reported

Tank ID:

3

Status: Status Date: Installed Not reported

Tank ID:

3

Status:

**Upgrade Repair Not Marked** 

Status Date:

Not reported

Site

#### MAP FINDINGS

Database(s)

EDR ID Number **EPA ID Number** 

U003004388

WORLD TIRE INC (SITE 2) (Continued)

Tank ID:

Status: Status Date: Removed From Ground

01/10/1996

Tank ID: Product1: Material:

3 Gas Bare Steel 1000

Capacity: Pipe Material: Pipe Type:

Bare Steel Suction: No Valve At The Tank

Overfill Protection: Not reported Overfill Installed:

Not reported Tank Exempt From Spill: Not reported Date Spill Device Installed: Not reported

Tank ID:

Status: **Upgrade Repair Not Marked** 

Status Date:

Not reported

Tank ID: Status:

Installed Not reported

Status Date: Tank ID:

5

Status:

Removed From Ground

Status Date: 01/10/1996

Tank ID: Product1: Material: Capacity:

Gas Bare Steel 300 Bare Steel

Pipe Material: Pipe Type:

Suction: No Valve At The Tank

Overfill Protection: Not reported Overfill Installed: Not reported Tank Exempt From Spill: Not reported Date Spill Device Installed: Not reported

GA Financial Assurance 1:

Region:

Facility ID:

9011157

Financial Responsibility:

Not Marked

P98

**SPRING & RIVERSIDE EXXON** 

NW 1/4-1/2 893 RIVERSIDE DR MACON, GA 31201

0.471 mi.

2486 ft.

Site 2 of 2 in cluster P

Relative: Higher

LUST:

Facility ID:

09000192

Actual:

Leak ID:

Description:

Confirmed Release

340 ft. Cleanup Status: Date Received:

NFA - No Further Action

02/15/1989 Project Officer: Burris, Stephen B 1006772211

N/A

LUST

**FINDS** 

Map ID MAP FINDINGS

Direction Distance

EDR ID Number Elevation Site **EPA ID Number** Database(s)

SPRING & RIVERSIDE EXXON (Continued)

Facility ID:

09000192

Leak ID:

Description: Confirmed Release

Cleanup Status: NFA - No Further Action

Date Received: Project Officer:

04/11/1997 Burris, Stephen B

FINDS:

Registry ID:

110013414894

Environmental Interest/Information System

GEIMS (Geographic Environmental Information Management System) provides the EPA and Public a single point of access to core data for all facilities and sites regulated or monitored by the EPA and a single system for the reporting of all environmental data.

FIRESTONE STORE #0549/005487 099 wsw 595 SECOND ST

1/4-1/2 MACON, GA 31201

0.473 mi.

2498 ft. Site 2 of 2 in cluster O

LUST: Relative:

Higher

Facility ID: 04110067

Leak ID:

Actual: 342 ft.

Description:

Confirmed Release Cleanup Status: NFA - No Further Action

Date Received: 10/30/2008 Project Officer: Wallace, Ronald J

Facility ID:

04110067

Leak ID:

Confirmed Release Description: Cleanup Status: NFA - No Further Action

12/10/2008 Date Received: Project Officer: Wallace, Ronald J

Facility:

Facility Id: Facility Status: Facility Type:

4110067 Closed Commercial West Central

Contact Id:

District:

5067

Owner Name:

CITIZENS & SOUTHERN NTL BANK

Owner Address:

PO BOX 4007

Owner City: Owner State: MACON GA

Owner Zip:

31206

Owner City, St, Zip: Owner Telephone: MACON, GA 31206 Not reported

Tanks:

Tank ID:

Status:

Upgrade Repair Not Marked

Status Date:

Not reported

1006772211

LUST

UST

Financial Assurance

U001486732

N/A

MAP FINDINGS

Site

Database(s)

EDR ID Number **EPA ID Number** 

U001486732

#### FIRESTONE STORE #0549/005487 (Continued)

Tank ID:

Status:

Removed From Ground

Status Date:

03/16/1989

Tank ID:

Status: Status Date: Installed 03/13/1976

Tank ID:

Product1: Material:

Used Oil Bare Steel

Capacity: Pipe Material: 275

Pipe Type:

Galvanized Steel Not Marked

Overfill Protection:

Yes

Overfill Installed:

Not reported

Tank Exempt From Spill:

Yes

Date Spill Device Installed:

Not reported

GA Financial Assurance 1:

Region:

Facility ID:

4110067

Financial Responsibility:

Not Marked

S100

YOUMANS CHEVROLET CO

SW 630 THIRD ST RCRA NonGen / NLR

LUST 1000295767 GAD106684525

1/4-1/2

MACON, GA 31201

0.481 mi.

2542 ft.

Site 1 of 2 in cluster S

Facility ID:

Relative:

Higher Actual:

330 ft.

LUST:

04110299

Leak ID:

Description:

Confirmed Release

Date Received:

Cleanup Status: NFA -Monitoring Only (MNA)

Project Officer:

06/14/1996 Logan, William E.

Facility ID:

04110299

Leak ID:

2 Confirmed Release

Description: Cleanup Status:

NFA - No Further Action

Date Received:

07/10/2003

Project Officer:

Logan, William E.

RCRA NonGen / NLR:

Date form received by agency: 06/15/1998

Facility name:

YOUMANS CHEVROLET CO

Facility address:

630 THIRD ST

EPA ID:

MACON, GA 31201

GAD106684525

Mailing address:

THIRD ST

Contact:

MACON, GA 31201

J DONALD WATTS 630 THIRD ST

Contact address:

MACON, GA 31201

Map ID MAP FINDINGS

Direction Distance

EDR ID Number Elevation Site Database(s) EPA ID Number

## YOUMANS CHEVROLET CO (Continued)

1000295767

Contact country:

Contact telephone: Contact email:

(912) 746-8531 Not reported

EPA Region:

Classification:

Non-Generator

Description:

Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: YOUMANS GEORGE E

Owner/operator address:

630 THIRD ST MACON, GA 31201

Owner/operator country:

Not reported

Owner/operator telephone:

(912) 746-8531

Legal status:

Private

Owner/Operator Type: Owner/Op start date: Owner/Op end date:

Owner Not reported

Owner/operator name:

Not reported **OPERNAME** 

Owner/operator address:

**OPERSTREET** 

OPERCITY, WY 99999

Owner/operator country:

Not reported

Owner/operator telephone:

(404) 555-1212

Legal status:

Private

Owner/Operator Type: Owner/Op start date: Owner/Op end date:

Operator Not reported Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No Mixed waste (haz. and radioactive): No

Recycler of hazardous waste: No Transporter of hazardous waste: No Treater, storer or disposer of HW: No

Underground injection activity: No On-site burner exemption: No Furnace exemption: No Used oil fuel burner: No Used oil processor: No User oil refiner:

Used oil fuel marketer to burner: No Used oil Specification marketer: No Used oil transfer facility: No No

No

Used oil transporter:

D001 Waste code:

**IGNITABLE WASTE** Waste name:

Waste code: F001

THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: Waste name:

TETRACHLOROETHYLENE, TRICHLORETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE AND CHLORINATED

FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE

Site

#### MAP FINDINGS

Database(s)

EDR ID Number EPA ID Number

#### YOUMANS CHEVROLET CO (Continued)

1000295767

SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Waste code:

F002

. Waste name:

THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE.

CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE,

ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2,

TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND

SPENT SOLVENT MIXTURES.

Waste code:

F003

Waste name:

THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL

ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT

MIXTURES.

Waste code: Waste name: F005

THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL

KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE,

2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF

**GA NON-HSI** 

S104819228

N/A

THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Violation Status:

No violations found

S101

YOMANS CHEVROLET

SW 1/4-1/2 601-647 3RD ST.

1/4-1/2

MACON, GA 31201

0.488 mi.

2574 ft.

Site 2 of 2 in cluster S

Relative:

NON HSI:

Higher

Latitude: Longitude: 32.83270 83.630200

Actual: 330 ft.

Ground Water Pathway Score:

4.88

On-Site Pathway Score:

0

Report Date: Additional Info: 01/01/1995 Not reported

Contamination:

lead

Map ID MAP FINDINGS

Direction Distance

EDR ID Number Elevation Site EPA ID Number Database(s)

102 MACON FORMER MANUFACTURED GAS PLANT 2 **DEL SHWS** S105565408 NW SPRING STREET AND RIVERSIDE DRIVE N/A

1/4-1/2 MACON, GA 31201

0.499 mi. 2636 ft.

**DEL SHWS:** Relative: Delist Date: 07/01/2011 Higher

HIS Id Number: 10692 Actual: 32 50' 39" N Latidude: 347 ft. Longitude: 83 37 ' 43" W Owner Name: Not reported

Owner Address: Not reported Owner City: Not reported Owner State: Not reported Owner ZIP: Not reported Parcel ID: Not reported Cleanup Priority: Not reported Reg Sub: Not reported

Last Known Property Owner NAME B: Not reported Last Known Property Owner ADDRESS B: Not reported Last Known Property Owner CITY B: Not reported Last Known Property Owner STATE B: Not reported Last Known Property Owner ZIP B: Not reported Last Known Property Owner NAME C: Not reported Last Known Property Owner ADDRESS C: Not reported Last Known Property Owner CITY C: Not reported Last Known Property Owner STATE C: Not reported Last Known Property Owner ZIP C: Not reported Last Known Property Owner NAME D: Not reported Last Known Property Owner ADDRESS D: Not reported Last Known Property Owner CITY D: Not reported Last Known Property Owner STATE D: Not reported Last Known Property Owner ZIP D: Not reported Status of Cleanup Activities: Not reported GA EPD Dir Determination Re Correction Action: Not reported

GA NON-HSI S103439574 103 SE TERMINAL: MACON WNW US HWY. 41 N N/A

Not reported

1/2-1 **MACON, GA 31208** 

0.520 mi. 2746 ft.

NON HSI: Relative:

Latitude: Not reported Higher Longitude: Not reported

RS Released/Threats to Health Env:

Actual: Ground Water Pathway Score: 377 ft. 7.4

On-Site Pathway Score: Report Date: 04/01/1994 Additional Info: Not reported Contamination: mercury

Map ID MAP FINDINGS

Direction Distance

Elevation Site Database(s) EPA ID Number

104 MIDDLE GEORGIA HOSPITAL

wsw **600 NEW STREET** 1/2-1 MACON, GA 31201

0.608 mi. 3212 ft.

NON HSI: Relative:

Higher Latitude:

32.83388 Longitude: 83.636944

Actual: Ground Water Pathway Score: 386 ft.

On-Site Pathway Score: Report Date:

Additional Info: Contamination: 0.61 0.00

11.11

05/03/2003 Not reported ethylbenzene; lead

105 FORMER MIDDLE GEORGIA HOSPITAL MOB & PARKING LOT

wsw 831 PINE STREET; 818 FORSYTH STREET

1/2-1 MACON, GA 31201

0.700 mi. 3695 ft.

NON HSI: Relative:

Higher Latitude:

Not reported Longitude: Not reported Ground Water Pathway Score: 2.44

Actual: 394 ft.

On-Site Pathway Score: Report Date:

02/03/2003 Additional Info: Not reported Contamination: formaldyhyde

106 WSW

(FORMER) DENNARD SINCLAIR SERVICE STATION

**681 SPRING STREET** 

1/2-1 MACON, GA 31201

0.750 mi. 3962 ft.

Relative: Higher

Actual:

NON HSI:

Latitude:

Longitude:

Ground Water Pathway Score:

On-Site Pathway Score: 415 ft. Report Date:

Additional Info: Contamination: 02/03/2003 Not reported benzene

4.06

14.81

Not reported

Not reported

107 SSW 1/2-1

TRANSCO RAILCAR FACILITY (FORMER)

989 SEVENTH STREET MACON, GA 31201

0.848 mi.

SHWS:

Facility Id:

Regulated Substances(RS): Actual:

10502

Chlorobenzene-GW; Cumene-GW; Naphthalene-GW; Tetrachloroethene-GW; Vinyl chloride-GW; Cis-1,2-Dichloroethene-GW; Lead-Soil; PCBs-Soil;

Trichloroethene-GW

RS Released/Threats to Health Env:

This site has a known release of PCBs in soil at levels exceeding the

TC4793950.2s Page 158

N/A

S106117634

GA NON-HSI

EDR ID Number

GA NON-HSI S105872142

N/A

GA NON-HSI

S105872139

N/A

SHWS S104906535

N/A

4478 ft.

317 ft.

Relative:

Higher

Site

#### MAP FINDINGS

Database(s)

EDR ID Number **EPA ID Number** 

## TRANSCO RAILCAR FACILITY (FORMER) (Continued)

S104906535

reportable quantity. This site has unlimited access. The nearest resident individual is less than 300 feet from the area affected by

the release

Status of Cleanup Activities:

Cleanup activities are being conducted for source materials, soil, and

groundwater.

GA EPD Dir Determination Re Correction Action: The Director has determined that this site requires corrective action.

Owner Name:

Transco, Inc.

Owner Address:

55 E. Jackson Blvd., Suite 2100

Owner City, St, Zip:

Chicago, IL 60604

Last Known Property Owner NAME B:

Not reported Not reported

Last Known Property Owner ADDRESS B: Last Known Property Owner CITY B:

Not reported

Last Known Property Owner STATE B: Last Known Property Owner ZIP B:

Not reported Not reported

Last Known Property Owner NAME C: Last Known Property Owner ADDRESS C: Not reported Not reported

Last Known Property Owner CITY C: Last Known Property Owner STATE C: Last Known Property Owner ZIP C:

Not reported Not reported Not reported

Last Known Property Owner NAME D: Last Known Property Owner ADDRESS D: Not reported Not reported Not reported

Last Known Property Owner CITY D: Last Known Property Owner STATE D: Last Known Property Owner ZIP D:

Not reported Not reported 32 49 ' 34 " N

Latitude: Longitude:

83 37 ' 39 " W

#### Count: 7 records.

#### ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
HUBER	U001484943	JM HUBER CORP	I-16 @ GA HWY 19	31201	LUST, UST, Financial Assurance
MACON	S118687524	WALKER ROAD LANDFILL (FORMERLY 11T	11TH STREET & WALKER SWAMP ROA	31201	SHWS
MACON	S113244422	WEATHERBY MANAGEMENT CORPORATION	BROADWAY		SWF/LF
MACON	S107666071	CORNELL-YOUNG DIVISION, BLUE CIRCL	BROADWAY	31206	SWF/LF
MACON	\$117884507		INTERSECTION OF SPRING STREET		VCP
MACON	S107665902	CB&T BANK OF MIDDLE GEORGIA	EAST OF THE INTERSECTION OF CH	31201	SWF/LF
MACON	\$107668029	WILLIE BATTLE INERT LANDFILL	362-B OLD CLINTON ROAD	31211	SWF/LF

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

Number of Days to Update: Provides confirmation that EDR is reporting records that have been updated within 90 days from the date the government agency made the information available to the public.

#### STANDARD ENVIRONMENTAL RECORDS

#### Federal NPL site list

NPL: National Priority List

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 03/07/2016 Date Data Arrived at EDR: 04/05/2016

Source: EPA Telephone: N/A

Date Made Active in Reports: 04/15/2016

Last EDR Contact: 10/05/2016

Number of Days to Update: 10

Next Scheduled EDR Contact: 01/16/2017 Data Release Frequency: Quarterly

**NPL Site Boundaries** 

Sources:

EPA's Environmental Photographic Interpretation Center (EPIC)

Telephone: 202-564-7333

**EPA Region 1** 

EPA Region 6

Telephone 617-918-1143

Telephone: 214-655-6659

**EPA Region 3** 

**EPA Region 7** 

Telephone 215-814-5418

Telephone: 913-551-7247

EPA Region 4

**EPA Region 8** 

Telephone 404-562-8033

Telephone: 303-312-6774

EPA Region 5

**EPA Region 9** 

Telephone 312-886-6686

Telephone: 415-947-4246

EPA Region 10

Telephone 206-553-8665

Proposed NPL: Proposed National Priority List Sites

A site that has been proposed for listing on the National Priorities List through the issuance of a proposed rule in the Federal Register. EPA then accepts public comments on the site, responds to the comments, and places on the NPL those sites that continue to meet the requirements for listing.

Date of Government Version: 03/07/2016 Date Data Arrived at EDR: 04/05/2016

Source: EPA

Telephone: N/A

Date Made Active in Reports: 04/15/2016

Last EDR Contact: 10/05/2016

Number of Days to Update: 10

Next Scheduled EDR Contact: 01/16/2017 Data Release Frequency: Quarterly

NPL LIENS: Federal Superfund Liens

Federal Superfund Liens. Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner received notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens

Date of Government Version: 10/15/1991 Date Data Arrived at EDR: 02/02/1994

Source: EPA

Date Made Active in Reports: 03/30/1994

Telephone: 202-564-4267 Last EDR Contact: 08/15/2011

Number of Days to Update: 56

Next Scheduled EDR Contact: 11/28/2011 Data Release Frequency: No Update Planned

#### Federal Delisted NPL site list

Delisted NPL: National Priority List Deletions

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 03/07/2016 Date Data Arrived at EDR: 04/05/2016 Date Made Active in Reports: 04/15/2016

Number of Days to Update: 10

Source: EPA Telephone: N/A

Last EDR Contact: 10/05/2016

Next Scheduled EDR Contact: 01/16/2017 Data Release Frequency: Quarterly

#### Federal CERCLIS list

FEDERAL FACILITY: Federal Facility Site Information listing

A listing of National Priority List (NPL) and Base Realignment and Closure (BRAC) sites found in the Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS) Database where EPA Federal Facilities Restoration and Reuse Office is involved in cleanup activities.

Date of Government Version: 09/14/2016 Date Data Arrived at EDR: 10/04/2016 Date Made Active in Reports: 10/21/2016

Number of Days to Update: 17

Source: Environmental Protection Agency

Telephone: 703-603-8704 Last EDR Contact: 10/04/2016

Next Scheduled EDR Contact: 01/16/2017

Data Release Frequency: Varies

SEMS: Superfund Enterprise Management System

SEMS (Superfund Enterprise Management System) tracks hazardous waste sites, potentially hazardous waste sites, and remedial activities performed in support of EPA's Superfund Program across the United States. The list was formerly know as CERCLIS, renamed to SEMS by the EPA in 2015. The list contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). This dataset also contains sites which are either proposed to or on the National Priorities List (NPL) and the sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 03/07/2016 Date Data Arrived at EDR: 04/05/2016 Date Made Active in Reports: 04/15/2016

Number of Days to Update: 10

Source: EPA

Telephone: 800-424-9346 Last EDR Contact: 10/20/2016

Next Scheduled EDR Contact: 01/30/2017 Data Release Frequency: Quarterly

#### Federal CERCLIS NFRAP site list

SEMS-ARCHIVE: Superfund Enterprise Management System Archive

SEMS-ARCHIVE (Superfund Enterprise Management System Archive) tracks sites that have no further interest under the Federal Superfund Program based on available information. The list was formerly known as the CERCLIS-NFRAP, renamed to SEMS ARCHIVE by the EPA in 2015. EPA may perform a minimal level of assessment work at a site while it is archived if site conditions change and/or new information becomes available. Archived sites have been removed and archived from the inventory of SEMS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list the site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. The decision does not necessarily mean that there is no hazard associated with a given site; it only means that based upon available information, the location is not judged to be potential NPL site.

Date of Government Version: 03/07/2016 Date Data Arrived at EDR: 04/05/2016 Date Made Active in Reports: 04/15/2016

Number of Days to Update: 10

Source: EPA

Telephone: 800-424-9346 Last EDR Contact: 10/20/2016

Next Scheduled EDR Contact: 01/30/2017 Data Release Frequency: Quarterly

#### Federal RCRA CORRACTS facilities list

CORRACTS: Corrective Action Report

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

Date of Government Version: 06/27/2016 Date Data Arrived at EDR: 06/30/2016 Date Made Active in Reports: 09/02/2016

Number of Days to Update: 64

Source: EPA

Telephone: 800-424-9346 Last EDR Contact: 09/28/2016

Next Scheduled EDR Contact: 01/09/2017 Data Release Frequency: Quarterly

## Federal RCRA non-CORRACTS TSD facilities list

RCRA-TSDF: RCRA - Treatment, Storage and Disposal

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

Date of Government Version: 06/21/2016 Date Data Arrived at EDR: 06/30/2016 Date Made Active in Reports: 09/02/2016

Number of Days to Update: 64

Source: Environmental Protection Agency

Telephone: (404) 562-8651 Last EDR Contact: 09/28/2016

Next Scheduled EDR Contact: 01/09/2017 Data Release Frequency: Quarterly

#### Federal RCRA generators list

RCRA-LQG: RCRA - Large Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

Date of Government Version: 06/21/2016 Date Data Arrived at EDR: 06/30/2016 Date Made Active in Reports: 09/02/2016 Number of Days to Update: 64

Source: Environmental Protection Agency Telephone: (404) 562-8651

Next Scheduled EDR Contact: 01/09/2017 Data Release Frequency: Quarterly

Last EDR Contact: 09/28/2016

### RCRA-SQG: RCRA - Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

Date of Government Version: 06/21/2016 Date Data Arrived at EDR: 06/30/2016 Date Made Active in Reports: 09/02/2016 Number of Days to Update: 64

Source: Environmental Protection Agency Telephone: (404) 562-8651 Last EDR Contact: 09/28/2016 Next Scheduled EDR Contact: 01/09/2017 Data Release Frequency: Quarterly

#### RCRA-CESQG: RCRA - Conditionally Exempt Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

Date of Government Version: 06/21/2016 Date Data Arrived at EDR: 06/30/2016 Date Made Active in Reports: 09/02/2016

Number of Days to Update: 64

Source: Environmental Protection Agency

Telephone: (404) 562-8651 Last EDR Contact: 09/28/2016

Next Scheduled EDR Contact: 01/09/2017 Data Release Frequency: Varies

#### Federal institutional controls / engineering controls registries

#### LUCIS: Land Use Control Information System

LUCIS contains records of land use control information pertaining to the former Navy Base Realignment and Closure properties.

Date of Government Version: 05/28/2015 Date Data Arrived at EDR: 05/29/2015 Date Made Active in Reports: 06/11/2015

Number of Days to Update: 13

Source: Department of the Navy Telephone: 843-820-7326 Last EDR Contact: 11/18/2016

Next Scheduled EDR Contact: 02/27/2017 Data Release Frequency: Varies

#### US ENG CONTROLS: Engineering Controls Sites List

A listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 05/09/2016 Date Data Arrived at EDR: 06/01/2016 Date Made Active in Reports: 09/02/2016

Number of Days to Update: 93

Source: Environmental Protection Agency

Telephone: 703-603-0695 Last EDR Contact: 08/31/2016

Next Scheduled EDR Contact: 12/12/2016 Data Release Frequency: Varies

#### US INST CONTROL: Sites with Institutional Controls

A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

Date of Government Version: 05/09/2016 Date Data Arrived at EDR: 06/01/2016 Date Made Active in Reports: 09/02/2016

Number of Days to Update: 93

Source: Environmental Protection Agency

Telephone: 703-603-0695 Last EDR Contact: 08/31/2016

Next Scheduled EDR Contact: 12/12/2016

Data Release Frequency: Varies

#### Federal ERNS list

ERNS: Emergency Response Notification System

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 09/26/2016 Date Data Arrived at EDR: 09/29/2016 Date Made Active in Reports: 11/11/2016

Number of Days to Update: 43

Source: National Response Center, United States Coast Guard

Telephone: 202-267-2180 Last EDR Contact: 09/29/2016

Next Scheduled EDR Contact: 01/09/2017 Data Release Frequency: Annually

#### State- and tribal - equivalent CERCLIS

SHWS: Hazardous Site Inventory

State Hazardous Waste Sites. State hazardous waste site records are the states' equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties. Available information varies by state.

Date of Government Version: 07/01/2016 Date Data Arrived at EDR: 07/05/2016 Date Made Active in Reports: 08/15/2016

Number of Days to Update: 41

Source: Department of Environmental Protection

Telephone: 404-657-8600 Last EDR Contact: 09/26/2016

Next Scheduled EDR Contact: 01/09/2017 Data Release Frequency: Annually

#### NON HSI: Non-Hazardous Site Inventory

This list was obtained by EDR in 1998 and contains property listings that have reported contamination of soil or groundwater under the Georgia Hazardous Site Response Act (HSRA). These sites were not placed on the Georgia Priority list (Hazardous Site Inventory or HSI) because their hazard evaluation scores did not exceed the threshold levels established for sites posing an imminent threat to health or the environment. Disclaimer provided by Rindt-McDuff Associates - the database information has been obtained from publicly available sources produced by other entities. While reasonable steps have been taken to insure the accuracy of the data, RMA does not guarantee the accuracy of the data. No claim is made for the actual existence of pollution at any site. This data does not constitute a legal opinion.

Date of Government Version: 06/30/2016 Date Data Arrived at EDR: 07/18/2016 Date Made Active in Reports: 08/15/2016

Number of Days to Update: 28

Source: Rindt-McDuff Associates, Inc.

Telephone: N/A

Last EDR Contact: 10/07/2016

Next Scheduled EDR Contact: 10/24/2016 Data Release Frequency: Annually

#### State and tribal landfill and/or solid waste disposal site lists

SWF/LF: Solid Waste Disposal Facilities

Solid Waste Facilities/Landfill Sites. SWF/LF type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the state, these may be active or inactive facilities or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal

Date of Government Version: 06/28/2016 Date Data Arrived at EDR: 08/02/2016 Date Made Active in Reports: 08/16/2016

Number of Days to Update: 14

Source: Department of Natural Resources

Telephone: 404-362-2696

Source: Center for GIS, Georgia Institute of Technology

Telephone: 404-385-0900 Last EDR Contact: 11/04/2016

Next Scheduled EDR Contact: 02/13/2017 Data Release Frequency: Semi-Annually

State and tribal leaking storage tank lists

LUST: List of Leaking Underground Storage Tanks

Leaking Underground Storage Tank Incident Reports. LUST records contain an inventory of reported leaking underground storage tank incidents. Not all states maintain these records, and the information stored varies by state.

Date of Government Version: 05/27/2016 Date Data Arrived at EDR: 06/09/2016 Date Made Active in Reports: 07/06/2016

Number of Days to Update: 27

Source: Environmental Protection Division

Telephone: 404-362-2687 Last EDR Contact: 09/16/2016

Next Scheduled EDR Contact: 12/26/2016 Data Release Frequency: Quarterly

INDIAN LUST R10: Leaking Underground Storage Tanks on Indian Land LUSTs on Indian land in Alaska, Idaho, Oregon and Washington.

Date of Government Version: 01/07/2016 Date Data Arrived at EDR: 01/08/2016 Date Made Active in Reports: 02/18/2016

Number of Days to Update: 41

Source: EPA Region 10 Telephone: 206-553-2857 Last EDR Contact: 10/28/2016

Next Scheduled EDR Contact: 02/06/2017 Data Release Frequency: Quarterly

INDIAN LUST R8: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Colorado, Montana, North Dakota, South Dakota, Utah and Wyoming.

Date of Government Version: 10/13/2015 Date Data Arrived at EDR: 10/23/2015 Date Made Active in Reports: 02/18/2016

Number of Days to Update: 118

Source: EPA Region 8 Telephone: 303-312-6271 Last EDR Contact: 10/28/2016 Next Scheduled EDR Contact: 02/06/2017

Next Scheduled EDR Contact: 02/06/2017 Data Release Frequency: Quarterly

INDIAN LUST R7: Leaking Underground Storage Tanks on Indian Land LUSTs on Indian land in Iowa, Kansas, and Nebraska

Date of Government Version: 10/09/2015 Date Data Arrived at EDR: 02/12/2016 Date Made Active in Reports: 06/03/2016

Number of Days to Update: 112

Source: EPA Region 7 Telephone: 913-551-7003 Last EDR Contact: 10/28/2016

Next Scheduled EDR Contact: 02/06/2017 Data Release Frequency: Varies

INDIAN LUST R6: Leaking Underground Storage Tanks on Indian Land LUSTs on Indian land in New Mexico and Oklahoma.

Date of Government Version: 12/11/2015 Date Data Arrived at EDR: 02/19/2016 Date Made Active in Reports: 06/03/2016

Number of Days to Update: 105

Source: EPA Region 6 Telephone: 214-665-6597 Last EDR Contact: 10/28/2016

Next Scheduled EDR Contact: 02/06/2017 Data Release Frequency: Varies

INDIAN LUST R4: Leaking Underground Storage Tanks on Indian Land LUSTs on Indian land in Florida, Mississippi and North Carolina.

Date of Government Version: 02/05/2016 Date Data Arrived at EDR: 04/29/2016 Date Made Active in Reports: 06/03/2016

Number of Days to Update: 35

Source: EPA Region 4 Telephone: 404-562-8677 Last EDR Contact: 10/28/2016

Next Scheduled EDR Contact: 02/06/2017 Data Release Frequency: Semi-Annually

INDIAN LUST R1: Leaking Underground Storage Tanks on Indian Land A listing of leaking underground storage tank locations on Indian Land.

Date of Government Version: 10/27/2015 Date Data Arrived at EDR: 10/29/2015 Date Made Active in Reports: 01/04/2016

Number of Days to Update: 67

Source: EPA Region 1 Telephone: 617-918-1313 Last EDR Contact: 10/28/2016

Next Scheduled EDR Contact: 02/06/2017

Data Release Frequency: Varies

INDIAN LUST R5: Leaking Underground Storage Tanks on Indian Land

Leaking underground storage tanks located on Indian Land in Michigan, Minnesota and Wisconsin.

Date of Government Version: 02/17/2016 Date Data Arrived at EDR: 04/27/2016 Date Made Active in Reports: 06/03/2016

Number of Days to Update: 37

Source: EPA, Region 5 Telephone: 312-886-7439 Last EDR Contact: 10/28/2016

Next Scheduled EDR Contact: 02/06/2017 Data Release Frequency: Varies

INDIAN LUST R9: Leaking Underground Storage Tanks on Indian Land LUSTs on Indian land in Arizona, California, New Mexico and Nevada

Date of Government Version: 02/25/2016 Date Data Arrived at EDR: 04/27/2016 Date Made Active in Reports: 06/03/2016

Number of Days to Update: 37

Telephone: 415-972-3372 Last EDR Contact: 10/28/2016 Next Scheduled EDR Contact: 02/06/2017 Data Release Frequency: Quarterly

Source: Environmental Protection Agency

#### State and tribal registered storage tank lists

FEMA UST: Underground Storage Tank Listing

A listing of all FEMA owned underground storage tanks.

Date of Government Version: 01/01/2010 Date Data Arrived at EDR: 02/16/2010 Date Made Active in Reports: 04/12/2010

Number of Days to Update: 55

Source: FEMA

Telephone: 202-646-5797 Last EDR Contact: 10/11/2016

Next Scheduled EDR Contact: 01/23/2017 Data Release Frequency: Varies

### UST: Underground Storage Tank Database

Registered Underground Storage Tanks. UST's are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA) and must be registered with the state department responsible for administering the UST program. Available information varies by state program.

Date of Government Version: 05/27/2016 Date Data Arrived at EDR: 06/09/2016 Date Made Active in Reports: 07/20/2016

Number of Days to Update: 41

Source: Environmental Protection Division

Telephone: 404-362-2687 Last EDR Contact: 09/16/2016

Next Scheduled EDR Contact: 12/26/2016 Data Release Frequency: Annually

AST: Above Ground Storage Tanks A listing of LP gas tank site locations.

> Date of Government Version: 06/04/2012 Date Data Arrived at EDR: 06/05/2012 Date Made Active in Reports: 06/14/2012

Number of Days to Update: 9

Source: Office of Insurance & Safety Fire Commissioner

Telephone: 404-656-5875 Last EDR Contact: 11/17/2016

Next Scheduled EDR Contact: 03/06/2017 Data Release Frequency: Varies

#### INDIAN UST R6: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 6 (Louisiana, Arkansas, Oklahoma, New Mexico, Texas and 65 Tribes).

Date of Government Version: 12/03/2015 Date Data Arrived at EDR: 02/04/2016 Date Made Active in Reports: 06/03/2016

Number of Days to Update: 120

Source: EPA Region 6 Telephone: 214-665-7591 Last EDR Contact: 10/28/2016

Next Scheduled EDR Contact: 02/06/2017 Data Release Frequency: Semi-Annually

INDIAN UST R1: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 1 (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont and ten Tribal Nations).

Date of Government Version: 10/20/2015 Date Data Arrived at EDR: 10/29/2015 Date Made Active in Reports: 01/04/2016

Number of Days to Update: 67

Source: EPA, Region 1 Telephone: 617-918-1313 Last EDR Contact: 10/28/2016

Next Scheduled EDR Contact: 02/06/2017 Data Release Frequency: Varies

INDIAN UST R8: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 8 (Colorado, Montana, North Dakota, South Dakota, Utah, Wyoming and 27 Tribal Nations).

Date of Government Version: 01/26/2016 Date Data Arrived at EDR: 02/05/2016 Date Made Active in Reports: 06/03/2016

Number of Days to Update: 119

Source: EPA Region 8 Telephone: 303-312-6137 Last EDR Contact: 10/28/2016

Next Scheduled EDR Contact: 02/06/2017 Data Release Frequency: Quarterly

INDIAN UST R9: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 9 (Arizona, California, Hawaii, Nevada, the Pacific Islands, and Tribal Nations).

Date of Government Version: 02/25/2016 Date Data Arrived at EDR: 04/27/2016 Date Made Active in Reports: 06/03/2016

Number of Days to Update: 37

Source: EPA Region 9 Telephone: 415-972-3368 Last EDR Contact: 10/28/2016

Next Scheduled EDR Contact: 02/06/2017 Data Release Frequency: Quarterly

INDIAN UST R5: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 5 (Michigan, Minnesota and Wisconsin and Tribal Nations).

Date of Government Version: 11/05/2015 Date Data Arrived at EDR: 11/13/2015 Date Made Active in Reports: 01/04/2016

Number of Days to Update: 52

Source: EPA Region 5 Telephone: 312-886-6136 Last EDR Contact: 10/28/2016

Next Scheduled EDR Contact: 02/06/2017 Data Release Frequency: Varies

INDIAN UST R4: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 4 (Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, Tennessee and Tribal Nations)

Date of Government Version: 02/05/2016 Date Data Arrived at EDR: 04/29/2016 Date Made Active in Reports: 06/03/2016

Number of Days to Update: 35

Source: EPA Region 4 Telephone: 404-562-9424 Last EDR Contact: 10/28/2016

Next Scheduled EDR Contact: 02/06/2017 Data Release Frequency: Semi-Annually

INDIAN UST R10: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 10 (Alaska, Idaho, Oregon, Washington, and Tribal Nations).

Date of Government Version: 01/07/2016 Date Data Arrived at EDR: 01/08/2016 Date Made Active in Reports: 02/18/2016

Number of Days to Update: 41

Source: EPA Region 10 Telephone: 206-553-2857 Last EDR Contact: 10/28/2016

Next Scheduled EDR Contact: 02/06/2017 Data Release Frequency: Quarterly

INDIAN UST R7: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 7 (Iowa, Kansas, Missouri, Nebraska, and 9 Tribal Nations).

Date of Government Version: 09/23/2014 Date Data Arrived at EDR: 11/25/2014 Date Made Active in Reports: 01/29/2015

Number of Days to Update: 65

Source: EPA Region 7 Telephone: 913-551-7003 Last EDR Contact: 10/28/2016

Next Scheduled EDR Contact: 02/06/2017 Data Release Frequency: Varies

#### State and tribal institutional control / engineering control registries

INST CONTROL: Public Record List

Sites on the Public Record Listing that have institutional controls or limitations on use are sites with Risk

Reduction Standards of 3, 4, and 5,

Date of Government Version: 09/20/2016 Date Data Arrived at EDR: 11/08/2016 Date Made Active in Reports: 11/22/2016

Number of Days to Update: 14

Source: Department of Natural Resources

Telephone: 404-657-8600 Last EDR Contact: 11/08/2016

Next Scheduled EDR Contact: 02/20/2017

Data Release Frequency: Varies

AUL: Uniform Environmental Covenants
A list of environmental covenants

Date of Government Version: 09/26/2016 Date Data Arrived at EDR: 11/08/2016 Date Made Active in Reports: 11/22/2016

Number of Days to Update: 14

Source: Department of Natural Resources

Telephone: 404-657-8600 Last EDR Contact: 11/08/2016

Next Scheduled EDR Contact: 02/20/2017 Data Release Frequency: Varies

#### State and tribal voluntary cleanup sites

INDIAN VCP R1: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 1.

Date of Government Version: 07/27/2015 Date Data Arrived at EDR: 09/29/2015 Date Made Active in Reports: 02/18/2016

Number of Days to Update: 142

Source: EPA, Region 1 Telephone: 617-918-1102 Last EDR Contact: 09/26/2016

Next Scheduled EDR Contact: 01/09/2017 Data Release Frequency: Varies

INDIAN VCP R7: Voluntary Cleanup Priority Lisiting

A listing of voluntary cleanup priority sites located on Indian Land located in Region 7.

Date of Government Version: 03/20/2008 Date Data Arrived at EDR: 04/22/2008 Date Made Active in Reports: 05/19/2008

Number of Days to Update: 27

Source: EPA, Region 7 Telephone: 913-551-7365 Last EDR Contact: 04/20/2009

Next Scheduled EDR Contact: 07/20/2009 Data Release Frequency: Varies

VCP: Voluntary Cleanup Program site

Georgia's Voluntary Remediation Program Act was created to encourage voluntary investigation and remediation of contaminated properties.

Date of Government Version: 07/14/2016 Date Data Arrived at EDR: 09/01/2016 Date Made Active in Reports: 10/18/2016

Number of Days to Update: 47

Source: DNR

Telephone: 404-657-8600 Last EDR Contact: 09/01/2016

Next Scheduled EDR Contact: 12/12/2016

Data Release Frequency: Varies

#### State and tribal Brownfields sites

BROWNFIELDS: Brownfields Public Record List

The Brownfields Public Record lists properties where response actions under the Georgia Hazardous Site Reuse and Redevelopment Act are planned, ongoing or completed.

Date of Government Version: 09/20/2016 Date Data Arrived at EDR: 11/08/2016 Date Made Active in Reports: 11/22/2016

Number of Days to Update: 14

Source: Department of Natural Resources

Telephone: 404-657-8600 Last EDR Contact: 11/08/2016

Next Scheduled EDR Contact: 02/20/2017

Data Release Frequency: Varies

#### ADDITIONAL ENVIRONMENTAL RECORDS

#### Local Brownfield lists

US BROWNFIELDS: A Listing of Brownfields Sites

Brownfields are real property, the expansion, redevelopment, or reuse of which may be complicated by the presence or potential presence of a hazardous substance, pollutant, or contaminant. Cleaning up and reinvesting in these properties takes development pressures off of undeveloped, open land, and both improves and protects the environment. Assessment, Cleanup and Redevelopment Exchange System (ACRES) stores information reported by EPA Brownfields grant recipients on brownfields properties assessed or cleaned up with grant funding as well as information on Targeted Brownfields Assessments performed by EPA Regions. A listing of ACRES Brownfield sites is obtained from Cleanups in My Community. Cleanups in My Community provides information on Brownfields properties for which information is reported back to EPA, as well as areas served by Brownfields grant programs.

Date of Government Version: 09/20/2016 Date Data Arrived at EDR: 09/21/2016 Date Made Active in Reports: 11/11/2016

Number of Days to Update: 51

Source: Environmental Protection Agency

Telephone: 202-566-2777 Last EDR Contact: 09/21/2016

Next Scheduled EDR Contact: 01/02/2017 Data Release Frequency: Semi-Annually

#### Local Lists of Landfill / Solid Waste Disposal Sites

HIST LF: Historical Landfills

Landfills that were closed many years ago.

Date of Government Version: 01/15/2003 Date Data Arrived at EDR: 01/20/2004 Date Made Active in Reports: 02/06/2004 Number of Days to Update: 17 Source: Department of Natural Resources Telephone: 404-362-2696 Last EDR Contact: 01/20/2004 Next Scheduled EDR Contact: N/A Data Release Frequency: Varies

SWRCY: Recycling Center Listing
A listing of recycling facility locations.

Date of Government Version: 07/15/2016 Date Data Arrived at EDR: 07/19/2016 Date Made Active in Reports: 08/15/2016

Number of Days to Update: 27

Source: Department of Community Affairs

Telephone: 404-679-1598 Last EDR Contact: 10/11/2016

Next Scheduled EDR Contact: 01/23/2017 Data Release Frequency: Varies

INDIAN ODI: Report on the Status of Open Dumps on Indian Lands

Location of open dumps on Indian land.

Date of Government Version: 12/31/1998 Date Data Arrived at EDR: 12/03/2007 Date Made Active in Reports: 01/24/2008

Number of Days to Update: 52

Source: Environmental Protection Agency

Telephone: 703-308-8245 Last EDR Contact: 10/31/2016

Next Scheduled EDR Contact: 02/13/2017

Data Release Frequency: Varies

ODI: Open Dump Inventory

An open dump is defined as a disposal facility that does not comply with one or more of the Part 257 or Part 258 Subtitle D Criteria.

Date of Government Version: 06/30/1985 Date Data Arrived at EDR: 08/09/2004 Date Made Active in Reports: 09/17/2004 Number of Days to Update: 39

Source: Environmental Protection Agency Telephone: 800-424-9346 Last EDR Contact: 06/09/2004 Next Scheduled EDR Contact: N/A Data Release Frequency: No Update Planned

DEBRIS REGION 9: Torres Martinez Reservation Illegal Dump Site Locations

A listing of illegal dump sites location on the Torres Martinez Indian Reservation located in eastern Riverside County and northern Imperial County, California.

Date of Government Version: 01/12/2009 Date Data Arrived at EDR: 05/07/2009 Date Made Active in Reports: 09/21/2009

Number of Days to Update: 137

Source: EPA, Region 9 Telephone: 415-947-4219 Last EDR Contact: 10/24/2016

Next Scheduled EDR Contact: 02/06/2017 Data Release Frequency: No Update Planned

IHS OPEN DUMPS: Open Dumps on Indian Land

A listing of all open dumps located on Indian Land in the United States.

Date of Government Version: 04/01/2014 Date Data Arrived at EDR: 08/06/2014 Date Made Active in Reports: 01/29/2015

Number of Days to Update: 176

Source: Department of Health & Human Serivces, Indian Health Service

Telephone: 301-443-1452 Last EDR Contact: 11/04/2016

Next Scheduled EDR Contact: 02/13/2017 Data Release Frequency: Varies

#### Local Lists of Hazardous waste / Contaminated Sites

US HIST CDL: National Clandestine Laboratory Register

A listing of clandestine drug lab locations that have been removed from the DEAs National Clandestine Laboratory Register.

Date of Government Version: 08/31/2016 Date Data Arrived at EDR: 09/06/2016 Date Made Active in Reports: 09/23/2016

Number of Days to Update: 17

Source: Drug Enforcement Administration

Telephone: 202-307-1000 Last EDR Contact: 08/31/2016

Next Scheduled EDR Contact: 10/10/2016

Data Release Frequency: No Update Planned

CDL: Clandestine Drug Labs

A listing of clandestine drug lab site locations in the state.

Date of Government Version: 06/02/2016 Date Data Arrived at EDR: 06/13/2016 Date Made Active in Reports: 08/15/2016

Number of Days to Update: 63

Source: Georgia Bureau of Investigation Telephone: 404-244-2639

Last EDR Contact: 10/11/2016

Next Scheduled EDR Contact: 12/26/2016 Data Release Frequency: Varies

DEL SHWS: Delisted Hazardous Site Inventory Listing

A listing of sites delisted from the Hazardous Site Inventory.

Date of Government Version: 07/01/2016 Date Data Arrived at EDR: 07/05/2016 Date Made Active in Reports: 08/15/2016

Number of Days to Update: 41

Source: Department of Natural Resources

Telephone: 404-657-8636 Last EDR Contact: 09/26/2016

Next Scheduled EDR Contact: 01/09/2017 Data Release Frequency: Annually

US CDL: Clandestine Drug Labs

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 08/30/2016 Date Data Arrived at EDR: 09/06/2016 Date Made Active in Reports: 09/23/2016

Number of Days to Update: 17

Source: Drug Enforcement Administration

Telephone: 202-307-1000 Last EDR Contact: 08/31/2016

Next Scheduled EDR Contact: 12/12/2016 Data Release Frequency: Quarterly

#### Local Land Records

LIENS 2: CERCLA Lien Information

A Federal CERCLA ('Superfund') lien can exist by operation of law at any site or property at which EPA has spent Superfund monies. These monies are spent to investigate and address releases and threatened releases of contamination. CERCLIS provides information as to the identity of these sites and properties.

Date of Government Version: 02/18/2014 Date Data Arrived at EDR: 03/18/2014 Date Made Active in Reports: 04/24/2014

Number of Days to Update: 37

Source: Environmental Protection Agency

Telephone: 202-564-6023 Last EDR Contact: 10/28/2016

Next Scheduled EDR Contact: 02/06/2017 Data Release Frequency: Varies

#### Records of Emergency Release Reports

HMIRS: Hazardous Materials Information Reporting System

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 06/27/2016 Date Data Arrived at EDR: 06/28/2016 Date Made Active in Reports: 09/23/2016

Number of Days to Update: 87

Source: U.S. Department of Transportation

Telephone: 202-366-4555 Last EDR Contact: 09/27/2016

Next Scheduled EDR Contact: 01/09/2017 Data Release Frequency: Annually

SPILLS: Spills Information

Oil or Hazardous Material Spills or Releases.

Date of Government Version: 07/06/2016 Date Data Arrived at EDR: 07/08/2016 Date Made Active in Reports: 08/15/2016

Number of Days to Update: 38

Source: Department of Natural Resources

Telephone: 770-387-4900 Last EDR Contact: 11/21/2016

Next Scheduled EDR Contact: 01/09/2017 Data Release Frequency: Quarterly

SPILLS 90: SPILLS90 data from FirstSearch

Spills 90 includes those spill and release records available exclusively from FirstSearch databases. Typically, they may include chemical, oil and/or hazardous substance spills recorded after 1990. Duplicate records that are already included in EDR incident and release records are not included in Spills 90.

Date of Government Version: 10/04/2012 Date Data Arrived at EDR: 01/03/2013 Date Made Active in Reports: 02/11/2013

Number of Days to Update: 39

Source: FirstSearch Telephone: N/A

Last EDR Contact: 01/03/2013 Next Scheduled EDR Contact: N/A

Data Release Frequency: No Update Planned

#### Other Ascertainable Records

### RCRA NonGen / NLR: RCRA - Non Generators / No Longer Regulated

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous

Date of Government Version: 06/21/2016 Date Data Arrived at EDR: 06/30/2016 Date Made Active in Reports: 09/02/2016 Number of Days to Update: 64

Telephone: (404) 562-8651 Last EDR Contact: 09/28/2016 Next Scheduled EDR Contact: 01/09/2017

Source: Environmental Protection Agency

Data Release Frequency: Varies

FUDS: Formerly Used Defense Sites

The listing includes locations of Formerly Used Defense Sites properties where the US Army Corps of Engineers is actively working or will take necessary cleanup actions.

Date of Government Version: 01/31/2015 Date Data Arrived at EDR: 07/08/2015 Date Made Active in Reports: 10/13/2015

Source: U.S. Army Corps of Engineers Telephone: 202-528-4285 Last EDR Contact: 09/09/2016

Number of Days to Update: 97

Next Scheduled EDR Contact: 12/19/2016 Data Release Frequency: Varies

DOD: Department of Defense Sites

This data set consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

Date of Government Version: 12/31/2005 Date Data Arrived at EDR: 11/10/2006 Date Made Active in Reports: 01/11/2007

Source: USGS

Telephone: 888-275-8747 Last EDR Contact: 10/14/2016

Number of Days to Update: 62

Next Scheduled EDR Contact: 01/23/2017 Data Release Frequency: Semi-Annually

#### FEDLAND: Federal and Indian Lands

Federally and Indian administrated lands of the United States. Lands included are administrated by: Army Corps of Engineers, Bureau of Reclamation, National Wild and Scenic River, National Wildlife Refuge, Public Domain Land. Wilderness, Wilderness Study Area, Wildlife Management Area, Bureau of Indian Affairs, Bureau of Land Management, Department of Justice, Forest Service, Fish and Wildlife Service, National Park Service.

Date of Government Version: 12/31/2005 Date Data Arrived at EDR: 02/06/2006 Date Made Active in Reports: 01/11/2007

Source: U.S. Geological Survey Telephone: 888-275-8747 Last EDR Contact: 10/14/2016

Number of Days to Update: 339

Next Scheduled EDR Contact: 01/23/2017

Data Release Frequency: N/A

## SCRD DRYCLEANERS: State Coalition for Remediation of Drycleaners Listing

The State Coalition for Remediation of Drycleaners was established in 1998, with support from the U.S. EPA Office of Superfund Remediation and Technology Innovation. It is comprised of representatives of states with established drycleaner remediation programs. Currently the member states are Alabama, Connecticut, Florida, Illinois, Kansas, Minnesota, Missouri, North Carolina, Oregon, South Carolina, Tennessee, Texas, and Wisconsin.

Date of Government Version: 03/07/2011 Date Data Arrived at EDR: 03/09/2011

Source: Environmental Protection Agency

Date Made Active in Reports: 05/02/2011

Telephone: 615-532-8599 Last EDR Contact: 11/17/2016

Number of Days to Update: 54

Next Scheduled EDR Contact: 11/28/2016 Data Release Frequency: Varies

#### US FIN ASSUR: Financial Assurance Information

All owners and operators of facilities that treat, store, or dispose of hazardous waste are required to provide proof that they will have sufficient funds to pay for the clean up, closure, and post-closure care of their facilities.

Date of Government Version: 07/12/2016 Date Data Arrived at EDR: 08/17/2016 Date Made Active in Reports: 10/21/2016 Number of Days to Update: 65 Source: Environmental Protection Agency Telephone: 202-566-1917 Last EDR Contact: 11/16/2016 Next Scheduled EDR Contact: 02/27/2017 Data Release Frequency: Quarterly

#### EPA WATCH LIST: EPA WATCH LIST

EPA maintains a "Watch List" to facilitate dialogue between EPA, state and local environmental agencies on enforcement matters relating to facilities with alleged violations identified as either significant or high priority. Being on the Watch List does not mean that the facility has actually violated the law only that an investigation by EPA or a state or local environmental agency has led those organizations to allege that an unproven violation has in fact occurred. Being on the Watch List does not represent a higher level of concern regarding the alleged violations that were detected, but instead indicates cases requiring additional dialogue between EPA, state and local agencies - primarily because of the length of time the alleged violation has gone unaddressed or unresolved.

Date of Government Version: 08/30/2013 Date Data Arrived at EDR: 03/21/2014 Date Made Active in Reports: 06/17/2014

Number of Days to Update: 88

Source: Environmental Protection Agency Telephone: 617-520-3000

Last EDR Contact: 11/08/2016

Next Scheduled EDR Contact: 02/20/2017 Data Release Frequency: Quarterly

#### 2020 COR ACTION: 2020 Corrective Action Program List

The EPA has set ambitious goals for the RCRA Corrective Action program by creating the 2020 Corrective Action Universe. This RCRA cleanup baseline includes facilities expected to need corrective action. The 2020 universe contains a wide variety of sites. Some properties are heavily contaminated while others were contaminated but have since been cleaned up. Still others have not been fully investigated yet, and may require little or no remediation. Inclusion in the 2020 Universe does not necessarily imply failure on the part of a facility to meet its RCRA obligations.

Date of Government Version: 04/22/2013 Date Data Arrived at EDR: 03/03/2015 Date Made Active in Reports: 03/09/2015

Number of Days to Update: 6

Source: Environmental Protection Agency Telephone: 703-308-4044 Last EDR Contact: 11/11/2016

Next Scheduled EDR Contact: 02/20/2017

Data Release Frequency: Varies

#### TSCA: Toxic Substances Control Act

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/2012 Date Data Arrived at EDR: 01/15/2015 Date Made Active in Reports: 01/29/2015

Number of Days to Update: 14

Source: EPA

Telephone: 202-260-5521 Last EDR Contact: 09/23/2016

Next Scheduled EDR Contact: 01/02/2017 Data Release Frequency: Every 4 Years

### TRIS: Toxic Chemical Release Inventory System

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/2014 Date Data Arrived at EDR: 11/24/2015 Date Made Active in Reports: 04/05/2016

Number of Days to Update: 133

Source: EPA

Telephone: 202-566-0250 Last EDR Contact: 11/22/2016

Next Scheduled EDR Contact: 03/06/2017 Data Release Frequency: Annually

#### SSTS: Section 7 Tracking Systems

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 12/31/2009 Date Data Arrived at EDR: 12/10/2010 Date Made Active in Reports: 02/25/2011

Number of Days to Update: 77

Source: EPA

Telephone: 202-564-4203 Last EDR Contact: 10/24/2016

Next Scheduled EDR Contact: 02/06/2017 Data Release Frequency: Annually

ROD: Records Of Decision

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 11/25/2013 Date Data Arrived at EDR: 12/12/2013 Date Made Active in Reports: 02/24/2014

Number of Days to Update: 74

Source: EPA

Telephone: 703-416-0223 Last EDR Contact: 09/09/2016

Next Scheduled EDR Contact: 12/19/2016 Data Release Frequency: Annually

RMP: Risk Management Plans

When Congress passed the Clean Air Act Amendments of 1990, it required EPA to publish regulations and guidance for chemical accident prevention at facilities using extremely hazardous substances. The Risk Management Program Rule (RMP Rule) was written to implement Section 112(r) of these amendments. The rule, which built upon existing industry codes and standards, requires companies of all sizes that use certain flammable and toxic substances to develop a Risk Management Program, which includes a(n): Hazard assessment that details the potential effects of an accidental release, an accident history of the last five years, and an evaluation of worst-case and alternative accidental releases; Prevention program that includes safety precautions and maintenance, monitoring, and employee training measures; and Emergency response program that spells out emergency health care, employee training measures and procedures for informing the public and response agencies (e.g the fire department) should an accident occur.

Date of Government Version: 08/01/2016 Date Data Arrived at EDR: 08/22/2016 Date Made Active in Reports: 11/11/2016

Number of Days to Update: 81

Source: Environmental Protection Agency

Telephone: 202-564-8600 Last EDR Contact: 11/18/2016

Next Scheduled EDR Contact: 02/06/2017

Data Release Frequency: Varies

RAATS: RCRA Administrative Action Tracking System

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/1995 Date Data Arrived at EDR: 07/03/1995 Date Made Active in Reports: 08/07/1995

Number of Days to Update: 35

Source: EPA

Telephone: 202-564-4104 Last EDR Contact: 06/02/2008

Next Scheduled EDR Contact: 09/01/2008 Data Release Frequency: No Update Planned

PRP: Potentially Responsible Parties

A listing of verified Potentially Responsible Parties

Date of Government Version: 10/25/2013 Date Data Arrived at EDR: 10/17/2014 Date Made Active in Reports: 10/20/2014 Number of Days to Update: 3

Source: EPA

Telephone: 202-564-6023 Last EDR Contact: 11/07/2016

Next Scheduled EDR Contact: 02/20/2017 Data Release Frequency: Quarterly

PADS: PCB Activity Database System

PCB Activity Database. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 01/20/2016 Date Data Arrived at EDR: 04/28/2016 Date Made Active in Reports: 09/02/2016

Number of Days to Update: 127

Source: EPA

Telephone: 202-566-0500 Last EDR Contact: 10/14/2016

Next Scheduled EDR Contact: 01/23/2017 Data Release Frequency: Annually

ICIS: Integrated Compliance Information System

The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.

Date of Government Version: 07/27/2016 Date Data Arrived at EDR: 08/05/2016 Date Made Active in Reports: 10/21/2016

Number of Days to Update: 77

Source: Environmental Protection Agency

Telephone: 202-564-5088 Last EDR Contact: 10/11/2016

Next Scheduled EDR Contact: 01/23/2017 Data Release Frequency: Quarterly

FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 04/09/2009 Date Data Arrived at EDR: 04/16/2009

Date Made Active in Reports: 05/11/2009

Number of Days to Update: 25

Source: EPA/Office of Prevention, Pesticides and Toxic Substances

Telephone: 202-566-1667 Last EDR Contact: 11/17/2016

Next Scheduled EDR Contact: 03/06/2017 Data Release Frequency: Quarterly

FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act) A listing of FIFRA/TSCA Tracking System (FTTS) inspections and enforcements.

Date of Government Version: 04/09/2009 Date Data Arrived at EDR: 04/16/2009 Date Made Active in Reports: 05/11/2009

Number of Days to Update: 25

Source: EPA

Telephone: 202-566-1667 Last EDR Contact: 11/17/2016

Next Scheduled EDR Contact: 03/06/2017 Data Release Frequency: Quarterly

MLTS: Material Licensing Tracking System

MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 08/30/2016 Date Data Arrived at EDR: 09/08/2016 Date Made Active in Reports: 10/21/2016

Number of Days to Update: 43

Source: Nuclear Regulatory Commission

Telephone: 301-415-7169 Last EDR Contact: 11/07/2016

Next Scheduled EDR Contact: 02/20/2017 Data Release Frequency: Quarterly

COAL ASH DOE: Steam-Electric Plant Operation Data A listing of power plants that store ash in surface ponds.

Date of Government Version: 12/31/2005 Date Data Arrived at EDR: 08/07/2009 Date Made Active in Reports: 10/22/2009

Number of Days to Update: 76

Source: Department of Energy Telephone: 202-586-8719 Last EDR Contact: 09/09/2016

Next Scheduled EDR Contact: 12/19/2016 Data Release Frequency: Varies

COAL ASH EPA: Coal Combustion Residues Surface Impoundments List

A listing of coal combustion residues surface impoundments with high hazard potential ratings.

Date of Government Version: 07/01/2014 Date Data Arrived at EDR: 09/10/2014 Date Made Active in Reports: 10/20/2014

Number of Days to Update: 40

Source: Environmental Protection Agency

Telephone: N/A

Last EDR Contact: 09/06/2016

Next Scheduled EDR Contact: 12/19/2016 Data Release Frequency: Varies

PCB TRANSFORMER: PCB Transformer Registration Database

The database of PCB transformer registrations that includes all PCB registration submittals.

Date of Government Version: 02/01/2011 Date Data Arrived at EDR: 10/19/2011 Date Made Active in Reports: 01/10/2012

Number of Days to Update: 83

Source: Environmental Protection Agency

Telephone: 202-566-0517 Last EDR Contact: 10/28/2016

Next Scheduled EDR Contact: 02/06/2017 Data Release Frequency: Varies

RADINFO: Radiation Information Database

The Radiation Information Database (RADINFO) contains information about facilities that are regulated by U.S. Environmental Protection Agency (EPA) regulations for radiation and radioactivity.

Date of Government Version: 10/03/2016 Date Data Arrived at EDR: 10/05/2016 Date Made Active in Reports: 10/21/2016

Number of Days to Update: 16

Source: Environmental Protection Agency

Telephone: 202-343-9775 Last EDR Contact: 10/05/2016

Next Scheduled EDR Contact: 01/16/2017 Data Release Frequency: Quarterly

HIST FTTS: FIFRA/TSCA Tracking System Administrative Case Listing

A complete administrative case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006 Date Data Arrived at EDR: 03/01/2007 Date Made Active in Reports: 04/10/2007

Number of Days to Update: 40

Source: Environmental Protection Agency

Telephone: 202-564-2501 Last EDR Contact: 12/17/2007

Next Scheduled EDR Contact: 03/17/2008 Data Release Frequency: No Update Planned

HIST FTTS INSP: FIFRA/TSCA Tracking System Inspection & Enforcement Case Listing

A complete inspection and enforcement case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006
Date Data Arrived at EDR: 03/01/2007
Date Made Active in Reports: 04/10/2007

Number of Days to Update: 40

Source: Environmental Protection Agency

Telephone: 202-564-2501 Last EDR Contact: 12/17/2008

Next Scheduled EDR Contact: 03/17/2008 Data Release Frequency: No Update Planned

DOT OPS: Incident and Accident Data

Department of Transporation, Office of Pipeline Safety Incident and Accident data.

Date of Government Version: 07/31/2012 Date Data Arrived at EDR: 08/07/2012 Date Made Active in Reports: 09/18/2012 Number of Days to Update: 42 Source: Department of Transporation, Office of Pipeline Safety Telephone: 202-366-4595

Last EDR Contact: 11/02/2016

Next Scheduled EDR Contact: 02/13/2017 Data Release Frequency: Varies

CONSENT: Superfund (CERCLA) Consent Decrees

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Government Version: 03/31/2016 Date Data Arrived at EDR: 08/01/2016 Date Made Active in Reports: 09/23/2016

Number of Days to Update: 53

Source: Department of Justice, Consent Decree Library

Telephone: Varies

Last EDR Contact: 09/26/2016

Next Scheduled EDR Contact: 01/09/2017 Data Release Frequency: Varies

BRS: Biennial Reporting System

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

Date of Government Version: 12/31/2013 Date Data Arrived at EDR: 02/24/2015 Date Made Active in Reports: 09/30/2015

Number of Days to Update: 218

Source: EPA/NTIS Telephone: 800-424-9346 Last EDR Contact: 08/26/2016

Next Scheduled EDR Contact: 12/05/2016 Data Release Frequency: Biennially

INDIAN RESERV: Indian Reservations

This map layer portrays Indian administered lands of the United States that have any area equal to or greater than 640 acres.

Date of Government Version: 12/31/2005 Date Data Arrived at EDR: 12/08/2006 Date Made Active in Reports: 01/11/2007

Number of Days to Update: 34

Source: USGS

Telephone: 202-208-3710 Last EDR Contact: 10/14/2016

Next Scheduled EDR Contact: 01/23/2017 Data Release Frequency: Semi-Annually

FUSRAP: Formerly Utilized Sites Remedial Action Program

DOE established the Formerly Utilized Sites Remedial Action Program (FUSRAP) in 1974 to remediate sites where radioactive contamination remained from Manhattan Project and early U.S. Atomic Energy Commission (AEC) operations.

Date of Government Version: 07/21/2016 Date Data Arrived at EDR: 07/26/2016 Date Made Active in Reports: 09/23/2016

Number of Days to Update: 59

Source: Department of Energy Telephone: 202-586-3559 Last EDR Contact: 11/08/2016

Next Scheduled EDR Contact: 02/20/2017 Data Release Frequency: Varies

UMTRA: Uranium Mill Tailings Sites

Uranium ore was mined by private companies for federal government use in national defense programs. When the mills shut down, large piles of the sand-like material (mill tailings) remain after uranium has been extracted from the ore. Levels of human exposure to radioactive materials from the piles are low; however, in some cases tailings were used as construction materials before the potential health hazards of the tailings were recognized.

Date of Government Version: 09/14/2010 Date Data Arrived at EDR: 10/07/2011 Date Made Active in Reports: 03/01/2012

Number of Days to Update: 146

Source: Department of Energy Telephone: 505-845-0011 Last EDR Contact: 09/09/2016

Next Scheduled EDR Contact: 12/05/2016

Data Release Frequency: Varies

LEAD SMELTER 1: Lead Smelter Sites

A listing of former lead smelter site locations.

Date of Government Version: 03/07/2016 Date Data Arrived at EDR: 04/07/2016 Date Made Active in Reports: 09/02/2016

Number of Days to Update: 148

Source: Environmental Protection Agency

Telephone: 703-603-8787 Last EDR Contact: 10/20/2016

Next Scheduled EDR Contact: 01/16/2017

Data Release Frequency: Varies

## LEAD SMELTER 2: Lead Smelter Sites

A list of several hundred sites in the U.S. where secondary lead smelting was done from 1931and 1964. These sites may pose a threat to public health through ingestion or inhalation of contaminated soil or dust

Date of Government Version: 04/05/2001 Date Data Arrived at EDR: 10/27/2010 Date Made Active in Reports: 12/02/2010 Number of Days to Update: 36

Source: American Journal of Public Health Telephone: 703-305-6451 Last EDR Contact: 12/02/2009 Next Scheduled EDR Contact: N/A Data Release Frequency: No Update Planned

## US AIRS (AFS): Aerometric Information Retrieval System Facility Subsystem (AFS)

The database is a sub-system of Aerometric Information Retrieval System (AIRS). AFS contains compliance data on air pollution point sources regulated by the U.S. EPA and/or state and local air regulatory agencies. This information comes from source reports by various stationary sources of air pollution, such as electric power plants, steel mills, factories, and universities, and provides information about the air pollutants they produce. Action, air program, air program pollutant, and general level plant data. It is used to track emissions and compliance data from industrial plants.

Date of Government Version: 06/30/2016 Date Data Arrived at EDR: 07/25/2016 Date Made Active in Reports: 10/21/2016

Number of Days to Update: 88

US AIRS MINOR: Air Facility System Data A listing of minor source facilities.

> Date of Government Version: 06/30/2016 Date Data Arrived at EDR: 07/25/2016 Date Made Active in Reports: 10/21/2016

Number of Days to Update: 88

Source: EPA

Telephone: 202-564-2496 Last EDR Contact: 09/26/2016

Next Scheduled EDR Contact: 01/09/2017 Data Release Frequency: Annually

Source: EPA

Telephone: 202-564-2496 Last EDR Contact: 09/26/2016

Next Scheduled EDR Contact: 01/09/2017 Data Release Frequency: Annually

#### US MINES: Mines Master Index File

Contains all mine identification numbers issued for mines active or opened since 1971. The data also includes violation information.

Date of Government Version: 08/05/2016 Date Data Arrived at EDR: 09/01/2016 Date Made Active in Reports: 09/23/2016

Number of Days to Update: 22

Source: Department of Labor, Mine Safety and Health Administration Telephone: 303-231-5959

Last EDR Contact: 09/01/2016 Next Scheduled EDR Contact: 12/12/2016 Data Release Frequency: Semi-Annually

## US MINES 2: Ferrous and Nonferrous Metal Mines Database Listing

This map layer includes ferrous (ferrous metal mines are facilities that extract ferrous metals, such as iron ore or molybdenum) and nonferrous (Nonferrous metal mines are facilities that extract nonferrous metals, such as gold, silver, copper, zinc, and lead) metal mines in the United States.

Date of Government Version: 12/05/2005 Date Data Arrived at EDR: 02/29/2008 Date Made Active in Reports: 04/18/2008

Number of Days to Update: 49

Source: USGS

Telephone: 703-648-7709 Last EDR Contact: 09/02/2016

Next Scheduled EDR Contact: 12/12/2016

Data Release Frequency: Varies

## US MINES 3: Active Mines & Mineral Plants Database Listing

Active Mines and Mineral Processing Plant operations for commodities monitored by the Minerals Information Team of the USGS.

Date of Government Version: 04/14/2011 Date Data Arrived at EDR: 06/08/2011 Date Made Active in Reports: 09/13/2011

Number of Days to Update: 97

Source: USGS

Telephone: 703-648-7709 Last EDR Contact: 09/02/2016

Next Scheduled EDR Contact: 12/12/2016 Data Release Frequency: Varies

FINDS: Facility Index System/Facility Registry System

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 07/15/2016 Date Data Arrived at EDR: 09/07/2016 Date Made Active in Reports: 11/11/2016

Number of Days to Update: 65

Source: EPA

Telephone: (404) 562-9900 Last EDR Contact: 09/07/2016

Next Scheduled EDR Contact: 12/19/2016 Data Release Frequency: Quarterly

UXO: Unexploded Ordnance Sites

A listing of unexploded ordnance site locations

Date of Government Version: 10/25/2015 Date Data Arrived at EDR: 01/29/2016 Date Made Active in Reports: 04/05/2016 Number of Days to Update: 67 Source: Department of Defense Telephone: 571-373-0407 Last EDR Contact: 11/21/2016

Next Scheduled EDR Contact: 01/30/2017

Data Release Frequency: Varies

DOCKET HWC: Hazardous Waste Compliance Docket Listing

A complete list of the Federal Agency Hazardous Waste Compliance Docket Facilities.

Date of Government Version: 06/02/2016 Date Data Arrived at EDR: 06/03/2016 Date Made Active in Reports: 09/02/2016 Number of Days to Update: 91 Source: Environmental Protection Agency Telephone: 202-564-0527

Last EDR Contact: 08/24/2016

Next Scheduled EDR Contact: 12/12/2016 Data Release Frequency: Varies

AIRS: Permitted Facility & Emissions Listing

A listing of permitted Air facilities and emissions data.

Date of Government Version: 12/31/2014 Date Data Arrived at EDR: 02/26/2016 Date Made Active in Reports: 04/11/2016

Number of Days to Update: 45

Source: Department of Natural Resources

Telephone: 404-363-7000 Last EDR Contact: 11/17/2016

Next Scheduled EDR Contact: 03/06/2017

Data Release Frequency: Varies

COAL ASH: Coal Ash Disposal Site Listing A listing of coal ash landfills.

> Date of Government Version: 08/01/2014 Date Data Arrived at EDR: 08/05/2014 Date Made Active in Reports: 09/02/2014

Number of Days to Update: 28

Source: Department of Natural Resources

Telephone: 404-362-2537 Last EDR Contact: 11/14/2016

Next Scheduled EDR Contact: 02/13/2017

Data Release Frequency: Varies

DRYCLEANERS: Drycleaner Database

A list of drycleaners in the state. The listing includes drycleaner facilities, that use perchloroethylene, that responded to the Notification of Compliance Status forms. It also includes those businesses that are pick-up stores only and do not conduct dry cleaning on site.

Date of Government Version: 12/22/2014 Date Data Arrived at EDR: 12/23/2014 Date Made Active in Reports: 01/27/2015 Number of Days to Update: 35 Source: Department of Natural Resources Telephone: 404-363-7000 Last EDR Contact: 11/07/2016 Next Scheduled EDR Contact: 02/20/2017 Data Release Frequency: Varies

Financial Assurance 1: Financial Assurance Information Listing

A listing of financial assurance information for underground storage tank facilities.

Date of Government Version: 05/27/2016 Date Data Arrived at EDR: 06/09/2016 Date Made Active in Reports: 07/20/2016

Number of Days to Update: 41

Source: Department of Natural Resources Telephone: 404-362-4892 Last EDR Contact: 09/16/2016

Next Scheduled EDR Contact: 12/26/2016 Data Release Frequency: Annually

Financial Assurance 2: Financial Assurance Information Listing

Financial assurance information listing for solid waste facilities.

Date of Government Version: 09/12/2016 Date Data Arrived at EDR: 09/13/2016 Date Made Active in Reports: 10/18/2016 Number of Days to Update: 35

Source: Department of Natural Resources Telephone: 404-362-2537 Last EDR Contact: 09/12/2016

Next Scheduled EDR Contact: 12/26/2016 Data Release Frequency: Varies

NPDES: NPDES Wastewater Permit List

A listing of NPDES wastewater permits issued by the Watershed Protection Branch.

Date of Government Version: 04/01/2016 Date Data Arrived at EDR: 05/11/2016 Date Made Active in Reports: 07/20/2016

Number of Days to Update: 70

Source: Department of Natural Resoruces

Telephone: 404-362-2680 Last EDR Contact: 11/11/2016

Next Scheduled EDR Contact: 02/20/2017 Data Release Frequency: Varies

TIER 2: Tier 2 Data Listing

A listing of facilities which store or manufacture hazardous materials and submit a chemical inventory report.

Date of Government Version: 12/31/2015 Date Data Arrived at EDR: 08/29/2016 Date Made Active in Reports: 10/18/2016

Number of Days to Update: 50

Source: Department of Natural Resources

Telephone: 404-656-4852 Last EDR Contact: 08/24/2016

Next Scheduled EDR Contact: 12/12/2016

Data Release Frequency: Varies

ABANDONED MINES: Abandoned Mines

An inventory of land and water impacted by past mining (primarily coal mining) is maintained by OSMRE to provide information needed to implement the Surface Mining Control and Reclamation Act of 1977 (SMCRA). The inventory contains information on the location, type, and extent of AML impacts, as well as, information on the cost associated with the reclamation of those problems. The inventory is based upon field surveys by State, Tribal, and OSMRE program officials. It is dynamic to the extent that it is modified as new problems are identified and existing problems are reclaimed.

Date of Government Version: 06/09/2016 Date Data Arrived at EDR: 06/13/2016 Date Made Active in Reports: 09/02/2016

Number of Days to Update: 81

Source: Department of Interior Telephone: 202-208-2609 Last EDR Contact: 09/12/2016

Next Scheduled EDR Contact: 12/26/2016 Data Release Frequency: Quarterly

FUELS PROGRAM: EPA Fuels Program Registered Listing

This listing includes facilities that are registered under the Part 80 (Code of Federal Regulations) EPA Fuels Programs. All companies now are required to submit new and updated registrations.

Date of Government Version: 08/22/2016 Date Data Arrived at EDR: 08/23/2016 Date Made Active in Reports: 10/21/2016 Number of Days to Update: 59

Source: EPA

Telephone: 800-385-6164 Last EDR Contact: 11/22/2016

Next Scheduled EDR Contact: 03/06/2017 Data Release Frequency: Quarterly

ECHO: Enforcement & Compliance History Information

ECHO provides integrated compliance and enforcement information for about 800,000 regulated facilities nationwide.

Date of Government Version: 09/18/2016 Date Data Arrived at EDR: 09/20/2016 Date Made Active in Reports: 10/21/2016

Number of Days to Update: 31

Source: Environmental Protection Agency

Telephone: 202-564-2280 Last EDR Contact: 09/20/2016

Next Scheduled EDR Contact: 01/02/2017 Data Release Frequency: Quarterly

#### **EDR HIGH RISK HISTORICAL RECORDS**

#### **EDR Exclusive Records**

EDR MGP: EDR Proprietary Manufactured Gas Plants

The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

Date of Government Version: N/A Date Data Arrived at EDR: N/A Date Made Active in Reports: N/A Number of Days to Update: N/A Source: EDR, Inc. Telephone: N/A Last EDR Contact: N/A

Next Scheduled EDR Contact: N/A

Data Release Frequency: No Update Planned

#### EDR Hist Auto: EDR Exclusive Historic Gas Stations

EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A Date Data Arrived at EDR: N/A Date Made Active in Reports: N/A Number of Days to Update: N/A

t Version: N/A Source: EDR, Inc.
t EDR: N/A Telephone: N/A
n Reports: N/A Last EDR Contact: N/A

Next Scheduled EDR Contact: N/A Data Release Frequency: Varies

### EDR Hist Cleaner: EDR Exclusive Historic Dry Cleaners

EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A Date Data Arrived at EDR: N/A Date Made Active in Reports: N/A Number of Days to Update: N/A Source: EDR, Inc. Telephone: N/A Last EDR Contact: N/A

Next Scheduled EDR Contact: N/A Data Release Frequency: Varies

#### **EDR RECOVERED GOVERNMENT ARCHIVES**

## Exclusive Recovered Govt. Archives

RGA HWS: Recovered Government Archive State Hazardous Waste Facilities List

The EDR Recovered Government Archive State Hazardous Waste database provides a list of SHWS incidents derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Department of Environmental Protection in Georgia.

Date of Government Version: N/A Date Data Arrived at EDR: 07/01/2013 Date Made Active in Reports: 12/24/2013

7/01/2013 Telephone: N/A : 12/24/2013 Last EDR Contact

Number of Days to Update: 176

Last EDR Contact: 06/01/2012 Next Scheduled EDR Contact: N/A Data Release Frequency: Varies

RGA LF: Recovered Government Archive Solid Waste Facilities List

The EDR Recovered Government Archive Landfill database provides a list of landfills derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Department of Natural Resources in Georgia.

Date of Government Version: N/A
Date Data Arrived at EDR: 07/01/2013
Date Made Active in Reports: 01/13/2014
Number of Days to Update: 196

Source: Department of Natural Resources

Source: Department of Environmental Protection

Telephone: N/A

Last EDR Contact: 06/01/2012 Next Scheduled EDR Contact: N/A Data Release Frequency: Varies

RGA LUST: Recovered Government Archive Leaking Underground Storage Tank

The EDR Recovered Government Archive Leaking Underground Storage Tank database provides a list of LUST incidents derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Environmental Protection Division in Georgia.

Date of Government Version: N/A
Date Data Arrived at EDR: 07/01/2013
Date Made Active in Reports: 12/24/2013
Number of Days to Update: 176

Source: Environmental Protection Division

Telephone: N/A

Last EDR Contact: 06/01/2012 Next Scheduled EDR Contact: N/A Data Release Frequency: Varies

#### OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

CT MANIFEST: Hazardous Waste Manifest Data

Facility and manifest data. Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a tsd facility.

Date of Government Version: 07/30/2013 Date Data Arrived at EDR: 08/19/2013 Date Made Active in Reports: 10/03/2013

Source: Department of Energy & Environmental Protection

Telephone: 860-424-3375 Last EDR Contact: 11/11/2016

Next Scheduled EDR Contact: 02/27/2017 Data Release Frequency: No Update Planned

NJ MANIFEST: Manifest Information Hazardous waste manifest information.

Number of Days to Update: 45

Date of Government Version: 12/31/2013 Date Data Arrived at EDR: 07/17/2015 Date Made Active in Reports: 08/12/2015 Number of Days to Update: 26

Source: Department of Environmental Protection Telephone: N/A

Last EDR Contact: 10/12/2016

Next Scheduled EDR Contact: 01/23/2017 Data Release Frequency: Annually

NY MANIFEST: Facility and Manifest Data

Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD

facility.

Date of Government Version: 08/01/2016 Date Data Arrived at EDR: 08/03/2016 Date Made Active in Reports: 09/09/2016

Number of Days to Update: 37

Source: Department of Environmental Conservation

Telephone: 518-402-8651 Last EDR Contact: 11/02/2016

Next Scheduled EDR Contact: 02/13/2017 Data Release Frequency: Annually

PA MANIFEST: Manifest Information
Hazardous waste manifest information.

Date of Government Version: 12/31/2015 Date Data Arrived at EDR: 07/22/2016 Date Made Active in Reports: 11/22/2016

Number of Days to Update: 123

Source: Department of Environmental Protection

Telephone: 717-783-8990 Last EDR Contact: 10/14/2016

Next Scheduled EDR Contact: 01/30/2017 Data Release Frequency: Annually

RI MANIFEST: Manifest information Hazardous waste manifest information

> Date of Government Version: 12/31/2013 Date Data Arrived at EDR: 06/19/2015 Date Made Active in Reports: 07/15/2015

Number of Days to Update: 26

Source: Department of Environmental Management

Telephone: 401-222-2797 Last EDR Contact: 11/21/2016

Next Scheduled EDR Contact: 03/06/2017 Data Release Frequency: Annually

WI MANIFEST: Manifest Information
Hazardous waste manifest information.

Date of Government Version: 12/31/2015 Date Data Arrived at EDR: 04/14/2016 Date Made Active in Reports: 06/03/2016 Number of Days to Update: 50 Source: Department of Natural Resources

Telephone: N/A

Last EDR Contact: 09/12/2016

Next Scheduled EDR Contact: 12/26/2016 Data Release Frequency: Annually

#### Oil/Gas Pipelines

Source: PennWell Corporation

Petroleum Bundle (Crude Oil, Refined Products, Petrochemicals, Gas Liquids (LPG/NGL), and Specialty Gases (Miscellaneous)) N = Natural Gas Bundle (Natural Gas, Gas Liquids (LPG/NGL), and Specialty Gases (Miscellaneous)). This map includes information copyrighted by PennWell Corporation. This information is provided on a best effort basis and PennWell Corporation does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of PennWell.

## Electric Power Transmission Line Data

Source: PennWell Corporation

This map includes information copyrighted by PennWell Corporation. This information is provided on a best effort basis and PennWell Corporation does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of PennWell.

Sensitive Receptors: There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

## AHA Hospitals:

Source: American Hospital Association, Inc.

Telephone: 312-280-5991

The database includes a listing of hospitals based on the American Hospital Association's annual survey of hospitals.

Medical Centers: Provider of Services Listing

Source: Centers for Medicare & Medicaid Services

Telephone: 410-786-3000

A listing of hospitals with Medicare provider number, produced by Centers of Medicare & Medicaid Services,

a federal agency within the U.S. Department of Health and Human Services.

**Nursing Homes** 

Source: National Institutes of Health

Telephone: 301-594-6248

Information on Medicare and Medicaid certified nursing homes in the United States.

Public Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on elementary

and secondary public education in the United States. It is a comprehensive, annual, national statistical database of all public elementary and secondary schools and school districts, which contains data that are

comparable across all states.

Private Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on private school locations in the United States.

Daycare Centers: Child Care Centers
Source: Department of Human Resources

Telephone: 404-651-5562

Flood Zone Data: This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.

Source: FEMA

Telephone: 877-336-2627

Date of Government Version: 2003, 2015

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005 and 2010 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Wetlands Inventory Source: Georgia GIS Clearinghouse

Telephone: 706-542-1581

Current USGS 7.5 Minute Topographic Map Source: U.S. Geological Survey

#### STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

## **GEOCHECK ®- PHYSICAL SETTING SOURCE ADDENDUM**

#### TARGET PROPERTY ADDRESS

FORMER MACON TELEGRAPH ASSEMBLAGE RIVERSIDE DR AND MARTIN LUTHER KING BLVD MACON, GA 31201

## TARGET PROPERTY COORDINATES

Latitude (North):

32.8384 - 32° 50' 18.24"

Longitude (West):

83.6233 - 83° 37' 23.88"

Universal Tranverse Mercator: Zone 17

UTM X (Meters): UTM Y (Meters):

254455.5

3636231.0

Elevation:

314 ft. above sea level

#### USGS TOPOGRAPHIC MAP

Target Property Map:

6046660 MACON EAST, GA

Version Date:

2014

Southwest Map:

6046666 MACON WEST, GA

Version Date:

2014

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principal investigative components:

- 1. Groundwater flow direction, and
- 2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

## GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).


## TOPOGRAPHIC INFORMATION


Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

#### TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General NE

#### SURROUNDING TOPOGRAPHY: ELEVATION PROFILES





Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

#### HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

#### FEMA FLOOD ZONE

Flood Plain Panel at Target Property

13289C0050B

FEMA FIRM Flood data

Additional Panels in search area:

FEMA Source Type

FEMA Source Type

FEMA FIRM Flood data

 13021C0132F
 FEMA FIRM Flood data

 13021C0151F
 FEMA FIRM Flood data

 13021C0134F
 FEMA FIRM Flood data

 13169C0325D
 FEMA FIRM Flood data

NATIONAL WETLAND INVENTORY

NWI Electronic
NWI Quad at Target Property
Data Coverage

MACON EAST YES - refer to the Overview Map and Detail Map

#### HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

#### **AQUIFLOW®**

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

LOCATION GENERAL DIRECTION
MAP ID FROM TP GROUNDWATER FLOW
Not Reported

#### GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

## GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

#### **ROCK STRATIGRAPHIC UNIT**

#### GEOLOGIC AGE IDENTIFICATION

Era:

Mesozoic

Category: Stratified Sequence

System:

Cretaceous

Series:


Woodbine and Tuscaloosa Groups

Code:

uK1 (decoded above as Era, System & Series)

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

## SSURGO SOIL MAP - 4793950.2s



SITE NAME: Former Macon Telegraph Assemblage ADDRESS: Riverside Dr and Martin Luther King Blvd Macon GA 31201

LAT/LONG: 32.8384 / 83.6233

CLIENT: Resolute Environmental and Water Resources Consult CONTACT: Keith Ziobron

INQUIRY #: 4793950.2s

DATE: November 30, 2016 5:40 pm

Copyright = 2016 EDR, Inc. = 2015 TomTom Rel. 2015.

# **GEOCHECK<sup>®</sup> - PHYSICAL SETTING SOURCE SUMMARY**

## DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. The following information is based on Soil Conservation Service SSURGO data.

		102
Cail	Map	ID: 4
SOII	IVIAD	ID. I

Soil Component Name:

Urban land

Soil Surface Texture:

Hydrologic Group:

Not reported

Soil Drainage Class: Hydric Status: Unknown

Corrosion Potential - Uncoated Steel: Not Reported

Depth to Bedrock Min:

> 0 inches

Depth to Watertable Min:

> 0 inches

No Layer Information available.

#### Soil Map ID: 2

Soil Component Name:

Water

Soil Surface Texture:

Hydrologic Group:

Not reported

Soil Drainage Class: Hydric Status: Unknown

Corrosion Potential - Uncoated Steel: Not Reported

Depth to Bedrock Min:

> 0 inches

Depth to Watertable Min:

> 0 inches

No Layer Information available.

## Soil Map ID: 3

Soil Component Name:

Congaree

Soil Surface Texture:

loam

Hydrologic Group:

Class B - Moderate infiltration rates. Deep and moderately deep, moderately well and well drained soils with moderately coarse

textures.

Soil Drainage Class:

Well drained

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: Moderate

Depth to Bedrock Min:

> 0 inches

Depth to Watertable Min:

> 99 inches

	Boundary			r Information  Classification		Saturated	
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil	hydraulic conductivity micro m/sec	Soil Reaction (pH)
1	25 inches	64 inches	loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Clayey Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), silt.	Max: 14 Min: 4	Max: 7.3 Min: 4.5
2	0 inches	18 inches	silt loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), Lean Clay. FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), silt.	Max: 14 Min: 4	Max: 7.3 Min: 4.5
3	18 inches	25 inches	silt loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Clayey Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), silt.	Max: 14 Min: 4	Max: 7.3 Min: 4.5

Soil Map ID: 4

Soil Component Name:

Vaucluse

Soil Surface Texture:

loamy sand

Hydrologic Group:

Class C - Slow infiltration rates. Soils with layers impeding downward

movement of water, or soils with moderately fine or fine textures.

Soil Drainage Class:

Well drained

Hydric Status: Unknown

Corrosion Potential - Uncoated Steel: Low

Depth to Bedrock Min:

> 0 inches

Depth to Watertable Min:

> 0 inches

		**************************************		Soil Layer Information		C-441	
Layer Uppe	Bot	indary	-10	Classification		Saturated hydraulic	li de la companya de
	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil	conductivity micro m/sec	Soil Reaction (pH)
1	0 inches	7 inches	loamy sand	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 141 Min: 42	Max: 6 Min: 4.5
2	7 inches	22 inches	sandy clay loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Clayey Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Clayey sand.	Max: 14 Min: 4	Max: 5.5 Min: 3.6
3	22 inches	59 inches	sandy clay loam	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Sands with fines, Clayey sand.	Max: 4 Min: 0.01	Max: 5.5 Min: 3.6
4	59 inches	64 inches	sandy loam	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Sands with fines, Clayey sand. COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 42 Min: 14	Max: 5.5 Min: 3.6

## LOCAL / REGIONAL WATER AGENCY RECORDS

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

## WELL SEARCH DISTANCE INFORMATION

DATABASE

SEARCH DISTANCE (miles)

Federal USGS

1.000

Federal FRDS PWS

Nearest PWS within 0.001 miles

State Database

1.000

EDERAL USGS W	ELL INFORMATION	
MAP ID	WELL ID	LOCATION FROM TP
No Wells Found		4
EDERAL FRDS PU	IBLIC WATER SUPPLY SYSTEM I	NFORMATION
MAP ID	WELL ID	LOCATION FROM TP
No PWS System	Found	8. <del>17 </del>
Note: PWS Syste	m location is not always the same as	s well location.
STATE DATABASE	WELL INFORMATION	
MAPID	WELLID	LOCATION FROM TP

No Wells Found

## PHYSICAL SETTING SOURCE MAP - 4793950.2s



SITE NAME: Former Macon Telegraph Assemblage ADDRESS: Riverside Dr and Martin Luther King Blvd

Macon GA 31201 LAT/LONG: 32.8384 / 83.6233 CLIENT: Resolute Environmental and Water Resources Consult

CONTACT: Keith Ziobron INQUIRY #: 4793950.2s

DATE: November 30, 2016 5:39 pm

# GEOCHECK®- PHYSICAL SETTING SOURCE MAP FINDINGS RADON

#### AREA RADON INFORMATION

Federal EPA Radon Zone for BIBB County: 3

Note: Zone 1 indoor average level > 4 pCi/L.

: Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.

: Zone 3 indoor average level < 2 pCi/L.

Federal Area	Radon	Information	for Zip	Code:	31201

Area	Average Activity	% <4 pCi/L	% 4-20 pCi/L	% >20 pCi/L
Living Area - 1st Floor	1.300 pCi/L	100%	0%	0%
Living Area - 2nd Floor	Not Reported	Not Reported	Not Reported	Not Reported
Basement	Not Reported	Not Reported	Not Reported	Not Reported

## PHYSICAL SETTING SOURCE RECORDS SEARCHED

#### TOPOGRAPHIC INFORMATION

USGS 7.5' Digital Elevation Model (DEM)

Source: United States Geologic Survey

EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data

with consistent elevation units and projection.

Current USGS 7.5 Minute Topographic Map

Source: U.S. Geological Survey

#### HYDROLOGIC INFORMATION

Flood Zone Data: This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.

Source: FEMA

Telephone: 877-336-2627

Date of Government Version: 2003, 2015

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005 and 2010 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Wetlands Inventory Source: Georgia GIS Clearinghouse

Telephone: 706-542-1581

#### HYDROGEOLOGIC INFORMATION

AQUIFLOWR Information System

Source: EDR proprietary database of groundwater flow information

EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

#### GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit

Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)

The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

SSURGO: Soil Survey Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)

Telephone: 800-672-5559

SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Service, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

## PHYSICAL SETTING SOURCE RECORDS SEARCHED

## LOCAL / REGIONAL WATER AGENCY RECORDS

FEDERAL WATER WELLS

PWS: Public Water Systems

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at

least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

PWS ENF: Public Water Systems Violation and Enforcement Data

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after

August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

USGS Water Wells: USGS National Water Inventory System (NWIS)

This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

#### STATE RECORDS

Georgia Public Supply Wells

Source: Georgia Department of Community Affairs

Telephone: 404-894-0127

USGS Georgia Water Wells

Source: USGS, Georgia District Office

Telephone: 770-903-9100

**DNR Managed Lands** 

Source: Department of Natural Resources

Telephone: 706-557-3032

This dataset provides 1:24,000-scale data depicting boundaries of land parcels making up the public lands managed by the Georgia Department of Natural Resources (GDNR). It includes polygon representations of State Parks, State Historic Parks, State Conservation Parks, State Historic Sites, Wildlife Management Areas, Public Fishing Areas, Fish Hatcheries, Natural Areas and other specially-designated areas. The data were collected and located by the Georgia Department of Natural Resources. Boundaries were digitized from survey plats or other information.

#### OTHER STATE DATABASE INFORMATION

#### RADON

Area Radon Information

Source: USGS

Telephone: 703-356-4020

The National Radon Database has been developed by the U.S. Environmental Protection Agency

(USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at

private sources such as universities and research institutions.

**EPA Radon Zones** 

Source: EPA

Telephone: 703-356-4020

Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor

radon levels.

OTHER

Airport Landing Facilities:

Private and public use landing facilities

Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater

Source: Department of Commerce, National Oceanic and Atmospheric Administration

The fault lines displayed on EDR's Topographic map are digitized quaternary faultlines, prepared Earthquake Fault Lines:

in 1975 by the United State Geological Survey

TC4793950.2s Page PSGR-2

# PHYSICAL SETTING SOURCE RECORDS SEARCHED

## STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

Former Macon Telegraph Assemblage Riverside Dr and Martin Luther King Blvd Macon, GA 31201

Inquiry Number: 4793950.3

November 30, 2016

# Certified Sanborn® Map Report



# Certified Sanborn® Map Report

11/30/16

Site Name:

Client Name:

Former Macon Telegraph Asse Riverside Dr and Martin Luther

Macon, GA 31201

EDR Inquiry # 4793950.3

Resolute Environmental and Water Resou 1001 Weatherstone Parkway Woodstock, GA 30188

Contact: Keith Ziobron



The Sanborn Library has been searched by EDR and maps covering the target property location as provided by Resolute Environmental and Water Resources Consult were identified for the years listed below. The Sanborn Library is the largest, most complete collection of fire insurance maps. The collection includes maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow, and others. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by the Sanborn Library LLC, the copyright holder for the collection. Results can be authenticated by visiting www.edrnet.com/sanborn.

The Sanborn Library is continually enhanced with newly identified map archives. This report accesses all maps in the collection as of the day this report was generated.

## Certified Sanborn Results:

Certification #

CC70-4022-B385

PO #

NA

Project

Macon-Bibb Brownfield

Maps Provided:

1969

1960

1951

1924

1908

1895

1889

1884



Sanborn® Library search results

Certification #: CC70-4022-B385

The Sanborn Library includes more than 1.2 million fire insurance maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow and others which track historical property usage in approximately 12,000 American cities and towns. Collections searched:

✓ Library of Congress

✓ University Publications of America

✓ EDR Private Collection

The Sanborn Library LLC Since 1866™

## Limited Permission To Make Copies

Resolute Environmental and Water Resources Consult (the client) is permitted to make up to FIVE photocopies of this Sanborn Map transmittal and each fire insurance map accompanying this report solely for the limited use of its customer. No one other than the client is authorized to make copies. Upon request made directly to an EDR Account Executive, the client may be permitted to make a limited number of additional photocopies. This permission is conditioned upon compliance by the client, its customer and their agents with EDR's copyright policy; a copy of which is available upon request.

**Disclaimer - Copyright and Trademark Notice** 

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE. WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2016 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

## Sanborn Sheet Key

This Certified Sanborn Map Report is based upon the following Sanborn Fire Insurance map sheets.



## 1969 Source Sheets



Volume 1, Sheet 3



Volume 1, Sheet 4



Volume 1, Sheet 8



Volume 1, Sheet 61

### 1960 Source Sheets



Volume 1, Sheet 3



Volume 1, Sheet 4



Volume 1, Sheet 8

#### 1951 Source Sheets



Volume 1, Sheet 3



Volume 1, Sheet 4



Volume 1, Sheet 8

## 1924 Source Sheets



Volume 1, Sheet 4



Volume 1, Sheet 3



Volume 1, Sheet 8

## Sanborn Sheet Key

This Certified Sanborn Map Report is based upon the following Sanborn Fire Insurance map sheets.



## 1908 Source Sheets







Volume 1, Sheet 54



Volume 1, Sheet 3


## 1895 Source Sheets



Volume 1, Sheet 3




Volume 1, Sheet 4



Volume 1, Sheet 56

## 1889 Source Sheets



Volume 1, Sheet 24




Volume 1, Sheet 6

## 1884 Source Sheets




Volume 1, Sheet 4











4793950 - 3


page 9














Former Macon Telegraph Assemblage Riverside Dr and Martin Luther King Blvd Macon, GA 31201

Inquiry Number: 4793950.4

November 30, 2016

# **EDR Historical Topo Map Report**

with QuadMatch™



## **EDR Historical Topo Map Report**

11/30/16

Site Name:

Former Macon Telegraph Asse

Riverside Dr and Martin Luther Macon, GA 31201

EDR Inquiry # 4793950.4

Client Name:

Resolute Environmental and Water Resolute 1001 Weatherstone Parkway

Woodstock, GA 30188

Contact: Keith Ziobron



EDR Topographic Map Library has been searched by EDR and maps covering the target property location as provided by Resolute Environmental and Water Resources Consult were identified for the years listed below. EDR's Historical Topo Map Report is designed to assist professionals in evaluating potential liability on a target property resulting from past activities. EDRs Historical Topo Map Report includes a search of a collection of public and private color historical topographic maps, dating back to the late 1800s.

#### Search Results:

#### Coordinates:

P.O.# Project: NA

Macon-Bibb Brownfield

Latitude:

32.8384 32° 50' 18" North -83.6233 -83° 37' 24" West

Longitude: UTM Zone:

Zone 17 North

**UTM X Meters:** 

254460.88

**UTM Y Meters:** 

3636421.61

Elevation:

317.55' above sea level

## Maps Provided:

2014

1985

1972

1956

## **Disclaimer - Copyright and Trademark Notice**

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2016 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

This EDR Topo Map Report is based upon the following USGS topographic map sheets.

## 2014 Source Sheets



Macon West

7.5-minute, 24000



Macon East

7.5-minute, 24000

#### 1985 Source Sheets



Macon East

7.5-minute, 24000 Photo Revised 1985 Aerial Photo Revised 1981



Macon West

7.5-minute, 24000 Photo Revised 1985 Aerial Photo Revised 1981

#### 1972 Source Sheets



Macon West

7.5-minute, 24000 Photo Revised 1972 Aerial Photo Revised 1972



Macon East

7.5-minute, 24000 Photo Revised 1972 Aerial Photo Revised 1972

### 1956 Source Sheets




Macon East

7.5-minute, 24000 Aerial Photo Revised 1954




Macon West


7.5-minute, 24000 Aerial Photo Revised 1954







following map sheet(s).




TP, Macon East, 1985, 7.5-minute SW, Macon West, 1985, 7.5-minute SITE NAME: Former Macon Telegraph Assemblage Riverside Dr and Martin Luther King Blvd ADDRESS:


Macon, GA 31201

Resolute Environmental and Water Resor CLIENT:









S

SW

SE

Macon, GA 31201

Resolute Environmental and Water Resor CLIENT:



Former Macon Telegraph Assemblage Riverside Dr and Martin Luther King Blvd Macon, GA 31201

Inquiry Number: 4793950.9

December 01, 2016

# The EDR Aerial Photo Decade Package



# **EDR Aerial Photo Decade Package**

### Site Name:

Client Name:

Former Macon Telegraph Asse Riverside Dr and Martin Luther Macon, GA 31201 EDR Inquiry # 4793950.9 Resolute Environmental and Water Resc 1001 Weatherstone Parkway Woodstock, GA 30188 Contact: Keith Ziobron



Environmental Data Resources, Inc. (EDR) Aerial Photo Decade Package is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's professional researchers provide digitally reproduced historical aerial photographs, and when available, provide one photo per decade.

### Search Results:

Year	Scale	<u>Details</u>	Source
2010	1"=500'	Flight Year: 2010	USDA/NAIP
2009	1"=500'	Flight Year: 2009	USDA/NAIP
2007	1"=500'	Flight Year: 2007	USDA/NAIP
2006	1"=500'	Flight Year: 2006	USDA/NAIP
2005	1"=500'	Flight Year: 2005	USDA/NAIP
1993	1"=500'	Acquisition Date: February 01, 1993	USGS/DOQQ
1988	1"=500'	Flight Date: February 24, 1988	USGS
1981	1"=500'	Flight Date: March 14, 1981	USDA
1972	1"=500'	Flight Date: March 09, 1972	ASCS
1966	1"=500'	Flight Date: February 03, 1966	ASCS
1958	1"=500'	Flight Date: October 11, 1958	ASCS
1955	1"=500'	Flight Date: March 24, 1955	ASCS


When delivered electronically by EDR, the aerial photo images included with this report are for ONE TIME USE ONLY. Further reproduction of these aerial photo images is prohibited without permission from EDR. For more information contact your EDR Account Executive.


### Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.


Copyright 2016 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.































Appendix E
CORRECTIVE ACTION PLAN PART B PROGRESS REPORT #9 (JANUARY 2011)

CORRECTIVE ACTION PLAN CAP-PART B
PROGRESS REPORT
MACON TELEGRAPH
139 BROADWAY
MACON, BIBB COUNTY GEORGIA
FACILITY I.D. 4110030
GEC JOB NO. MCE-02-356C

## SUBMITTED TO:

GEORGIA DEPARTMENT OF NATURAL RESOURCES
ENVIRONMENTAL PROTECTION DIVISION
UNDERGROUND STORAGE TANK MANAGEMENT PROGRAM
4244 INTERNATIONAL PARKWAY, SUITE 104
ATLANTA, GEORGIA 30354

### PREPARED BY:

GEOTECHNICAL AND ENVIRONMENTAL CONSULTANTS, INC. 514 HILLCREST INDUSTRIAL BLVD. MACON, GEORGIA 31204





January 12, 2011

Ms. Conna Hardy Chief Financial Officer The Macon Telegraph 120 Broadway Macon, Georgia 31208-4167

SUBJECT:

Corrective Action Plan - CAP-Part B

**Quarterly Progress Report** 

Macon Telegraph

139 Broadway (Parking Lot)

Macon, Georgia

Facility ID# 4110030\*2

GEC Project No. MCE-02-0356C

### Dear Ms. Hardy:

Geotechnical and Environmental Consultants, Inc. (GEC) is pleased to present this Corrective Action Plan – Part B (CAP-B) quarterly monitoring report for the above referenced site. As required by paragraph 391-3-15-.09 of the GUST Rules, a copy of this report has been submitted to the following:

Georgia Department of Natural Resources Environmental Protection Division Underground Storage Tank Management Program 4244 International Parkway, Suite 104 Atlanta, Georgia 30354

GEC greatly appreciates the opportunity to be of service to you on this project. If you have any questions, or need any further assistance, please do not hesitate to call.

Very truly yours,

GEOTECHNICAL & ENVIRONMENTAL CONSULTANTS, INC.

Chip Brooks, P.E. Project Engineer

Ga. Reg.#35020

Jason A. Cooper, P.E.

Engineering Department Manager

Ga. Reg. #31694

# Georgia Department of Natural Resources

**Environmental Protection Division** 

Underground Storage Tank Management Program 4244 International Parkway, Suite 104, Atlanta, Georgia 30354 Phone (404) 362-2687

# CORRECTIVE ACTION PLAN – PART B PROGRESS REPORT #9

Facility Name: Macon Telegraph	Street Address: 139 Broadway  County: Bibb Zip Code: 31208		
Facility ID: 04110030 City: Macon			
Submitted by UST Owner/Operator:	Prepared by Consultant/Contractor:		
Name: Ms. Conna Hardy	Name: Jason A. Cooper, P.E.		
Company: Macon Telegraph Address: 120 Broadway City: Macon State: Georgia Zip Code: 31208 Telephone: (478)744-4292	Company: GEC  Address: 514 Hillcrest Industrial Blvd. City: Macon State: Georgia Zip Code: 31204 Telephone: (478) 757-1606		

#### I. PLAN CERTIFICATION:

#### Registered Professional Engineer or Professional Geologist Certification A.

I hereby certify that I have directed and supervised the fieldwork and preparation of this plan, in accordance with State Rules and Regulations. As a registered professional geologist and/or professional engineer, I certify that I am a qualified groundwater professional, as defined by the Georgia State Board of Professional Geologists. All of the information and laboratory data in this plan and in all of the attachments are true, accurate, complete, and in accordance with applicable State Rules and Regulations.

Name: Jason A. Cooper, P.E.

Signature: \_\_\_



### II. PROJECT SUMMARY

(Appendix I, Figure 1a and 1b: Site Location Map)

Provide a brief description or explanation of the site and a brief chronology of environmental events leading up to this report. PLEASE NOTE THAT THIS SUMMARY MUST INCLUDE, AT A MINIMUM THE FOLLOWING:

The results of the Site Investigation;

The corrective action objectives;

The monitoring plan and activities to meet the corrective action objectives.

In 2002, GEC supervised the closure of the UST system located at the site. Through the sampling that accompanied the closure activities, a release was discovered. The CAP-A was submitted for the site in July 2002. After several monitoring well installation events, the contamination was delineated and the CAP-B was submitted in March 2005. EPD approval of the CAP-B was received in April 2006 and the remediation system was ordered. GEC verified the groundwater model, which resulted in the following corrective action objectives:

Groundwater: 3,500 ug/L benzene.

In February 2007, a soil vapor extraction and air sparge system was installed at the site, with full-scale operation beginning on February 26, 2007. Quarterly sampling was proposed for the time in which the remediation system is operational. Following the February 2009 monitoring event, the remediation system was adjusted to focus efforts in the area of MW-3, which is the only location that has exceeded the ACL during the past three monitoring events.

The recommendation of the previous submittal was to shut down the remediation system in order to observe the rebound effect of the contamination at the site. This recommendation was approved by the June 30, 2010 EPD Notice to Continue letter.

On October 19, 2010, a groundwater sampling event was conducted. This report includes the results of this event. The next sampling event is scheduled for April 2011.

## III. ACTIVITIES AND ASSESSMENT OF EXISTING CONDITIONS

### A. Potentiometric Data:

Tabulate all data and illustrate <u>last 2</u> monitoring events findings in Figures 2a and 2b. (Appendix I, Figure 2a, 2b: Potentiometric Surface Maps) (Appendix II, Table 1: Groundwater Elevations)

Discuss groundwater flow at this site and implications for this project.

Water table measurements of the monitoring well network were gauged with an oil/water inter-face probe during groundwater monitoring activities on October 19, 2010. The remediation system was shut down on July 2, 2010. No free product was detected in any monitoring or recovery wells gauged. Free product has never been detected at the site.

The site-specific groundwater flow direction is to the east-northeast. However, there are two distinct hydraulic gradient zones across the site. The southwest section of the property has a much greater hydraulic gradient than the rest of the property. This is illustrated by comparing two equidistant hydraulic gradients. The first gradient is from MW-1 to MW-6, approximately 115 feet in linear distance. In this distance there is a

groundwater elevation drop of 11.59 feet, resulting in a hydraulic gradient of 0.10 ft/ft. The next gradient is from MW-7 to MW-12, also approximately 115 feet in linear distance and has a hydraulic gradient of 0.02 ft/ft.

As can be seen in Table 1, the site groundwater table elevation has experienced a seasonal decrease. Of the eleven wells gauged, all exhibited decreased groundwater levels since the January 2010 monitoring event. The average decrease of the groundwater table in the monitoring well system was 3.14 feet.

### B. Analytical Data:

Tabulate all data for monitoring event findings in Table 2, illustrate last two events findings in Figures 3a and 3b, and graph the trend of contaminant concentrations in Figure 4.

(Appendix I, Figure 3a through 4b: Groundwater Quality Maps)

(Appendix II, Table 2: Groundwater Analysis Results)

(Appendix III: Laboratory Analysis Results)

Discuss groundwater analysis results, trend of contaminant concentrations, and implications for this project.

Figures 3A-3B, Figures 4A-4D, and Figures 5A-5B show the differences between groundwater quality maps, charts, and the benzene isoconcentration maps for the January 23, 2010 and the October 19, 2010 sampling events. For this sampling event, GEC was able to sample thirteen monitoring wells, two other wells (MW-13 and MWR-14) were either dry at the time of water level measurements or did not recharge sufficiently for sampling.

As mentioned previously, the last submittal suggested that the remediation system be shut down to observe the site for any rebound of contamination concentrations. At the time of this sampling event the system had been shut down for 97 days. During the January 2010 sampling event only one well, MW-17, was only slightly above the ACL at 3,700 ug/l for benzene. For the most recent event, October 2010, MW-17 had a benzene concentration of 2,500 ug/l.

Of the remaining ten wells sampled, all but two wells, MW-11 and MW-15, had increases in contamination levels. The wells with the largest increases were MW-2 and MW-3. MW-2's benzene concentration increased from 96 ug/l to 4,500 ug/l, while MW-3 increased from 390 ug/l to 3,100 ug/l. The remaining six wells also had incremental increases in all BTEX constituents. It should also be pointed out that none of the increases are above the historical highest level.

Although there were increases of BTEX concentrations at the site, only one monitoring well, MW-2, is above the ACL for benzene during this sampling event. The concentrations for toluene, ethylbenzene and xylenes all remain below the instream limits in all monitoring wells.

Since the last submitted report approximately 750 gallons of groundwater has been removed and stored on the on-site 550-gallon holding tank until disposed of by Greenleaf Treatment Services, LLC. Copies of the disposal manifests are located in Appendix V.

	SITE RANKING (Note: re-rank site after each monitoring event) (Appendix IV: Site ranking results)				
	Environmental Site Sensitivity Score: 2,000				


# V. CONCLUSIONS/RECOMMENDATIONS

Provide justification of no-further-action-required recommendation or briefly discuss future monitoring plans for this site.


The remediation system was shut down for over 90 days prior to the October 2010 sampling event. As expected, there was a rebounding increase in the contamination levels at the site. Even with the increases, the site ranking score remained 2,000, due to the benzene levels at the site remaining below 5,000 ug/l. Of the ten monitoring wells that, at some point during the project, have had benzene concentrations over the remediation goal, 3,500 ug/l, currently only one well, MW-2, remains slightly above that goal.


GEC recommends leaving the remediation system shut down at the site, but not removing the system, then perform another sampling event in April 2011 to see where the contamination levels will equilibrate. During the next event, GEC recommends adding MW-9 back to the sampling schedule, due to the increases noted inMW-2, which is the closest well to MW-9.

VI.	REIMBURSEMENT	Attached X	_ N/A (Non-GUST Site)	
-----	---------------	------------	-----------------------	--




.





PS.






Figure 4A
Benzene Concetration Trends






Figure 4B
Toluene Concetration Trends



□6/12/2007 □9/20/2007 ■1/18/2008 ■5/16/2008 ■10/16/2008 ■2/16/2009 ■7/10/2009 =1/23/2010 ■10/19/2010

Figure 4C Ethylbenzene Concentration Trends



□ 6/12/2007 □ 9/20/2007 ■ 1/18/2008 ■ 5/16/2008 ■ 10/16/2008 ■ 2/16/2009 ■ 7/10/2009 ■ 1/23/2010 ■ 10/19/2010

Figure 4D

Xylene Concentration Trends




Figure 4E Benzene Concetration Trends Since 2/19/2007




Figure 4F
Toluene Concetration Trends Since 2/19/2007




Figure 4G Ethylbenzene Concetration Trends Since 2/19/2007





Figure 4H Xylenes Concetration Trends Since 2/19/2007



APPENDIX II

#### Macon Telegraph 139 Broadway Macon, Bibb County, # 4110030

## TABLE 1: GROUNDWATER ELEVATIONS

			MILITAN PORT		***************************************	CEMPERSON		1	7
Well Namber	Date Measured	Ortural Staface Dev. (ft)	Top of Casing Elev. (ft)	Depth of Screen leternal (ft)	Depth of Free Frobat (A)	Water Depth (ft)	Product Thickness (ft)	Spec Only Adjustment	Corrected Groundwater Eler. (fi)
	5/20/2002	- 4.7			NA	9.55	NA	NA	50.05
. 0					NA	7.61	NA	NA	91.56
	U22/2003	8		3	NA NA	9.33	NA	NA	90 27
8	10/7/2003			1	NA	10.85	NA	NA	83.75
- 3	4/22/2001				NA NA	10.99	NA	NA NA	13 61
	7/13/2004						NA	NA	90.41
	2/19/2007			k l	NA	9.19			39.1
	6/12/2007	d (2000)		0.0000	NA NA	10.5	NA NA	NA NA	
MW-I	9/20/2007	100	99.6	5-20	NA .	10 58	NA NA	NA NA	89 02
- 3	1/18/2007				NA NA	9.43	NA .	NA .	90 17
	5/16/2005	1			NA	8.58	NA	NA	91 02
- 1	10/16/2008				NA	9.27	NA	NA	9033
					NA	83	NA	NA NA	91.30
- 33	2/16/2009				NA	634	NA.	NA	93 26
118	7/10/2009				NA NA	4.67	NA	NA	91.93
	1/23/2010					7.35	NA.	NA	92.25
	10/19/2010		-	TOTAL CHICAGO	NA		-		
に大力を	35%	经财富的	を変われる	為經濟學	外的原理	<b>学校的</b>	相談等等的	位着 为证	
	5/20/2002				NA.	105	NA.	NA .	89.82
	4/22/2003	1			NA	9.36	NA.	NA .	50.96
	10/7/2003	1			NA	11.14	NA	NA	\$9.18
	4/22/2004				NA	12 28	NA	NA	\$8.04
		1			NA	11.81	NA	NA.	88.51
	7/13/2004	1	1			10.84	NA.	NA.	19.48
	2/19/2007			1	NA.		NA NA	NA NA	\$7.97
	6/12/2007	1		92507	NA NA	1235			
MW-2	9/20/2007	100 87	100.32	8-33	NA	12.14	NA .	NA .	53.18
	1/18/2007	]	1		NA .	10.16	NA .	NA .	90.16
	\$/16/20008		1	1 8	NA.	10.95	NA	NA	89.37
	10/16/2008	1	1	1 8	NA	11.51	NA	NA	83 81
		1	l l		NA.	11.1	NA	NA	89.22
	2/15/2009	i		1	NA.	9.72	NA.	NA	90.6
	7/10/2009	1		1 2	NA.	7.41	NA.	NA	92.91
	1/23/2010	1		1			NA.	NA	9077
	10/19/2010				NA	9.55			
	介层均衡	學與遊戲	433334	是产生50%			器被被制度	<b>38.53/3%</b>	<b>第時後的</b>
	5/20/2002				NA NA	133	NA NA	NA NA	9012
	4/22/2003	1	- 1	1 8	NA NA	8 05	NA.	NA	90.4
	10/7/2003	1	1 1	3	NA	\$.37	NA	NA	90 68
	4/22/2004	1			NA.	9.18	NA.	NA	89 27
		-	1	1	NA.	1.13	NA	NA.	89.57
	7/13/2004	1	1				NA.	NA NA	90 67
	2/19/2007	]			NA.	7.78			
	5/12/2007				NA NA	10.53	NA	NA NA	87.92
MW-3	9/20/2007	98.83	98.45	8-33	NA.	8.39	NA.	NA	90.06
	1/18/2007	200.00	100000	46 8	NA NA	7.35	NA.	NA NA	91.10
	5/16/2003	1			NA	8.85	NA.	NA.	89 60
	-	1		10 0	NA.	8.17	NA	NA	90.28
	10/16/2008	1		4	NA	7.92	NA	NA	90.53
	2/16/2009	4		1		7.22	NA	NA	91 23
	7/10/2009	1			NA .		NA NA	NA NA	93.34
	1/23/2010	1			NA	5.11		NA NA	
	10/19/2010				NA NA	8.35	NA.		90 10
15年的大学	1000	西班易城	Part Service	<b>多是多</b>	被李泽华			25000	
	5/20/2002				NA.	12.98	NA.	NA.	85.45
	4/22/2003		10	1	NA NA	10.38	NA	NA	83.05
	10/7/2003	1	1	1	NA.	1291	NA	NA	85.52
	_	1		1	NA.	14 52	NA	NA	83.91
	4/22/2004	4		1	NA NA	14.11	NA.	NA NA	84.32
	7/13/2004	-		1		11.39	NA.	NA.	87.04
	2/19/2007	4		1	NA		-	NA.	80.62
	6/12/2007	1			NA NA	17.81	NA NA		
MW-4	9/20/2007	99.01	93.43	10-35	NA NA	11.44	NA NA	NA NA	\$5.99
	1/18/2007	1		1	NA.	7.44	NA	NA.	90.99
	5/16/2008		1	1	NA .	14.1	NA.	NA NA	8133
	10/16/2008	1		1	NA.	9.74	NA	NA	\$8 69
	2/15/2009	1	I .	1	NA	11.46	NA	NA.	35.97
	7/10/2009	1	E	1	NA	9.32	NA.	NA	22.11
		-	1	1	NA NA	5.41	NA.	NA.	93.02
	1/23/2010	-	1	1		1 200	NA.	NA.	33.43
	10/19/2010		- Control of the Cont	100000000	NA NA	7.94 C. P. E. C.	100		
型には	<b>"是的教育</b>	(8) (8) (8)	A CONTRACT	100	THE RESERVE AND ADDRESS.		E per his		
	4/22/2003				NA	8.72	NA	NA NA	1213
	107/2003		1	1	NA	1232	NA NA	NA	85.28
	4/22/2004	1		1	NA	13 66	NA	NA	83 94
	7/13/2004	1	F	1	NA	12.9	NA	NA	84.7
		⊣ .	I	1	NA.	9.63	NA.	NA	87 92
	2/19/2007		I.	1	NA NA	15.55	NA	NA	82 05
	6/12/2007	-1	1	1		_	NA.	NA NA	8105
MW-5	9/20/2007	97.78	97.6	5-20	NA.	13 55			
	1/11/2007		1	\$80	NA	12.67	NA	NA.	8493
	5/15/2003	1	1	1	NA	13 85	NA.	NA	83.75
		_	1	1	NA	12 15	NA	NA	84.72
	10/16/2003						NA	NA	84.91
	10/16/2003	-	1	1	NA.	12 69	I INA		
	2/16/2009	1			NA NA	12 69			
	2/16/2009 7/10/2009				NA NA	11.54	NA	NA	86.06
	2/16/2009 7/10/2009 1/23/2010				NA NA	31.54 8.15	NA NA	NA NA	36.06 19.45
***********	2/16/2009 7/10/2009 1/23/2010 10/19/2010				NA NA NA	11.54	NA	NA	85.06

Well Numbe	Date Measured	Oround Surface Ele (ft)	Top of Casi Dev. (ft)	Screen Internal (fil	Product (ft)	Water Dept (fi)	h Product Thickness (i	Spec Ores Adjustmen	1 Grounds
	472/7003			- French (II	NA NA	20 5	NA NA	NA.	77.05
	167/2001				NA	71.98	NA NA	NA.	75 51
	4/22/2004				NA.	23.48	NA.	NA NA	74.07
	7/13/2001				NA.	23.48	NA NA		
	2/19/2007				NA NA		NA NA	NA NA	74 27
	6/12/2007			1		21 63	NA NA		75.92
			f	1	NA	23.49	-	NA NA	74 (6
MW-6	9/20/2007	97.85	97 55	15-25	NA NA	DRY	NA NA	NA NA	DRY
	1/18/2007	-			NA NA	DRY	NA NA	NA	DRY
	5/15/2008	4			NA .	DRY	NA.	NA	DRY
	10/15/2005	4	M.	The state of	NA	20 63	NA	NA	76.92
	2/16/2009		4		NA.	22.11	NA	NA.	75.41
	7/10/2009			1	NA	20 06	NA.	NA	77.49
	1/23/2010		1	1	NA.	16.43	NA.	NA.	81.12
	10/19/2010			1	NA.	20.09	NA.	NA.	77.45
24.62	10000000000000000000000000000000000000	3000	7 的复数地	<b>学学别</b>	1535	C 2003	WEST 178	· AGE STATE OF	自動は高
	4/22/2003				NA	22.3	NA.	NA	76.51
	10/7/2003	1		1	NA	23.91	NA.	NA	749
	472/2004	₹		1	NA.	25.41	NA.	NA	73.37
		-1		1					
	7/13/2004	+	1	1	NA.	25.04	NA.	NA	73.77
	2/19/2007	4	1	1	NA	23 86	NA NA	NA	74 95
	6/12/2007	1	1	1	NA.	28 27	NA.	NA	70.54
MW-7	9/20/2007	99.24	59.81	15-30	NA	28.06	NA .	NA	70.75
211111	1/18/2007	//	/3.4/	1330	NA	25.42	NA	NA	73.39
	5/16/2008	1	1		NA	DRY	NA.	NA	DRY
	10/16/2008	1	1	1	NA NA	2532	NA NA	NA.	73.49
	2/16/2009	1	1		NA NA	23.56	NA NA	NA NA	74.85
	7/10/2009	4	1				NA NA	NA.	
		4	1		NA NA	22.01			76.8
	1/23/2010	4			NA NA	18.9	NA.	NA .	79.91
	10/19/2010				NA	23.68	NA	NA.	75.13
定规划	學學學	能持续的社	1,452,712.19	<b>法国政党</b>	冷然等	2000年	<b>运输的</b>	是對於可	0.30
	4/22/2003				NA	21.32	NA	NA.	75 03
	10/7/2003	1			NA NA	22 57	NA.	NA.	73 69
1	472/2004	1	1		NA NA	24 02	NA	NA	72.21
- 1	7/13/2004	1	1		NA.	25.57	NA	NA	70 69
- 1	2/19/2007	1	1		NA	22.1	NA.	NA	74.16
- 1	-	1		1		-	,,,,		
	6/12/2007	-			NA	DRY	NA NA	NA	DRY
MW-8	920/2007	96.87	95 26	15-33	NA NA	25 8	NA.	NA	70.46
	1/18/2007				NA NA	24.11	NA .	NA	72.15
1	5/15/2008	1			NA	DRY	NA.	NA	DRY
- 1	10/16/2008	1			NA	21.87	NA	NA	74.39
- 1	2/16/2009	1		6	NA	22.73	NA.	NA	73 53
1	7/10/2009	1			NA	21.11	NA.	NA	75.15
ì	1/23/2010	i	8		NA	18.1	NA	NA	78.16
1	10/19/2010	1			NA	21.83	NA NA	NA	74.43
2000000	-	Cilawayas	Degrada de Carto	W. Szoudowa					
2000	<b>中国的</b>	<b>建</b> 样的	海岸岛州	的學術	的特殊	当2000年	的學師	300 May 18	65 lb3-7
- 1	10/7/2003	12	[ N	8	NA NA	10 37	NA.	NA.	89.59
1	4/21/2004			i 1	NA	10.09	NA	NA	89.87
	7/13/2004	li li		8 1	NA	9.43	NA	NA	90.53
- 1	2/19/2007	- 8		) I	NA NA	8.57	NA .	NA NA	91.39
1	6/12/2007	1		9	NA NA	9.36	NA NA	NA	90.6
t	9:20:2007				NA	9.37	NA .	NA	90.59
VVV-9	1/18/2007	100 25	99.96	3.9-13.9	NA	6.87	NA	NA.	93.09
}	5/16/2008	1		1 1	NA NA	8.58	NA NA	NA NA	91.38
}	10/16/2008	()	(i)				NA NA	NA NA	
-		1	8 H		NA .	8.96			91.00
L	2/16/2009	1			NA NA	8 69	NA	NA	91.27
L	7/10/2009		18 J		NA	8 60	NA NA	NA	91.96
	1/23/2010				NA	5.98	NA .	NA	93.98
<b>预查</b> 10	可能够有	特施行分	<b>学生是</b>	17.17.12	<b>经验证的</b>	<b>多种的</b>	海阳原人的	<b>宣码的图4</b>	\$30 Mess
	10/7/2003			3	NA	26.2	NA	NA	71 32
	4/22/2004		1	1	NA	24.87	NA	NA	72.65
h	7/13/2004		1	ì	NA	25.87	NA	NA	71.65
- h	2/19/2007			1	NA	23.02	NA	NA	74.5
H	6/12/2007	1	1	ł	NA NA	28 62	NA	NA NA	68.9
-		1	1	ł			1.000		
- 1	9/20/2007				NA	27.42	NA	NA NA	70.1
270007000	1/18/2007	97.7	97.52	46 5-51 5	NA	25.62	NA	NA	71.9
WID-10	\$/16/2008			- [	NA	26.92	NA	NA	70.6
WID-10		- 1	i		NA	28.65	NA	NA	68 87
	10/15/2008			- E		24.17	NA	NA	73.35
E		1	- 1		NA I				
	2/16/2009			ŀ	NA NA				
E	2/16/2009 7/18/2009				NA .	22 \$	NA .	NA NA	74.72
	2/16/2009								

Well Number	Date Measured	Oround Surface Elev.	Top of Caring Elev. (ft)	Depth of Screen	Depth of Free Product (A)	Water Depth (ft)	Profest Thickers (A)	Spec. Grav. Adjustment	Contested
	1	(4)		Etroil (f)		1982			Elev. (ft)
	10/7/2003				NA	24.72	NA .	NA NA	72.98
	4/22/2004				NA	26.9	NA	NA.	70 8
	7/13/2004				NA	25.43	NA	NA .	72 27
	2/19/2007		1	u 8	XA	24.45	NA	NA	73 24
	6/12/2007		1 9		NA NA	30.30	NA	NA	67.40
	9/20/2007			14.000 000000	NA	28.29	NA NA	NA NA	69.41
MW-11	1/18/2007	97.93	97,7	13.1-28.1	NA	25 90	NA .	NA NA	7) 80
	5/16/2008				NA	29.42	NA	NA.	68 28
	10/16/2008	1			. NA	25 27	NA	NA NA	72.43
	2/16/2009				NA .	24 05	NA	NA	73.65
	7/10/2009		1		NA	23.50	NA NA	NA NA	74.20
	1/23/2010				NA .	21 52	NA NA	NA NA	76.18
	10/19/2010				NA.	24.14	NA.	NA	73 56
2000年	44年	學學學學	是他的命令	和公本的概	Man (257)	包发展整	特理學	在海域研	1545
	10/7/2003				NA_	23.2	NA	NA	72.38
	4/22/2004			- 3	NA	24.4	NA.	NA	71.18
	7/13/2004		9	1	NA.	24 67	NA	NA	71.51
	2/19/2007				NA	22.84	NA.	NA NA	72.74
	6/12/2007				NA.	28.00	NA	NA	67.58
	9/20/2007				NA	27.41	NA	NA	63.17
MW-12	1/18/2007	95,77	95.58	17.95-27.95	NA	24 66	NA	NA	70 92
	5/15/2003				NA	DRY	NA	NA	DRY
	10/16/2008		3		NA	25.18	NA	NA	70.40
	2/16/2009	1	1 1	9	NA	23.45	NA	NA	72.13
	7/10/2009		1 8	1	NA	21.94	NA	NA	7164
	1/23/2010			8	NA	19.60	NA	NA	75 98
lo come a second	10/19/2010	Samuel March			XA	22.55	NA.	NA	73.03
<b>深热静脉</b>	135	Market.		CV 745 CE		harried A	是影響	學的學	
	10/7/2003				NA.	163	NA	NA NA	75.11
	4/22/2004		1 8	8	NA	DRY	NA.	NA NA	DRY
	7/13/2004			- 5	NA	12 05	NA	NA	1536
	2/19/2007				NA	17.93	NA NA	NA NA	75 21
	6/12/2007		1 2	1 1	NA	DRY	NA	NA	DRY
	9/20/2007			1	NA.	18.25	NA	NA NA	75 16
MW-13	1/18/2007	93.78	93.41	85-18.5	NA	18.12	NA	NA	75 29
	\$/16/2008		20000	1041.000	NA	DRY	NA	NA	DRY
	10/16/2008			8	NA	DRY	NA	NA NA	DRY
	2/16/2009	1 10		(8	NA	17.51	NA	NA	75 90
	7/10/2009		1 3		NA NA	17.96	NA _	NA	75 45
	1/23/2010		3	8 (	NA	17.87	NA NA	NA	75.54
	10/19/2010				NA	17.95	NA	NA	DRY
5.50 经银	<b>多是</b> 多	2000年	的經濟的	经验的经验		製造機器	也是研究性	经实施效	的政治地位
	10/7/2003	520.50 UN:=N			NA	DRY	NA .	NA NA	DRY
	4/22/2004				NA	DRY	NA	NA	DRY
	2/19/2007				NA	28.33	NA	NA	63.95
	6/12/2007		1	1. 1	NA	23.32	NA	NA	63 %
	9/20/2007				NA NA	28.25	NA NA	NA	64 03
MW-14	V18/2007	92.57	92.28	18-28	NA	DRY	NA	NA	DRY
	5/16/2008				NA	DRY	NA	NA	DRY
	10/16/2008		1	(2) (i)	NA	DRY	NA NA	NA NA	DRY
	2/15/2009				NA	DRY	NA	NA	DRY
	7/10/2009	1		N	NA.	27.79	NA	NA	61.49
	1/23/2010				NA.	27.26	NA.	NA	DRY
2000	9.5	自然的表现	研究的	经经验的	Section 2	域线源	學問題	SERVED 1992	关节的对象
	4/22/2004				NA.	30.39	NA	NA	62
	7/13/2004		9		NA .	30.29	NA .	144	62.1
	2/19/2007			1	NA.	30.2	HA	NA NA	62 19
	6/12/2007		- 5		NA NA	30.28	NA NA	NA	62.11
	9/20/2007				NA NA	3035	NA.	NA .	62 04
	1/18/2007	92.61	92 39	25-15	NA.	30.38	NA	NA	62.01
MWR-14				8	NA NA	302	NA	NA.	62 19
MWK-14	5/15/2008	10							
MWR-14	10/15/2008			8 8	NA NA	30.29	NA	NA.	62.10
MWR-14	10/16/2008 2/16/2009				NA.	30.26	NA	NA.	62.13
MWR-14	10/15/2008				NA NA	30.26 30.09	NA NA	NA NA	62.13 62.30
MAR-14	10/16/2008 2/16/2009			76 - W/16	NA.	30.26	NA	NA NA NA	62.13

Well Number	Menued	Ground Surface Elev. (ft)	lop of Casia, Elev. (A)	Depth of States Interval (ft)	Depth of Free Freduct (ft)	(fi)	Profest Dickness (fi	Spec Grave Adjustment	
	10/7/2003	4			NA.	27.42	NA.	NA.	64.62
	4/22/2004	4			NA	28.65	NA.	NA.	6133
	7/13/2004	1			NA.	28 2	NA	NA.	63 84
	2192007	4			NA.	28.41	NA NA	NA.	63 63
	6/12/2007	4			NA.	28 61	NA.	NA	63.4)
MW-15	9:20:2007	1			NA.	29.11	NA	NA	62.93
MH-13	1/18/2007	92.34	92 04	18 77-2931	NA	29.15	NA	NA	62.89
8	5/16/2008	- 1			NA NA	28 04	NA NA	NA	64
1	2/15/2009	1 1			NA	28.7	NA .	NA.	63.31
- 1		- 1			NA	DRY	NA	NA	DRY
	7/10/2009	1 1			NA NA	27.18	NA	NA	64.86
	10/19/2010				NA	28 25	NA NA	NA NA	63,79
245		\$6.50 To 10.00	S. P. S. Park	2223	NA NA	28.21	NA .	NA	63 83
AND THE	4/22/7004	3000316656	DEFECT MESS	<b>医多种种</b>	-	特殊的	野海湖湖	XX.95.5.7	G WELL SE
1	7/13/2004	1	98.88	157-307	NA .	26.39	NA	NA.	72 49
	2/19/2007	99.13			NA NA	25 85	NA	NA	73.02
ł	6/12/2007				NA NA	24 69	NA .	NA	74.19
t	920.07				NA I	DRY	NA	NA	DRY
MW-16	1/18/2007				NA NA	28 33	NA NA	NA	70.55
	5/16/2008				NA NA	26.03	NA NA	NA .	72 85
- 1	19/16/2003	- 1			NA NA	DRY	NA NA	NA NA	DRY
1	2/15/2009				RA	DRY	NA NA	NA NA	DRY
Ī	7/10/2009				NA	23.63	NA	NA NA	DRY
	1/23/2010	- 1	- 1		NA .	21.51	NA NA	NA	75.25
DESTRUCTION OF	2000	能的技术	2.45	535 EE			-	SCHOOL STATE	7731
	2/19/2007				NA	24 01	NA	NA	Tanabacan.
	2/19/2007			r	NA	30.94	NA	NA	
	9/20/2007	- 1		- F	NA	28.63	NA	NA	
1	1/18/2007		i i	-	NA NA	25.77	NA	NA NA	
	5/16/2003				NA NA	-	NA NA	NA	
MW-17	0162008			20-35	NA NA	29.99	NA NA	NA NA	
-	2/16/2006			-		30.11	-		
-	7/10/2009			-	NA .	24.49	NA .	NA NA	
-	1/23/2010		- 3	-	NA	22.64	NA	NA	
-			- 1	_	NA	20.9	NA	NA	
	0.10.5010	- <u></u>	reaconomii (ib	artista y	NA	21 29	NA	NA	- 1

Prepared by:	Date:
Reviewed by:	Date

#### Macon Telegraph 139 Broadway Macon, Bibb County, # 4110030

# TABLE 2: GROUNDWATER ANALYTICAL RESULTS (VOLATILE ORGANIC COMPOUNDS)

	Date		Toluene	E-1 (1) (4)	(ug/l)	Total BTEX (ug/l)
lumber	Sampled	Benzene (ug/l)	(ug/l)	Ethylbenzene (ug/l)		14,520
	5/20/2002	400	7,400	920	5,800	5,250
	4/22/2003	680	350	920	3,300	28,700
	10/7/2003	3,600	3,800	4,400	16,900	
	4/22/2004	3,400	4,900	3,400	14,700	26,400
	7/13/2004	1,700	730	2,400	8,500	13,330
	2/19/2007	2,000	BDL	1,400	280	3,680
	6/12/2007	1,000	BDL	890	1600	3,490
MW-1	9/20/2007	1,500	51	1,800	730	4,081
	1/18/2008	630	17	820	300	1,767
	5/16/2008	13	BDL	11	12	36
	10/16/2008	36	BDL	60	BDL	96
	2/16/2009	7.6	BDL	4.5	11	23,1
	7/10/2009	2.8	BDL	BDL	BDL	2.8
	1/23/2010	0.73	BDL	BDL	BDL	0.73
	10/19/2010	1.0	BDL	BDL	BDL	1.0
		STATE OF THE STATE OF	P - 12 1-15	G280 32 4871 - X.	<b>地名西班</b>	than a place of the
CO-INCE	5/20/2002	1,800	6,100	580	3,600	12,080
	4/22/2003	4,000	10,000	1,300	6,900	22,200
		14,000	17,000	4,700	19,100	54,800
	10/7/2003	6,600	18,000	2,600	13,000	40,200
	4/22/2004	2,700	6,100	660	4,300	13,760
	7/13/2004		3,500	670	2,800	8,570
	2/19/2007	1,600	2,400	420	1,900	6,020
	6/12/2007	1,300		620	2,470	5,950
MW-2	9/20/2007	960	1,900		1,880	5,540
	1/18/2008	960	2,300	400	-	5,990
	5/16/2008	1,000	2,300	490	2,200	
	10/16/2008	680	1,400	340	1,500	3,920
	2/16/2009	660	1,100	230	1,000	2,990
	7/10/2009	1,500	2,700	720	3,300	8,220
	1/23/2010	96	160	46	200	502
	10/19/2010	4,500	4,600	960	3,500	13,560
4.4	(4) 经基础的		C. C. Control of the	<b>经的工程的</b>		
	5/20/2002	7,100	1,200	220	1,600	10,120
	4/22/2003	7,800	BDL	BDL	1,800	9,600
	10/7/2003	20,000	4,400	160	3,000	27,560
		12,000	1,700	130	2,180	16,010
	4/22/2004					
	7/13/2004	8,700	2,800	470	2,960	14,930
			2,800 3,600	520	2,700	19,820
	7/13/2004	8,700			2,700 580	19,820 4,731
MW-3	7/13/2004 2/19/2007 6/12/2007	8,700 13,000 4,100	3,600	520	2,700	19,820
MW-3	7/13/2004 2/19/2007	8,700 13,000	3,600 BDL	520 51	2,700 580 1,700 1,120	19,820 4,731 12,000 9,520
MW-3	7/13/2004 2/19/2007 6/12/2007 9/20/2007	8,700 13,000 4,100 10,000 8,200	3,600 BDL 1,100	520 51 300	2,700 580 1,700 1,120 390	19,820 4,731 12,000 9,520 2,810
MW-3	7/13/2004 2/19/2007 6/12/2007 9/20/2007 1/18/2008 5/16/2008	8,700 13,000 4,100 10,000 8,200 2,300	3,600 BDL 1,100 370	520 51 300 200	2,700 580 1,700 1,120	19,820 4,731 12,000 9,520
MW-3	7/13/2004 2/19/2007 6/12/2007 9/20/2007 1/18/2008 5/16/2008	8,700 13,000 4,100 10,000 8,200 2,300 3,600	3,600 BDL 1,100 370 69	520 51 300 200 51	2,700 580 1,700 1,120 390	19,820 4,731 12,000 9,520 2,810
MW-3	7/13/2004 2/19/2007 6/12/2007 9/20/2007 1/18/2008 5/16/2008 10/16/2008 2/16/2009	8,700 13,000 4,100 10,000 8,200 2,300 3,600 4,500	3,600 BDL 1,100 370 69 BDL	520 51 300 200 51 78	2,700 580 1,700 1,120 390 320	19,820 4,731 12,000 9,520 2,810 3,998
MW-3	7/13/2004 2/19/2007 6/12/2007 9/20/2007 1/18/2008 5/16/2008 10/16/2008 2/16/2009 7/10/2009	8,700 13,000 4,100 10,000 8,200 2,300 3,600 4,500 4,300	3,600 BDL 1,100 370 69 BDL BDL BDL	520 51 300 200 51 78 110	2,700 580 1,700 1,120 390 320 420	19,820 4,731 12,000 9,520 2,810 3,998 5,030
MW-3	7/13/2004 2/19/2007 6/12/2007 9/20/2007 1/18/2008 5/16/2008 2/16/2009 7/10/2009 1/23/2010	8,700 13,000 4,100 10,000 8,200 2,300 3,600 4,500 4,300 390	3,600 BDL 1,100 370 69 BDL BDL BDL 6.5	520 51 300 200 51 78 110 160 19	2,700 580 1,700 1,120 390 320 420 590 19	19,820 4,731 12,000 9,520 2,810 3,998 5,030 5,050 434,5 3,348
	7/13/2004 2/19/2007 6/12/2007 9/20/2007 1/18/2008 5/16/2008 10/16/2008 2/16/2009 7/10/2009 1/23/2010 10/19/2010	8,700 13,000 4,100 10,000 8,200 2,300 3,600 4,500 4,300 390 3,100	3,600 BDL 1,100 370 69 BDL BDL BDL 6.5 BDL	520 51 300 200 51 78 110 160 19	2,700 580 1,700 1,120 390 320 420 590 19	19,820 4,731 12,000 9,520 2,810 3,998 5,030 5,050 434,5 3,348
	7/13/2004 2/19/2007 6/12/2007 9/20/2007 1/18/2008 5/16/2008 10/16/2008 2/16/2009 7/10/2009 1/23/2010 10/19/2010	8,700 13,000 4,100 10,000 8,200 2,300 3,600 4,500 4,300 390 3,100	3,600 BDL 1,100 370 69 BDL BDL BDL 6.5 BDL	520 51 300 200 51 78 110 160	2,700 580 1,700 1,120 390 320 420 590 19	19,820 4,731 12,000 9,520 2,810 3,998 5,030 5,050 434,5 3,348
	7/13/2004 2/19/2007 6/12/2007 9/20/2007 1/18/2008 5/16/2008 10/16/2008 2/16/2009 7/10/2009 1/23/2010 10/19/2010	8,700 13,000 4,100 10,000 8,200 2,300 3,600 4,500 4,300 390 3,100	3,600 BDL 1,100 370 69 BDL BDL BDL 6.5 BDL	520 51 300 200 51 78 110 160 19 88	2,700 580 1,700 1,120 390 320 420 590 19 160	19,820 4,731 12,000 9,520 2,810 3,998 5,030 5,050 434,5 3,348
	7/13/2004 2/19/2007 6/12/2007 6/12/2007 9/20/2007 1/18/2008 5/16/2008 10/16/2008 2/16/2009 7/10/2009 1/23/2010 10/19/2010	8,700 13,000 4,100 10,000 8,200 2,300 3,600 4,500 4,300 390 3,100 20,000 14,000	3,600 BDL 1,100 370 69 BDL BDL 6.5 BDL 28,000 13,000	520 51 300 200 51 78 110 160 19 88	2,700 580 1,700 1,120 390 320 420 590 19 160 11,000	19,820 4,731 12,000 9,520 2,810 3,998 5,030 5,050 434.5 3,348
	7/13/2004 2/19/2007 6/12/2007 6/12/2007 1/18/2008 5/16/2008 10/16/2008 2/16/2009 1/23/2010 10/19/2010 5/20/2002 4/22/2003 10/7/2003	8,700 13,000 4,100 10,000 8,200 2,300 3,600 4,500 4,300 390 3,100	3,600 BDL 1,100 370 69 BDL BDL 6.5 BDL 28,000 13,000	520 51 300 200 51 78 110 160 19 88 2,000 2,500 3,300	2,700 580 1,700 1,120 390 320 420 590 19 160 11,000 12,500	19,820 4,731 12,000 9,520 2,810 3,998 5,030 5,050 434,5 3,348 61,000 40,500
	7/13/2004 2/19/2007 6/12/2007 9/20/2007 9/20/2007 1/18/2008 5/16/2008 10/16/2008 2/16/2009 7/10/2009 1/23/2010 10/19/2010 5/20/2002 4/22/2003 10/7/2003	8,700 13,000 4,100 10,000 8,200 2,300 3,600 4,500 4,300 390 3,100 20,000 14,000 22,000 35,000	3,600 BDL 1,100 370 69 BDL BDL BDL 6.5 BDL 28,000 13,000 41,000	520 51 300 200 51 78 110 160 19 88 2,000 2,500 3,300 3,100	2,700 580 1,700 1,120 390 320 420 590 19 160 11,000 11,000 11,000 12,500 15,100	19,820 4,731 12,000 9,520 2,810 3,998 5,030 5,050 434.5 3,248 61,000 40,500 60,800 94,200
	7/13/2004 2/19/2007 6/12/2007 9/20/2007 1/18/2008 5/16/2008 10/16/2008 2/16/2009 7/10/2009 1/23/2010 10/19/2010 5/20/2002 4/22/2003 10/7/2003 4/22/2004 7/13/2004	8,700 13,000 4,100 10,000 8,200 2,300 3,600 4,500 4,300 390 3,100 20,000 14,000 22,000 35,000 20,000	3,600 BDL 1,100 370 69 BDL BDL BDL 6,5 BDL 28,000 13,000 41,000 27,000	520 51 300 200 51 78 110 160 19 88 2,000 2,500 3,300 3,100 2,000	2,700 580 1,700 1,120 390 320 420 590 19 160 11,000 11,000 11,000 12,500 15,100 9,700	19,820 4,731 12,000 9,520 2,810 3,998 5,030 5,050 434.5 3,348 61,000 40,500 60,800 94,200 58,700
	7/13/2004 2/19/2007 6/12/2007 6/12/2007 9/20/2007 1/18/2008 5/16/2008 10/16/2008 10/16/2009 7/10/2009 1/23/2010 10/19/2010 10/19/2010 10/7/2003 4/22/2003 10/7/2003 4/22/2004 2/19/2007	8,700 13,000 4,100 10,000 8,200 2,300 3,600 4,500 4,300 390 3,100 20,000 11,000	3,600 BDL 1,100 370 69 BDL BDL BDL 6.5 BDL 28,000 13,000 23,000 41,000 27,000 12,000	520 51 300 200 51 78 110 160 19 88 2,000 2,500 3,300 3,100 2,000 3,300	2,700 580 1,700 1,120 390 320 420 590 19 160 2,500 11,000 11,000 11,000	19,820 4,731 12,000 9,520 2,810 3,998 5,030 5,050 434.5 3,348 61,000 40,500 60,800 94,200 58,700 37,300
	7/13/2004 2/19/2007 6/12/2007 6/12/2007 1/18/2008 5/16/2008 10/16/2008 2/16/2009 1/23/2010 10/19/2010 5/20/2002 4/22/2003 10/7/2003 4/22/2004 4/13/2004 2/19/2007	8,700 13,000 4,100 10,000 8,200 2,300 3,600 4,500 4,300 390 3,100 20,000 14,000 22,000 35,000 20,000 11,000 8,500	3,600 BDL 1,100 370 69 BDL BDL 6.5 BDL 6.5 BDL 28,000 13,000 27,000 12,000 14,000	520 51 300 200 51 78 110 160 19 88 2,000 2,500 3,300 3,100 2,000 3,300 2,300	2,700 580 1,700 1,120 390 320 420 590 19 160 2,500 11,000 12,500 13,100 11,000 11,000 15,000	19,820 4,731 12,000 9,520 2,810 3,998 5,030 5,050 434.5 3,348 61,000 40,500 60,800 94,200 58,700 37,300
	7/13/2004 2/19/2007 6/12/2007 6/12/2007 1/18/2008 5/16/2008 10/16/2008 10/16/2008 10/19/2010 10/19/2010 5/20/2002 4/22/2003 10/7/2003 4/22/2004 7/13/2004 6/12/2007 9/20/2007	8,700 13,000 4,100 10,000 8,200 2,300 3,600 4,500 4,300 390 3,100 20,000 14,000 22,000 35,000 20,000 11,000 8,500 2,600	3,600 BDL 1,100 370 69 BDL BDL BDL 6.5 BDL 3,000 23,000 41,000 27,000 14,000 8,200	520 51 300 200 51 78 110 160 19 88 2,000 2,500 3,300 3,100 2,000 2,300 2,300 2,300 2,000	2,700 580 1,700 1,120 390 320 420 19 160 11,000 12,500 15,100 9,700 15,000 16,500	19,820 4,731 12,000 9,520 2,810 3,998 5,030 5,050 434.5 3,348 61,000 40,500 60,800 94,200 58,700 37,300 39,800 29,300
	7/13/2004 2/19/2007 6/12/2007 6/12/2007 1/18/2008 5/16/2008 10/16/2008 2/16/2009 7/10/2009 1/23/2010 10/19/2010 5/20/2002 4/22/2003 10/7/2003 4/22/2004 7/13/2004 2/19/2007 9/20/2007 1/18/2008	8,700 13,000 4,100 10,000 8,200 2,300 3,600 4,500 4,300 390 3,100 14,000 22,000 11,000 8,500 2,000 11,000 8,500 2,600 2,700	3,600 BDL 1,100 370 69 BDL BDL 6.5 BDL 28,000 13,000 41,000 27,000 12,000 14,000 8,200 1,700	\$20 \$1 300 200 \$1 78 110 160 19 88 2,000 2,500 3,300 3,100 2,000 2,300 2,300 2,900 1,900	2,700 580 1,700 1,120 390 320 420 590 19 160 11,000 11,000 12,500 15,100 9,700 11,000 11,000 15,000 16,500 8,400	19,820 4,731 12,000 9,520 2,810 3,998 5,030 5,050 434.5 3,348 61,000 40,500 60,800 94,200 58,700 37,300 39,800 29,300 14,700
	7/13/2004 2/19/2007 6/12/2007 6/12/2007 9/20/2007 1/18/2008 5/16/2008 10/16/2008 2/16/2009 1/23/2010 10/19/2010 10/19/2010 10/19/2010 4/22/2003 10/7/2003 4/22/2004 4/22/2004 2/19/2007 6/12/2007 9/20/2007 9/20/2007 1/18/2008	8,700 13,000 4,100 10,000 8,200 2,300 3,600 4,500 4,300 390 3,100 20,000 14,000 22,000 35,000 20,000 11,000 8,500 2,600 2,700 3,200	3,600 BDL 1,100 370 69 BDL BDL BDL 6,5 BDL 28,000 13,000 27,000 12,000 14,000 14,000 1,700 6,200	\$20 \$1 300 200 \$1 78 110 160 19 88 82 2,000 2,500 3,300 3,100 2,000 2,300 2,300 2,000 1,900 580	2,700 580 1,700 1,120 390 320 420 590 19 160 11,000 11,000 15,000 15,000 16,500 8,400 7,500	19,820 4,731 12,000 9,520 2,810 3,998 5,030 5,050 434.5 3,348 61,000 40,500 60,800 94,200 58,700 37,300 39,800 29,300 14,700 17,480
	7/13/2004 2/19/2007 6/12/2007 6/12/2007 1/18/2008 5/16/2008 10/16/2008 10/16/2008 10/16/2009 7/10/2009 1/23/2010 10/19/2010 5/20/2002 4/22/2003 10/7/2003 4/22/2004 2/19/2007 9/20/2007 1/18/2008	8,700 13,000 4,100 10,000 8,200 2,300 3,600 4,500 4,300 390 3,100 20,000 14,000 22,000 35,000 20,000 11,000 8,500 2,600 2,700 3,200 530	3,600 BDL 1,100 370 69 BDL BDL 6.5 BDL 28,000 13,000 27,000 12,000 14,000 8,200 1,700 6,200 570	\$20 \$1 300 200 \$1 78 110 160 19 88 2,000 2,500 3,300 3,100 2,000 2,300 2,300 2,300 2,000 1,900 580 120	2,700 580 1,700 1,120 390 320 420 590 19 160 2,550 11,000 12,500 15,100 15,000 15,000 16,500 8,400 7,500 1,600	19,820 4,731 12,000 9,520 2,810 3,998 5,030 5,050 434.5 3,348 61,000 40,500 60,800 94,200 58,700 37,300 39,800 29,300 14,700 17,480 2,820
	7/13/2004 2/19/2007 6/12/2007 6/12/2007 1/18/2008 5/16/2008 10/16/2008 10/16/2008 10/19/2010 10/19/2010 3/20/2002 4/22/2003 10/7/2003 4/22/2004 7/13/2004 7/13/2004 7/13/2004 7/13/2004 10/19/2007 1/18/2008 5/16/2008 5/16/2008 5/16/2008	8,700 13,000 4,100 10,000 8,200 2,300 3,600 4,500 4,300 390 3,100 20,000 14,000 22,000 35,000 20,000 11,000 8,500 2,600 2,700 3,200 530 1,800	3,600 BDL 1,100 370 69 BDL BDL 6.5 BDL 3,000 13,000 23,000 41,000 27,000 14,000 8,200 1,700 6,200 5770 530	\$20 \$1 300 200 \$1 78 110 160 19 88 2,000 2,500 3,300 2,000 2,300 2,300 2,300 2,000 1,900 580 120 650	2,700 580 1,700 1,120 390 320 420 590 19 160 11,000 12,500 15,100 9,700 16,500 8,400 7,500 1,600 4,700	19,820 4,731 12,000 9,520 2,810 3,998 5,030 5,050 434.5 3,148 61,000 40,500 60,800 94,200 58,700 37,300 39,800 29,300 14,700 17,480 2,820 7,680
	7/13/2004 2/19/2007 6/12/2007 6/12/2007 1/18/2008 5/16/2008 10/16/2008 10/16/2008 10/19/2010 10/19/2010 10/19/2010 10/19/2010 10/19/2010 10/19/2010 10/19/2010 10/19/2003 10/7/2003 4/22/2004 7/13/2004 2/16/2008 5/16/2008 5/16/2008 5/16/2008 10/16/2008	8,700 13,000 4,100 10,000 8,200 2,300 3,600 4,500 4,300 390 3,100 20,000 14,000 22,000 35,000 20,000 11,000 8,500 2,600 2,700 3,200 530 1,800 790	3,600 BDL 1,100 370 69 BDL BDL 6.5 BDL 28,000 13,000 27,000 12,000 14,000 8,200 1,700 6,200 570 530 61	\$20 \$1 300 200 \$1 78 110 160 19 88 2,000 2,500 3,300 2,000 2,300 2,300 2,300 2,000 1,900 580 120 650 1,000	2,700 580 1,700 1,120 390 320 420 590 19 160 11,000 12,500 15,100 9,700 16,500 8,400 7,500 1,600 4,700 1,900	19,820 4,731 12,000 9,520 2,810 3,998 5,030 5,050 434.5 3,348 61,000 60,800 94,200 58,700 37,300 39,800 29,300 14,700 17,480 2,820 7,680 3,751
	7/13/2004 2/19/2007 6/12/2007 6/12/2007 1/18/2008 5/16/2008 10/16/2008 10/16/2008 10/19/2010 10/19/2010 3/20/2002 4/22/2003 10/7/2003 4/22/2004 7/13/2004 7/13/2004 7/13/2004 7/13/2004 10/19/2007 1/18/2008 5/16/2008 5/16/2008 5/16/2008	8,700 13,000 4,100 10,000 8,200 2,300 3,600 4,500 4,300 390 3,100 20,000 14,000 22,000 35,000 20,000 11,000 8,500 2,600 2,700 3,200 530 1,800	3,600 BDL 1,100 370 69 BDL BDL 6.5 BDL 3,000 13,000 23,000 41,000 27,000 14,000 8,200 1,700 6,200 5770 530	\$20 \$1 300 200 \$1 78 110 160 19 88 2,000 2,500 3,300 2,000 2,300 2,300 2,300 2,000 1,900 580 120 650	2,700 580 1,700 1,120 390 320 420 590 19 160 11,000 12,500 15,100 9,700 16,500 8,400 7,500 1,600 4,700	19,820 4,731 12,000 9,520 2,810 3,998 5,030 5,050 434.5 3,148 61,000 40,500 60,800 94,200 58,700 37,300 39,800 29,300 14,700 17,480 2,820 7,680

117-11	T 5. T					
Well	Date	#2000 00 00 00 00 00 00 00 00 00 00 00 00	Toluene	38525A-0345A-037-3-3-5-7056-1-3-3-6	Xylenes	
Numbe		Benzene (ug/l)	(lig/l)	Ethylbenzene (ug/l)	(ug/1)	Total BTEX (ug.
	4/22/2003	5,900	15,000	2,000	11,000	33,900
	10/7/2003	16,000	15,000	4,400	13,200	48,600
	4/22/2004	19,000	20,000	2,600	14,000	55,600
	7/13/2004	11,000	18,000	2,200	12,900	44,100
	2/19/2007	1,500	930	1,000	2,100	5,530
	6/12/2007	17,000	20,000	1,000	11,000	49,000
MW-5	9/20/2007	16,000	2,900	890	7,100	26,890
	1/18/2008	9,000	1,900	1,100	5,000	17,000
	5/16/2008	7,100	3,100	880	4,500	15,580
	10/16/2008	2,200	BDL	BDL	1,400	3,600
	2/16/2009	1,300	BDL	180	510	1,990
	7/10/2009	2,400	130	820	540	3,890
	1/23/2010	670	110	510	180	1,470
	10/19/2010	1,300	94	910	720	3.054
とつきまった	S SECULO	Control of the Control	42. 20 (SA)	o callibrate par	MANAGES STORY	S SHIPPART SERVER
	4/22/2003	35,000	40,000	2,200	13,000	90,200
	10/7/2003	52,000	52,000	2,800	13,700	
	4/22/2004	78,000	37,000	14,000	71,000	120,500
	7/13/2004	33,000	39,000			200,000
	2/19/2007	49,000		2,800	15,200	90,000
	6/12/2007	49,000	62,000	3,800	20,000	134,800
				DRY		
MW-6	9/20/2007			DRY		
	1/18/2008			DRY		
	5/16/2008			DRY		
	10/16/2008			DRY	v	
	2/16/2009	66	BDL	38	230	334
	7/10/2009	230	280	130	730	1,370
	1/23/2010	340	470	220	1300	2,330
	10/19/2010	1,100	1100	360	2000	4,560
2.1920	<b>建筑的物理</b> 的	<b>建设建筑建设设施</b>	<b>以1930年</b>	Secretary and the second	CONTRACTOR OF THE PARTY OF THE	NAMES OF PARTY
	4/22/2003	12,000	18,000	3,000	20,000	53,000
	10/7/2003	9,900	12,000	5,800	25,700	53,400
	4/22/2004	11,000	15,000	3,800	20,700	50,500
	7/13/2004	10,000	5,600	1,400	14,300	31,300
	2/19/2007	6,000	6,800	1,400	10,000	24,200
	6/12/2007		0,000	DRY	10,000	24,200
wasanan l	9/20/2007	8,800	5,500	1,000	12 (00 ]	20,000
MW-7	1/18/2008	2,100	1,100	340	13,600	28,900
	5/16/2008	2,100	1,100		3,600	7,140
	10/16/2008	7/0	020	DRY		
		760	830	63	1,900	3,553
	2/16/2009	2,400	2,900	870	6,800	12,970
	7/10/2009	1,300	1,200	720	4,300	7,520
	1/23/2010	28	180	190	1,400	1,798
- 2		710	1,000	940	6,000	8,650
	10/19/2010					Contract of the
17221140	**************************************			9,4591, 460, 4810	为自己的	\$20,000 Sept 16, \$25,000 Sept 20, \$2, \$2, \$2, \$2, \$2, \$2, \$2, \$2, \$2, \$2
) szápás	4/22/2003				5,200	19,730
7,522,540	**************************************	2800 4440 45440 2	18 18 18 18 18 18 18 18 18 18 18 18 18 1	THE STATE OF THE STATE OF		19,730
P NO THE	4/22/2003	5,400	8,200	930	5,200	19,730 19,430
)	4/22/2003 10/7/2003	5,400 930	8,200 5,500	930 2,200 2,500	5,200 10,800 12,400	19,730 19,430 25,700
1.52.213.20	4/22/2003 10/7/2003 4/22/2004	5,400 930 2,600	8,200 5,500 8,200	930 2,200	5,200 10,800 12,400 11,800	19,730 19,430 25,700 23,800
) 50.3 p.260	4/22/2003 10/7/2003 4/22/2004 7/13/2004	5,400 930 2,600 1,800	8,200 5,500 8,200 8,100	930   2,200   2,500   2,100   270	5,200 10,800 12,400	19,730 19,430 25,700
	4/22/2003 10/7/2003 4/22/2004 7/13/2004 2/19/2007 6/12/2007	5,400 930 2,600 1,800 760	8,200 5,500 8,200 8,100 1,100	930 2,200 2,500 2,100 270 DRY	5,200 10,800 12,400 11,800 2,000	19,730 19,430 25,700 23,800 4,130
	4/22/2003 10/7/2003 4/22/2004 7/13/2004 2/19/2007 6/12/2007 9/20/2007	5,400 930 2,600 1,800 760	8,200 5,500 8,200 8,100 1,100	930 2,200 2,500 2,100 270 DRY 16	5,200 10,800 12,400 11,800 2,000	19,730 19,430 25,700 23,800 4,130
	4/22/2003 10/7/2003 4/22/2004 7/13/2004 2/19/2007 6/12/2007 9/20/2007 1/18/2008	5,400 930 2,600 1,800 760	8,200 5,500 8,200 8,100 1,100	930 2,200 2,500 2,100 270 DRY 16 6.9	5,200 10,800 12,400 11,800 2,000	19,730 19,430 25,700 23,800 4,130
4W-8	4/22/2003 10/7/2003 4/22/2004 7/13/2004 2/19/2007 6/12/2007 9/20/2007 1/18/2008 5/16/2008	5,400 930 2,600 1,800 760 65 8.7	8,200 5,500 8,200 8,100 1,100 92 6.5	930 2,200 2,500 2,100 270 DRY 16 6.9 DRY	5,200 10,800 12,400 11,800 2,000 1,490 230	19,730 19,430 25,700 23,800 4,130 1,663 252
MW-8	4/22/2003 10/7/2003 4/22/2004 4/22/2004 2/19/2007 6/12/2007 9/20/2007 1/18/2008 10/16/2008	5,400 930 2,600 1,800 760 65 8.7	8,200 5,500 8,200 8,100 1,100 92 6,5	930 2,200 2,500 2,100 270 DRY 16 6.9 DRY 3.3	5,200 10,800 12,400 11,800 2,000 1,490 230	19,730 19,430 25,700 23,800 4,130 1,663 252
4W-8	4/22/2003 10/7/2003 4/22/2004 4/22/2004 2/19/2007 6/12/2007 9/20/2007 1/18/2008 5/16/2008 10/16/2008 2/16/2009	5,400 930 2,600 1,800 760 65 8.7	8,200 5,500 8,200 8,100 1,100 1,100 92 6,5	930 2,200 2,500 2,100 270 DRY 16 6.9 DRY 3.3 8.9	5,200 10,800 12,400 11,800 2,000 1,490 230 28 37	19,730 19,430 25,700 23,800 4,130 1,663 252
MW-8	4/22/2003 10/7/2003 4/22/2004 4/22/2004 4/22/2007 6/12/2007 9/20/2007 1/18/2008 5/16/2008 2/16/2008 2/16/2009 7/10/2009	5,400 930 2,600 1,800 760 65 8.7 0.6 55 200	8,200 5,500 8,200 8,100 1,100 92 6.5 BDL BDL BDL	930 2,200 2,500 2,100 270 DRY 16 6,9 DRY 3,3 8,9 350	5,200 10,800 12,400 11,800 2,000 1,490 230 28 37 1,000	19,730 19,430 25,700 23,800 4,130 1,663 252 32 101 1,550
MW-8	4/22/2003 10/7/2003 4/22/2004 4/22/2004 2/19/2007 6/12/2007 9/20/2007 1/18/2008 5/16/2008 10/16/2008 2/16/2009	5,400 930 2,600 1,800 760 65 8.7	8,200 5,500 8,200 8,100 1,100 1,100 92 6,5	930 2,200 2,500 2,100 270 DRY 16 6.9 DRY 3.3 8.9	5,200 10,800 12,400 11,800 2,000 1,490 230 28 37	19,730 19,430 25,700 23,800 4,130 1,663 252

	Date Sampled 10/7/2003	Benzene (ug/l)	Toluene (ug/l) 9.4	Ethylbenzene (ug/l)	Xylenes (ug/l) 43.9	Total BTEX (ug/l) 414.3
	4/22/2004	77	BDL	1,700	66	1,843
50	7/13/2004	84	BDL	1,200	42	1,326
	2/19/2007	6.8	BDL	76	BDL	82.8
	6/12/2007	9.0	BDL	110	BDL	119.0
MW-9	9/20/2007	5.4	BDL	80	BDL	85.4
	1/18/2008	2.0	BDL	30	BDL	32.0
	5/16/2008	21	BD1.	46	BDL	67 45.2
	10/16/2008	16	BDL	27	BDL BDL	47.2
	2/16/2009 7/10/2009	23	BDL	20	BDL	43
	1/23/2010	7.8	BDL	2.7	BDL	10,7
300	PARTIES N	nieras stakka	952499999	<b>企业的10年以外</b>	在被战役的	
Kindy and John	10/7/2003	3,500	39	260	256	4,055
	4/22/2004	3,000	BDL	140	150	3,290
	7/13/2004	2,300	6.2	84	42	2,432.20
	2/19/2007	1,400	BDL	59	57	1,516 842
	6/12/2007	820	BDL	22	BDL 21.8	493
1WD-10	9/20/2007	450 330	3.8	22	13.3	369
1417-10	5/16/2008	180	BDL	6	8.4	194
	10/16/2008	54	BDL	3.4	5	62
	2/16/2009	28	BDL	2	5.4	35,4
	7/10/2009	90	7.2	6.4	10	113.6
	1/23/2010	150	BDL	13	5.4	168.4
	10/19/2010	330	BDL	22	10	362.0
包部制				I pp	S A	13.3
	10/7/2003	1.2 BDL	BDL	BDL BDL	BDL BDL	BDL
	4/22/2004 7/13/2004	BDL	BDL.	BDL	BDL	BDL
	2/19/2007	BDL	BDL	BDL	BDL	BDL
	6/12/2007	1.2	BDL	BDL	1.6	2.8
	9/20/2007	BDL	BDL	BDL	BDL	BDL
MW-11	1/18/2008	BDL	BDL	BDL	BDL	BDL
	5/16/2008	BDL	BDL	BDL	BDL	BDL
	10/16/2008	BDL	BDL	BDL	BDL	BDL
	2/16/2009	BDL	BDL	BDL BDL	BDL. BDL	BDL BDL
	7/10/2009	BDL BDL	BDL BDL	BDL	BDL	BDL
		DDL	DUL	DDL	DDU	
			RDI.	BDL.	BDL	BDL
	10/19/2010	BDL	BDL	BDL		BDL
9/558/8						25,050
% 5 M	10/19/2010	BDL		750 180	10,000 4,510	25,050 12,260
	10/19/2010 30/7/2003 4/22/2004 7/13/2004	13,000 7,300 4,800	1,300 270 460	750 180 180	10,000 4,510 1,600	25,050 12,260 7,040
	10/19/2010 10/7/2003 4/22/2004 7/13/2004 2/19/2007	BDL 13,000 7,300	1,300 270	750 180 180 180 360	10,000 4,510	25,050 12,260
	10/19/2010 10/7/2003 4/22/2004 7/13/2004 2/19/2007 6/12/2007	BDL, 13,000 7,300 4,800 5,100	1,300 270 460 280	750 180 180 180 360 DRY	10,000 4,510 1,600 3,400	25,050 12,260 7,040 9,140
	10/19/2010 : 10/7/2003 4/22/2004 7/13/2004 2/19/2007 6/12/2007 9/20/2007	BDL, 13,000 7,300 4,800 5,100	1,300 270 460 280	750 180 180 180 360 DRY	10,000 4,510 1,600 3,400	25,050 12,260 7,040 9,140
MW-12	10/19/2010 10/7/2003 4/22/2004 7/13/2004 2/19/2007 6/12/2007 9/20/2007 1/18/2008	BDL, 13,000 7,300 4,800 5,100	1,300 270 460 280	750 180 180 180 360 DRY 16 15	10,000 4,510 1,600 3,400	25,050 12,260 7,040 9,140
	10/19/2010 3/13/201 10/7/2003 4/22/2004 7/13/2004 2/19/2007 6/12/2007 9/20/2007 1/18/2008 5/16/2008	BDL, 13,000 7,300 4,800 5,100	1,300 270 460 280	750 180 180 180 360 DRY	10,000 4,510 1,600 3,400	25,050 12,260 7,040 9,140
240200000000000000000000000000000000000	10/19/2010 10/7/2003 4/22/2004 7/13/2004 2/19/2007 6/12/2007 9/20/2007 1/18/2008	BDL 13,000 7,300 4,800 5,100 320 200	1,300 270 460 280 5.4 9.3	750 180 180 360 DRY 16 15 DRY	10,000 4,510 1,600 3,400 43 78	25,050 12,260 7,040 9,140 384 302 58 21
240200000000000000000000000000000000000	10/19/2010 10/7/2003 4/22/2004 7/13/2004 2/19/2007 6/12/2007 9/20/2007 1/18/2008 5/16/2008 10/16/2008	BDL, 13,000 7,300 4,800 5,100 320 200	1,300 270 460 280 5.4 9.3 BDL BDL 11	750 180 180 180 360 DRY 16 15 DRY BDL BDL 4.6	10,000 4,510 1,600 3,400 43 78 12 BDL 5.9	25,050 12,260 7,040 9,140 384 302 58 21 57.5
240200000000000000000000000000000000000	10/19/2010 \$1 10/7/2003 4/22/2004 7/13/2004 2/19/2007 6/12/2007 1/18/2008 5/16/2008 10/16/2008 2/16/2009 1/23/2010	BDL 13,000 7,300 4,800 5,100 320 200 46 21 36 6.1	1,300 270 460 280 5.4 9.3 BDL BDL 11 7.8	750 180 180 180 360 DRY 16 15 BDL BDL 4.6	10,000 4,510 1,600 3,400 43 78 12 BDL 5.9 64	25,050 12,260 7,040 9,140 384 302 58 21 57.5 87.9
MW-12	10/19/2010 33 10/7/2003 4/22/2004 7/113/2004 2/19/2007 6/12/2007 9/20/2007 1/18/2008 10/16/2008 2/16/2009 7/10/2009 1/23/2010	BDL, 13,000 7,300 4,800 5,100 320 200 46 21 36 6.1	1,300 270 460 280 5.4 9.3 BDL BDL 11 7.8 BDL	750 180 180 360 DRY 16 15 DRY BDL 4.6 10	10,000 4,510 1,600 3,400 43 78 12 BDL 5.9 64 BDI,	25,050 12,260 7,040 9,140 384 302 58 21 57.5 87.9 12,0
MW-12	10/19/2010 3 10/7/2003 4/22/2004 7/13/2004 2/19/2007 6/12/2007 9/20/2007 1/18/2008 5/16/2008 10/16/2008 2/16/2009 7/10/2009 1/23/2010 10/19/2010	BDL, 13,000 7,300 4,800 5,100 320 200 46 21 36 6.1	1,300 270 460 280 5.4 9.3 BDL BDL 11 7.8 BDL	750 180 180 360 DRY 16 15 DRY BDL 4.6 10	10,000 4,510 1,600 3,400 43 78 12 BDL 5.9 64 BDI,	25,050 12,260 7,040 9,140 384 302 58 21 57.5 87.9 12,0
MW-12	10/19/2010 33 10/7/2003 4/22/2004 7/113/2004 2/19/2007 6/12/2007 9/20/2007 1/18/2008 10/16/2008 2/16/2009 7/10/2009 1/23/2010 10/19/2010	BDL, 13,000 7,300 4,800 5,100 320 200 46 21 36 6.1	1,300 270 460 280 5.4 9.3 BDL BDL 11 7.8 BDL	750 180 180 360 DRY 16 15 DRY BDL BDL 4.6 10 1.0	10,000 4,510 1,600 3,400 43 78 12 BDL 5.9 64 BDI,	25,050 12,260 7,040 9,140 384 302 58 21 57.5 87.9 12,0
MW-12	10/19/2010 \$3 10/7/2003 4/22/2004 7/13/2004 2/19/2007 6/12/2007 1/18/2008 5/16/2008 10/16/2008 2/16/2009 1/10/2009 1/23/2010 10/19/2010 10/19/2003 4/22/2004	BDL 13,000 7,300 4,800 5,100 320 200 46 21 36 6.1 11.0	1,300 270 460 280 5.4 9.3 BDL BDL 11 7.8 BDL	750 180 180 360 DRY 16 15 DRY BDL 4.6 10	10,000 4,510 1,600 3,400 43 78 12 BDL 5.9 64 BDI,	25,050 12,260 7,040 9,140 384 302 58 21 57.5 87.9 12,0
MW-12	10/19/2010 33 10/7/2003 4/22/2004 7/113/2004 2/19/2007 6/12/2007 9/20/2007 1/18/2008 10/16/2008 2/16/2009 7/10/2009 1/23/2010 10/19/2010	BDL, 13,000 7,300 4,800 5,100 320 200 46 21 36 6.1	1,300 270 460 280 5.4 9.3 BDL BDL 11 7.8 BDL	750 180 180 180 360 DRY 16 15 DRY BDL BDL 4.6 10 1.0 DRY	10,000 4,510 1,600 3,400 43 78 12 BDL 5.9 64 BDL	25,050 12,260 7,040 9,140 384 302 58 21 57.5 87.9 12.0
MW-12	10/19/2010 \$1 10/7/2003 4/22/2004 7/13/2004 2/19/2007 6/12/2007 9/20/2007 9/20/2007 1/18/2008 10/16/2008 10/16/2008 10/16/2009 1/23/2010 10/19/2010 10/7/2003 4/22/2004 7/13/2004	BDL 13,000 7,300 4,800 5,100 320 200 46 21 36 6.1 11.0	1,300 270 460 280 5.4 9.3 BDL BDL BDL BDL BDL	750 180 180 360 DRY 16 15 DRY BDL 4,6 10 1,0 DRY BDL NS DRY	10,000 4,510 1,600 3,400 43 78 12 BDL 5.9 64 BDL BDL	25,050 12,260 7,040 9,140 384 302 58 21 57.5 87.9 12.0
MW-12	10/19/2010 30 10/7/2003 4/22/2004 7/13/2004 2/19/2007 6/12/2007 1/18/2008 5/16/2008 10/16/2008 10/16/2009 1/10/2009 1/23/2010 10/19/2010 10/7/2003 4/22/2004 7/13/2004 2/19/2007 9/20/2007	BDL 13,000 7,300 4,800 5,100 320 200 46 21 36 6.1 11.0	1,300 270 460 280 5.4 9.3 BDL BDL BDL BDL BDL	750 180 180 360 DRY 16 15 DRY BDL 4.6 10 1.0  DRY DRY DRY DRY DRY DRY DRY DRY DRY	10,000 4,510 1,600 3,400 43 78 12 BDL 5.9 64 BDL BDL	25,050 12,260 7,040 9,140 384 302 58 21 57.5 87.9 12.0
MW-12	10/19/2010 30 10/7/2003 4/22/2004 7/13/2004 2/19/2007 6/12/2007 1/18/2008 5/16/2008 10/16/2008 10/16/2009 1/23/2010 10/19/2010 10/19/2004 4/12/2004 7/13/2004 2/19/2007 6/12/2007 1/18/2008	BDL 13,000 7,300 4,800 5,100 320 200 46 21 36 6.1 11.0	1,300 270 460 280 5.4 9.3 BDL BDL BDL BDL BDL	750 180 180 180 360 DRY 16 15 DRY BDL BDL 4.6 10 1.0  DRY DRY DRY DRY DRY DRY DRY	10,000 4,510 1,600 3,400 43 78 12 BDL 5.9 64 BDL BDL	25,050 12,260 7,040 9,140 384 302 58 21 57.5 87.9 12.0
MW-12	10/19/2010 \$1 10/7/2003 4/22/2004 7/13/2004 2/19/2007 6/12/2007 9/20/2007 9/20/2007 10/16/2008 10/16/2009 1/23/2010 10/7/2003 10/7/2003 10/7/2003 10/7/2003 10/7/2003 10/7/2004 2/19/2007 6/12/2007 9/20/2007 1/18/2008 5/16/2008	BDL 13,000 7,300 4,800 5,100 320 200 46 21 36 6.1 11.0	1,300 270 460 280 5.4 9.3 BDL BDL BDL BDL BDL	750 180 180 180 360 DRY 16 15 DRY BDL 4.6 10 1.0 1.0  NS DRY BDL NS DRY DRY DRY DRY DRY DRY DRY	10,000 4,510 1,600 3,400 43 78 12 BDL 5.9 64 BDL BDL	25,050 12,260 7,040 9,140 384 302 58 21 57.5 87.9 12.0
MW-12	10/19/2010 \$1 10/7/2003 4/22/2004 7/13/2004 2/19/2007 6/12/2007 9/20/2007 9/20/2007 10/16/2008 10/16/2008 10/16/2008 10/16/2009 7/10/2009 10/7/2003 4/22/2004 4/22/2004 2/19/2007 6/12/2007 9/20/2007 9/20/2007 10/16/2008 10/16/2008	BDL  13,000 7,300 4,800 5,100  320 200  46 21 36 6.1 11.0  BDL NS	1,300   270   270   460   280   5.4   9.3   BDL   BDL   11   7.8   BDL   BDL   NS	750 180 180 180 360 DRY 16 15 DRY BDL 4.6 10 1.0 1.0  DRY BDL NS DRY BDL NS DRY BDL NS DRY	10,000 4,510 1,600 3,400 43 78 12 BDL 5.9 64 BDL NS	25,050 12,260 7,040 9,140  384 302  58 21 57.5 87.9 12.0  BDL NS
4W-12	10/19/2010 33 10/7/2003 4/22/2004 7/13/2004 2/19/2007 6/12/2007 1/18/2008 5/16/2008 10/16/2008 10/16/2008 10/16/2008 10/19/2010 10/19/2010 10/19/2010 10/19/2010 10/19/2007 1/18/2007 1/18/2007 1/18/2007 1/18/2008	BDL 13,000 7,300 4,800 5,100 320 200 46 21 36 6.1 11.0	1,300 270 460 280 5.4 9.3 BDL BDL BDL BDL BDL	750 180 180 360 DRY 16 15 DRY BDL 4,6 10 1,0 1,0  DRY BDL NS DRY	10,000 4,510 1,600 3,400 43 78 12 BDL 5.9 64 BDL BDL	25,050 12,260 7,040 9,140 384 302 58 21 57.5 87.9 12.0
MW-12	10/19/2010 3 10/17/2003 4/22/2004 7/13/2004 2/19/2007 6/12/2007 9/20/2007 9/20/2007 10/16/2008 10/16/2008 10/16/2008 10/16/2008 10/16/2009 7/10/2009 10/7/2003 4/22/2004 7/13/2004 2/19/2007 6/12/2007 9/20/2007 1/18/2008 5/16/2008	BDL  13,000 7,300 4,800 5,100  320 200  46 21 36 6.1 11.0  BDL NS	1,300   270   270   460   280   5.4   9.3   BDL   BDL   11   7.8   BDL   NS	750 180 180 180 360 DRY 16 15 DRY BDL BDL 4.6 10 1.0 1.0  DRY DRY DRY DRY DRY DRY DRY DRY DRY DR	10,000 4,510 1,600 3,400  43 78  12 BDL 5.9 64 BDL NS	25,050 12,260 7,040 9,140  384 302  58 21 57.5 87.9 12.0  BDL NS
MW-12	10/19/2010 3 10/17/2003 4/22/2004 7/13/2004 2/19/2007 6/12/2007 9/20/2007 9/20/2007 10/16/2008 10/16/2008 10/16/2008 10/16/2008 10/16/2009 7/10/2009 10/7/2003 4/22/2004 7/13/2004 2/19/2007 6/12/2007 9/20/2007 1/18/2008 5/16/2008	BDL  13,000 7,300 4,800 5,100  320 200  46 21 36 6.1 11.0  BDL NS	1,300   270   270   460   280   5.4   9.3   BDL   BDL   11   7.8   BDL   NS	750 180 180 180 360 DRY 16 15 DRY BDL BDL 4.6 10 1.0 1.0  DRY DRY DRY DRY DRY DRY DRY DRY DRY DR	10,000 4,510 1,600 3,400  43 78  12 BDL 5.9 64 BDL NS	25,050 12,260 7,040 9,140  384 302  58 21 57.5 87.9 12.0  BDL NS
MW-12	10/19/2010 3 10/17/2003 4/22/2004 7/13/2004 2/19/2007 6/12/2007 9/20/2007 9/20/2007 10/16/2008 10/16/2008 10/16/2008 10/16/2008 10/16/2009 7/10/2009 10/7/2003 4/22/2004 7/13/2004 2/19/2007 6/12/2007 9/20/2007 1/18/2008 5/16/2008	BDL  13,000 7,300 4,800 5,100  320 200  46 21 36 6.1 11.0  BDL NS	1,300   270   270   460   280   5.4   9.3   BDL   BDL   11   7.8   BDL   NS	750 180 180 360 DRY 16 15 DRY BDL 4,6 10 1,0 1,0  DRY BDL NS DRY	10,000 4,510 1,600 3,400  43 78  12 BDL 5.9 64 BDL NS	25,050 12,260 7,040 9,140  384 302  58 21 57.5 87.9 12.0  BDL NS
MW-12	10/19/2010 3 10/17/2003 4/22/2004 7/13/2004 2/19/2007 6/12/2007 9/20/2007 9/20/2007 1/18/2008 10/16/2008 10/16/2009 1/23/2010 10/7/2003 10/19/2010 10/19/2010 2/16/2009 1/23/2004 2/19/2007 9/20/2007 9/20/2007 9/20/2007 1/18/2008 5/16/2008 10/16/2008 10/16/2008 10/16/2008 10/16/2008	BDL  13,000 7,300 4,800 5,100  320 200  46 21 36 6.1 11.0  BDL NS	1,300   270   270   460   280   5.4   9.3   BDL   BDL   11   7.8   BDL   NS	750 180 180 180 360 DRY 16 15 DRY BDL 46 10 1.0  DRY DRY DRY DRY DRY DRY DRY DRY DRY DR	10,000 4,510 1,600 3,400  43 78  12 BDL 5.9 64 BDL NS	25,050 12,260 7,040 9,140  384 302  58 21 57.5 87.9 12.0  BDL NS
MW-12	10/19/2010 3 10/7/2003 4/22/2004 7/13/2004 2/19/2007 6/12/2007 9/20/2007 9/20/2007 1/18/2008 10/16/2008 10/16/2009 1/23/2010 10/19/2010 10/19/2010 10/19/2007 6/12/2004 2/19/2007 1/18/2008 5/16/2008 10/16/2008 5/16/2009 1/18/2009 1/18/2008 10/16/2009 1/18/2008 10/16/2009 1/18/2009 1/18/2008 10/16/2009 1/18/2008	BDL  13,000 7,300 4,800 5,100  320 200  46 21 36 6.1 11.0  BDL NS	1,300   270   270   460   280   5.4   9.3   BDL   BDL   11   7.8   BDL   NS	750 180 180 180 180 360 DRY 16 15 DRY BDL 4.6 10 1.0  DRY DRY DRY DRY DRY DRY DRY DRY DRY DR	10,000 4,510 1,600 3,400  43 78  12 BDL 5.9 64 BDL NS	25,050 12,260 7,040 9,140  384 302  58 21 57.5 87.9 12.0  BDL NS
MW-12	10/19/2010 3 10/17/2003 4/22/2004 7/13/2004 2/19/2007 6/12/2007 6/12/2007 9/20/2007 1/18/2008 10/16/2008 10/16/2008 10/16/2009 1/23/2010 10/19/2010 10/19/2010 6/12/2004 7/13/2004 2/19/2007 6/12/2007 6/12/2007 1/18/2008 5/16/2008 10/16/2008 10/16/2008 10/16/2008 10/16/2008 10/16/2008 10/16/2008 10/16/2008 10/16/2009	BDL  13,000 7,300 4,800 5,100  320 200  46 21 36 6.1 11.0  BDL NS	1,300   270   270   460   280   5.4   9.3   BDL   BDL   11   7.8   BDL   NS	750 180 180 180 360 DRY 16 15 DRY BDL BDL 4.6 10 1.0 1.0  DRY DRY DRY DRY DRY DRY DRY DRY DRY DR	10,000 4,510 1,600 3,400  43 78  12 BDL 5.9 64 BDL NS	25,050 12,260 7,040 9,140  384 302  58 21 57.5 87.9 12.0  BDL NS
MW-12	10/19/2010 30 10/17/2003 4/22/2004 7/13/2004 2/19/2007 6/12/2007 9/20/2007 9/20/2007 10/16/2008 10/16/2008 10/16/2008 10/16/2009 7/10/2009 10/7/2003 4/22/2004 2/19/2007 6/12/2007 9/20/2007 9/20/2007 6/12/2007 9/20/2007 9/20/2007 10/16/2008 2/16/2009 10/16/2008 2/16/2009 10/16/2008 2/16/2009 10/16/2008	BDL  13,000 7,300 4,800 5,100  320 200  46 21 36 6.1 11.0  BDL NS	1,300   270   270   460   280   5.4   9.3   BDL   BDL   11   7.8   BDL   NS	750 180 180 180 360 DRY 16 15 DRY BDL 4.6 10 1.0 1.0  DRY BDL NS DRY	10,000 4,510 1,600 3,400  43 78  12 BDL 5.9 64 BDL NS	25,050 12,260 7,040 9,140  384 302  58 21 57.5 87.9 12.0  BDL NS
MW-12	10/19/2010 3 10/17/2003 4/22/2004 7/13/2004 2/19/2007 6/12/2007 6/12/2007 9/20/2007 1/18/2008 10/16/2008 10/16/2008 10/16/2009 1/23/2010 10/19/2010 10/19/2010 6/12/2004 7/13/2004 2/19/2007 6/12/2007 6/12/2007 1/18/2008 5/16/2008 10/16/2008 10/16/2008 10/16/2008 10/16/2008 10/16/2008 10/16/2008 10/16/2008 10/16/2009	BDL  13,000 7,300 4,800 5,100  320 200  46 21 36 6.1 11.0  BDL NS	1,300   270   270   460   280   5.4   9.3   BDL   BDL   11   7.8   BDL   NS	750 180 180 180 360 DRY 16 15 DRY BDL BDL 4.6 10 1.0 1.0  DRY DRY DRY DRY DRY DRY DRY DRY DRY DR	10,000 4,510 1,600 3,400  43 78  12 BDL 5.9 64 BDL NS	25,050 12,260 7,040 9,140  384 302  58 21 57.5 87.9 12.0  BDL NS
MW-12 MW-13	10/19/2010 30 10/17/2003 4/22/2004 7/13/2004 2/19/2007 6/12/2007 6/12/2007 9/20/2007 1/18/2008 5/16/2008 10/16/2008 10/16/2008 10/16/2009 1/23/2010 10/19/2010 10/19/2010 7/10/2009 1/23/2004 2/19/2007 6/12/2007 6/12/2007 6/12/2007 1/18/2008 5/16/2008 10/16/2008 10/16/2008 2/16/2009 7/10/2009 10/16/2009 7/10/2009	BDL  13,000 7,300 4,800 5,100  320 200  46 21 36 6.1 11.0  BDL NS	1,300   270   270   460   280   5.4   9.3   BDL   BDL   11   11   12   12   13   14   15   15   16   16   16   16   16   16   16   16	750 180 180 180 360 DRY 16 15 DRY BDL 4.6 10 1.0 1.0  DRY BDL NS DRY	10,000 4,510 1,600 3,400  43 78  12 BDL 5.9 64 BDL NS	25,050 12,260 7,040 9,140  384 302  58 21 57.5 87.9 12.0  BDL NS

**	Date		Tohiene	1	Xylenes	
Number	Sampled	Benzene (ug/l)	(ug/l)	Ethylbenzene (ug/l)	(ug/l)	Total BTEX (ug/l)
	4/22/2004	BDL	BDL	BDL	BDL	BDL
	7/13/2004	BDL	BDL	BDL	BDL	BDL
	2/19/2007	BDL	BDL	BDL	BDL	BDL
	6/12/2007	BDL	BDL	BDL	BDL	BDL
	9/20/2007	BDL	BDL	BDL	BDL	BDL
MWR-14	1/18/2008	BDL	BDL	BDL	BDL	BDL
	5/16/2008	BDL	BDL	BDL	BDL	BDL
	10/16/2008	BDL	BDL,	BDL	BDL	BDI.
	2/16/2009	BDL	BDL	BDL	BDL	BDL
	7/10/2009	BDL.	BDL	BDL	BDL	BDL
	1/23/2010	BDL	BDL	BDL	BDL	BDL
2000年183	的最大的	The state of the s	900年的最	<b>《中国报》的李小俊</b>	ALC: NAME	能和學學學學的學學
	10/7/2003	430	8.8	27	2620	3,085.80
	4/22/2004	14	BDL	BDL	3.5	17.5
	2/19/2007	BDL	BDL	BDL	1.8	1.8
	6/12/2007	0.62	BDL	BDL	BDL	0.62
	9/20/2007			DRY		
MW-15	1/18/2008			DRY		
	5/16/2008	2.5	BDL	BDL	2.5	5
- 1	10/16/2008			DRY		
	2/16/2009			DRY		
1	7/10/2009	4.5	BDL	1.2	3.9	9.6
	1/23/2010	4.6	BDL	1.1	3.4	9.1
-	10/19/2010	4.4	BDL	1.2	BDL	5.6
SE MERCH		<b>建筑的</b>		37,750,000	がは、	<b>建设的证明</b>
1	4/22/2004	BDL	BDL	BDL	BDL	BDL
1	7/13/2001	BDL	BDL	BDL	BDL	BDL
-	2/19/2007	BDL	BDL	BDL	BDL	BDL
1	6/12/2007			DRY		
	9/20/2007	BDL	BDL	BDL	BDL	BDL
1W-16	1/18/2008	BDL	BDL	BDL	BDL	BDL
-	5/16/2008			DRY		
L	10/16/2008			DRY		
	2/16/2009			DRY		
					DOL	BDL
	7/10/2009	BDL	BDL	BDL	BDL	
	7/10/2009 1/23/2010	BDL	BDL	BDL	BDL	BDL
4.47.843.6	7/10/2009 1/23/2010	BDL	BDL	BDL,	BDL	BDL
4433	7/10/2009 1/23/2010 2/19/2007	BDL 18,000	BDL 16,000	BDL,	BDL 20,000	BDL 57,000
47.36	7/10/2009 1/23/2010 2/19/2007 6/12/2007	BDL 18,000 1,200	BDL 16,000 BDL	3,000 BDL	BDL 20,000 3,200	BDL 57,000 4,400
	7/10/2009 1/23/2010 2/19/2007 6/12/2007 9/20/2007	BDL 18,000 1,200 7,300	BDL 16,000 BDL 370	3,000 BDL 310	BDL 20,000 3,200 4,200	BDL 57,000 4,400 12,180
	7/10/2009 1/23/2010 2/19/2007 6/12/2007 9/20/2007 1/18/2008	18,000 1,200 7,300 2,500	BDL 16,000 BDL 370 79	3,000 BDL 310 58	20,000 3,200 4,200 1,290	57,000 4,400 12,180 3,927
1W-17	7/10/2009 1/23/2010 2/19/2007 6/12/2007 9/20/2007 1/18/2008 5/16/2008	BDL 18,000 1,200 7,300 2,500 240	BDL 16,000 BDL 370 79 BDL	3,000 BDL 310 58 19	20,000 3,200 4,200 1,290 50	57,000 4,400 12,180 3,927 309
4W-17	7/10/2009 1/23/2010 2/19/2007 6/12/2007 9/20/2007 1/18/2008 5/16/2008 0/16/2008	BDL 18,000 1,200 7,300 2,500 240 410	BDL 16,000 BDL 370 79 BDL BDL BDL	3,000 BDL 310 58 19	20,000 3,200 4,200 1,290 50 49	57,000 4,400 12,180 3,927 309 478
4W-17	7/10/2009 1/23/2010 2/19/2007 6/12/2007 9/20/2007 1/18/2008 5/16/2008 0/16/2008	BDL  18,000 1,200 7,300 2,500 240 410 430	BDL 16,000 BDL 370 79 BDL BDL BDL BDL	3,000 BDL 310 58 19 19	20,000 3,200 4,200 1,290 50	57,000 4,400 12,180 3,927 309
4W-17	7/10/2009 1/23/2010 2/19/2007 6/12/2007 9/20/2007 1/18/2008 5/16/2008 0/16/2008 2/16/2009 7/10/2009	BDL 18,000 1,200 7,300 2,500 240 410 430 3,300	BDL 16,000 BDL 370 79 BDL BDL BDL 220	3,000 BDL 310 58 19 19 13 66	BDL 20,000 3,200 4,200 1,290 50 49 280 1,900	57,000 4,400 12,180 3,927 309 478
4W-17	7/10/2009 1/23/2010 5 3 2/19/2007 6/12/2007 9/20/2007 1/18/2008 5/16/2008 0/16/2008 0/16/2009 1/10/2009	BDL  18,000 1,200 7,300 2,500 240 410 430 3,300 3,700	BDL 16,000 BDL 370 79 BDL BDL BDL 220 810	3,000 BDL 310 58 19 19 13 66 330	BDL 20,000 3,200 4,200 1,290 50 49 280 1,900 4,600	57,000 4,400 12,180 3,927 309 478 723
4W-17	7/10/2009 1/23/2010 2/19/2007 6/12/2007 9/20/2007 1/18/2008 5/16/2008 0/16/2008 2/16/2009 7/10/2009	BDL 18,000 1,200 7,300 2,500 240 410 430 3,300	BDL 16,000 BDL 370 79 BDL BDL BDL BDL 220	3,000 BDL 310 58 19 19 13 66	BDL 20,000 3,200 4,200 1,290 50 49 280 1,900	BDL 57,000 4,400 12,180 3,927 309 478 723 5,486

Prepared by:	Date:
Reviewed by:	Date:

APPENDIX III

**GEC** 



12065 Lebanon Rd. Mt. Juliet, TN 37122 (615) 758-5858 1-800-767-5859 Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

Jason Cooper GEC - Macon, GA 514 Hillcrest Industrial Blvd. Macon, GA 31204

### Report Summary

Monday October 25, 2010

Report Number: L485096 Samples Received: 10/21/10 Client Project: 090265.210

Description: The Telegraph

The analytical results in this report are based upon information supplied by you, the client, and are for your exclusive use. If you have any questions regarding this data package, please do not hesitate to call.

Entire Report Reviewed By:

Jimm Hunt , ESC Representative

#### Laboratory Certification Numbers

A2LA - 1461-01, AIHA - 100789, AL - 40660, CA - I-2327, CT - PH-0197, FL - E87487 GA - 923, IN - C-TN-01, KY - 90010, KYUST - 0016, NC - ENV375/DW21704, ND - R-140 NJ - TN002, NJ NELAP - TN002, SC - 84004, TN - 2006, VA - 00109, WV - 233 AZ - 0612, MN - 047-999-395, NY - 11742, WI - 998093910, NV - TN000032008A, TX - T104704245, OK-9915

Accreditation is only applicable to the test methods specified on each scope of accreditation held by ESC Lab Sciences.

Note: The use of the preparatory EPA Method 3511 is not approved or endorsed by the CA ELAP.

This report may not be reproduced, except in full, without written approval from ESC Lab Sciences. Where applicable, sampling conducted by ESC is performed per guidance provided in laboratory standard operating procedures: 060302, 060303, and 060304.



12065 Lebanon Rd. Mt. Juliet, TN 37122 (615) 758-5858 1-800-767-5859 Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

October 25,2010

Jason Cooper GEC - Macon, GA 514 Hillcrest Industrial Blvd. Macon, GA 31204

ESC Sample # : L485096-01

Date Received : October 21, 2010 Description : The Telegraph

Site ID :

Sample ID : MW-8

Project #: 090265.210

Collected By : T Herrick/A Whipple Collection Date : 10/19/10 10:09

Parameter	Result	Det. Limit	Units	Method	Date/Time	Analyst	Dil.
Benzene Toluene Ethylbenzene Total Xylene	0.20 BDL 0.36 0.39	0.0025 0.025 0.0025 0.0075	mg/l mg/l mg/l mg/l	8021B 8021B 8021B 8021B	10/21/10 1741 10/21/10 1741 10/21/10 1741 10/21/10 1741	RMG RMG RMG RMG	5 5 5
Surrogate Recovery(%) a,a,a-Trifluorotoluene(PID)	99.0		% Rec.	8021B	10/21/10 1741	RMG	5

BDL - Below Detection Limit Det. Limit - Practical Quantitation Limit(PQL) Notes:
The reported analytical results relate only to the sample submitted
The report shall not be reproduced, except in full, without the written approval from ESC.
All samples analyzed in accordance with 40 CFR, Part 136.3
Reported: 10/25/10 10:17 Printed: 10/25/10 10:18

Page 2 of 14



12065 Lebanon Rd. Mt. Juliet, TN 37122 (615) 758-5858 1-800-767-5859 Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

October 25,2010

Jason Cooper GEC - Macon, GA 514 Hillcrest Industrial Blvd. Macon, GA 31204

Date Received : October 21, 2010 Description : The Telegraph

Sample ID : MW-6

Collected By : T Herrick/A Whipple Collection Date : 10/19/10 10:10

ESC Sample # : L485096-02

Site ID :

Project #: 090265.210

Parameter	Result	Det. Limit	Units	Method	Date/Time	Analyst	Dil.
Benzene	1.1	0.025	mg/1	8021B	10/21/10 1805	RMG	50
Toluene	1.1	0.25	mq/1	8021B	10/21/10 1805	RMG	50
Ethylbenzene	0.36	0.025	mg/1	8021B	10/21/10 1805	RMG	50
Total Xylene	2.0	0.075	mg/l	8021B	10/21/10 1805	RMG	50
Surrogate Recovery(%)					10,21,10 1000	1410	00
a, a, a-Trifluorotoluene (PID)	99.3		% Rec.	8021B	10/21/10 1805	RMG	50

BDL - Below Detection Limit Det. Limit - Practical Quantitation Limit(PQL) Notes: The reported analytical results relate only to the sample submitted
This report shall not be reproduced, except in full, without the written approval from ESC.
All samples analyzed in accordance with 40 CFR, Part 136.3
Reported: 10/25/10 10:17 Printed: 10/25/10 10:18



12065 Lebanon Rd. Mt. Juliet, TN 37122 (615) 758-5858 1-800-767-5859 Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

#### YOUR LAB OF CHOICE

REPORT OF ANALYSIS

October 25,2010

Jason Cooper GEC - Macon, GA 514 Hillcrest Industrial Blvd. Macon, GA 31204

Date Received : October 21, 2010 Description : The Telegraph

ESC Sample # : L485096-03

Sample ID : MW-2

Site ID :

Project #: 090265.210

Collected By : T Herrick/A Whipple Collection Date : 10/19/10 10:20

Parameter	Result	Det. Limit	Units	Method	Date/Time	Analyst	Dil.
Benzene Toluene Ethylbenzene Total Xylene	4.5 4.6 0.96 3.5	0.050 0.50 0.0050 0.015	mg/l mg/l mg/l mg/l	8021B 8021B 8021B 8021B	10/22/10 2051 10/22/10 2051 10/21/10 1829 10/21/10 1829		100 100 10 10
Surrogate Recovery(%) a,a,a-Trifluorotoluene(PID)	95.7		% Rec.	8021B	10/21/10 1829	RMG	10

BDL - Below Detection Limit
Det. Limit - Practical Quantitation Limit(PQL) Notes:
The reported analytical results relate only to the sample submitted
This report shall not be reproduced, except in full, without the written approval from ESC.
All samples analyzed in accordance with 40 CFR, Part 136.3
Reported: 10/25/10 10:17 Printed: 10/25/10 10:18 Notes:



12065 Lebanon Rd. Mt. Juliet, TN 37122 (615) 758-5858 1-800-767-5859 Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

October 25,2010

Jason Cooper GEC - Macon, GA 514 Hillcrest Industrial Blvd. Macon, GA 31204

Date Received : October 21, 2010 Description : The Telegraph

Sample ID : MW-1

Collected By : T Herrick/A Whipple Collection Date : 10/19/10 10:44

ESC Sample # : 1485096-04

Site ID :

Project # : 090265.210

mg/1	8021B 8021B	10/22/10 2112	Analyst EAM	1
mg/l mg/l	8021B 8021B	10/22/10 2112 10/21/10 1853 10/21/10 1853	EAM RMG RMG	î 1 1
	% Rec.	% Rec. 8021B		

BDL - Below Detection Limit Det. Limit - Practical Quantitation Limit(PQL) The reported analytical results relate only to the sample submitted
This report shall not be reproduced, except in full, without the written approval from ESC.
All samples analyzed in accordance with 40 CFR, Part 136.3
Reported: 10/25/10 10:17 Printed: 10/25/10 10:18



Mt. Juliet, TN 37122 (615) 758-5858 1-800-767-5859 Fax (615) 758-5859

12065 Lebanon Rd.

Tax I.D. 62-0814289

Est. 1970

YOUR LAB OF CHOICE

REPORT OF ANALYSIS

October 25,2010

Jason Cooper GEC - Macon, GA 514 Hillcrest Industrial Blvd. Macon, GA 31204

ESC Sample # : L485096-05

Date Received : October 21, Description : The Telegraph

October 21, 2010

Site ID :

Sample ID : MW-3

Project # : 090265.210

Collected By

T Herrick/A Whipple 10/19/10 11:20

Collection Date :

Analyst Dil. Method Date/Time Det. Limit Units Result Parameter 10/22/10 2132 10/21/10 2120 10/21/10 2120 10/21/10 2120 EAM 100 0.050 mg/18021B 3.1 Benzene RMG 10 mg/l mg/l mg/l BDL 0.050 8021B 8021B Toluene 10 RMG 0.088 0.0050 0.015 Ethylbenzene Total Xylene Surrogate Recovery(%) 10 RMG 8021B 0.16 10 10/21/10 2120 RMG 8021B % Rec. 97.9 a, a, a-Trifluorotoluene (PID)

BDL - Below Detection Limit Det. Limit - Practical Quantitation Limit(PQL) Notes:
The reported analytical results relate only to the sample submitted
This report shall not be reproduced, except in full, without the written approval from ESC.
All samples analyzed in accordance with 40 CFR, Part 136.3
Reported: 10/25/10 10:17 Printed: 10/25/10 10:18

Page 6 of 14



12065 Lebanon Rd. Mt. Juliet, TN 37122 (615) 758-5858 1-800-767-5859 Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

October 25,2010

Jason Cooper GEC - Macon, GA 514 Hillcrest Industrial Blvd. Macon, GA 31204

Date Received : October 21, 2010
Description : The Telegraph

ESC Sample # : L485096-06

Site ID :

Sample ID : MW-4

Collected By : T Herrick/A Whipple Collection Date : 10/19/10 10:55

Project #: 090265.210

Parameter	Result	Det. Limit	Units	Method	Date/Time	Analyst	Dil.
Benzene Toluene Ethylbenzene Total Xylene Surrogate Recovery(%)	0.82 BDL 1.5 0.54	0.025 0.25 0.025 0.075	mg/l mg/l mg/l mg/l	8021B 8021B 8021B 8021B	10/22/10 2153 10/21/10 2144 10/21/10 2144 10/21/10 2144	EAM	50 50 50 50
a, a, a-Trifluorotoluene (PID)	99.0		% Rec.	8021B	10/21/10 2144	RMG	50

BDL - Below Detection Limit
Det. Limit - Practical Quantitation Limit(PQL) Notes: The reported analytical results relate only to the sample submitted
This report shall not be reproduced, except in full, without the written approval from ESC.
All samples analyzed in accordance with 40 CFR, Part 136.3
Reported: 10/25/10 10:17 Printed: 10/25/10 10:18



12065 Lebanon Rd. Mt. Juliet, TN 37122 (615) 758-5858 1-800-767-5859 Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

#### YOUR LAB OF CHOICE

REPORT OF AMALYSIS

October 25,2010

Jason Cooper GEC - Macon, GA 514 Hillcrest Industrial Blvd. Macon, GA 31204

Date Received : October 21, 2010 Description : The Telegraph

Site ID :

Project # : 090265.210

ESC Sample # : L485096-07

Sample ID : MW-5

Collected By : T Herrick/A Whipple Collection Date : 10/19/10 10:30

Parameter	Result	Det. Limit	Units	Method	Date/Time	Analyst	Dil.
Benzene Toluene Ethylbenzene Total Xylene	1.3 0.094 0.94 0.72	0.0050 0.050 0.0050 0.015	mg/l mg/l mg/l mg/l	8021B 8021B 8021B 8021B	10/21/10 2208 10/21/10 2208 10/21/10 2208 10/21/10 2208	RMG RMG	10 10 10 10
Surrogate Recovery(%) a, a, a-Trifluorotoluene(PID)	98.9		% Rec.	8021B	10/21/10 2208	RMG	10

BDL - Below Detection Limit
Det. Limit - Practical Quantitation Limit(PQL)
Notes: Notes: The reported analytical results relate only to the sample submitted This report shall not be reproduced, except in full, without the written approval from ESC. All samples analyzed in accordance with 40 CFR, Part 136.3 Reported: 10/25/10 10:17 Printed: 10/25/10 10:18



12065 Lebanon Rd. Mt. Juliet, TN 37122 (615) 758-5858 1-800-767-5859 Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Det. Limit Uni

% Rec.

8021B

0.025

0.25 0.025 0.075

100.

October 25,2010

Site ID :

Jason Cooper GEC - Macon, GA 514 Hillcrest Industrial Blvd. Macon, GA 31204

Date Received : October 21, 2010 Description : The Telegraph

Sample ID : MW-7

Benzene

Toluene Ethylbenzene

Total Xylene Surrogate Recovery(%)

a, a, a-Trifluorotoluene (PID)

Collected By : T Herrick/A Whipple Collection Date : 10/19/10 11:45

Parameter Result 0.71 1.0 0.94 6.0

Units	Method	Date/Time	Analyst	Dil.
mg/l	8021B	10/21/10 2232	RMG	50
mg/1	8021B	10/21/10 2232	RMG	50
mg/l	8021B	10/21/10 2232	RMG	50
mg/l	8021B	10/21/10 2232	RMG	50

10/21/10 2232 RMG

50

ESC Sample # : L485096-08

Project #: 090265.210

BDL - Below Detection Limit Det. Limit - Practical Quantitation Limit(PQL) The reported analytical results relate only to the sample submitted This report shall not be reproduced, except in full, without the written approval from ESC. All samples analyzed in accordance with 40 CFR, Part 136.3 Reported: 10/25/10 10:17 Printed: 10/25/10 10:18



12065 Lebanon Rd. Mt. Juliet, TN 37122 (615) 758-5858 1-800-767-5859 Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

## YOUR LAB OF CHOICE

REPORT OF ANALYSIS

October 25,2010

Jason Cooper GEC - Macon, GA 514 Hillcrest Industrial Blvd. Macon, GA 31204

ESC Sample # : L485096-09

Date Received : October 21, 2010 Description : The Telegraph

Site ID :

Sample ID : MW-11

Project #: 090265.210

Collected By : T Herrick/A Whipple Collection Date : 10/19/10 12:35

Parameter	Result	Det. Limit	Units	Method	Date/Time	Analyst	Dil.
Benzene Toluene Ethylbenzene Total Xylene	BDL BDL BDL	0.00050 0.0050 0.00050 0.0015	mg/l mg/l mg/l mg/l	8021B 8021B 8021B 8021B	10/21/10 2256 10/21/10 2256 10/21/10 2256 10/21/10 2256	RMG RMG	1 1 1
Surrogate Recovery(%) a,a,a-Trifluorotoluene(PID)	99.3		% Rec.	8021B	10/21/10 2256	RMG	1

BDL - Below Detection Limit Det. Limit - Practical Quantitation Limit(PQL) Notes:
The reported analytical results relate only to the sample submitted
This report shall not be reproduced, except in full, without the written approval from ESC.
All samples analyzed in accordance with 40 CFR, Part 136.3
Reported: 10/25/10 10:17 Printed: 10/25/10 10:18

Page 10 of 14



12065 Lebanon Rd. Mt. Juliet, TN 37122 (615) 758-5858 1-800-767-5859 Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

October 25,2010

Jason Cooper GEC - Macon, GA 514 Hillcrest Industrial Blvd. Macon, GA 31204

Date Received : October 21, 2010 Description : The Telegraph

ESC Sample # : L485096-10

Site ID :

Sample ID : MW-17

Project #: 090265.210

Collected By : T Herrick/A Whipple Collection Date : 10/19/10 12:00

Parameter	Result	Det. Limit	Units	Method	Date/Time	Analyst	Di l
Benzene Toluene Ethylbenzene Total Xylene Surrogate Recovery(%)	2.5 1.5 0.80 8.9	0.025 0.25 0.025 0.075	mg/l mg/l mg/l mg/l	8021B 8021B 8021B 8021B	10/21/10 2321 10/21/10 2321 10/21/10 2321 10/21/10 2321 10/21/10 2321	RMG RMG	50 50 50 50
a, a, a-Trifluorotoluene (PID)	101.		% Rec.	8021B	10/21/10 2321	RMG	50



12065 Lebanon Rd. Mt. Juliet, TN 37122 (615) 758-5858 1-800-767-5859 Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

October 25,2010

Jason Cooper GEC - Macon, GA 514 Hillcrest Industrial Blvd. Macon, GA 31204

ESC Sample # : L485096-11

Date Received : October 21, 2010 Description : The Telegraph

Site ID :

Sample ID : MWD-10

Project # : 090265.210

Collected By : T Herrick/A Whipple Collection Date : 10/19/10 11:25

Parameter	Result	Det. Limit	Units	Method	Date/Time	Analyst	Dil.
Benzene Toluene Ethylbenzene Total Xylene	0.33 BDL 0.022 0.010	0.0025 0.025 0.0025 0.0075	mg/l mg/l mg/l mg/l	8021B 8021B 8021B 8021B	10/22/10 2213 10/22/10 2213 10/22/10 2213 10/22/10 2213	EAM EAM	5 5 5
Surrogate Recovery(%) a,a,a-Trifluorotoluene(PID)	102.		% Rec.	8021B	10/22/10 2213	EAM	5

BDL - Below Detection Limit Det. Limit - Practical Quantitation Limit(PQL) Notes:
The reported analytical results relate only to the sample submitted
The report shall not be reproduced, except in full, without the written approval from ESC.
All samples analyzed in accordance with 40 CFR, Part 136.3
Reported: 10/25/10 10:17 Printed: 10/25/10 10:18

Page 12 of 14



12065 Lebanon Rd. Mt. Juliet, TN 37122 (615) 758-5858 1-800-767-5859 Fax (615) 758-5859

Tax 1.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

October 25,2010

Jason Cooper GEC - Macon, GA 514 Hillcrest Industrial Blvd. Macon, GA 31204

ESC Sample # : L485096-12

Date Received : October 21, 2010 Description : The Telegraph

Sample ID : MW-15

Site ID :

Collected By : T Herrick/A Whipple Collection Date : 10/19/10 12:40

Project #: 090265.210

Parameter	Result	Det. Limit	Units	Method	Date/Time	Analyst	Dil.
Benzene Toluene Ethylbenzene Total Xylene Surrogate Recovery(%)	0.0044 BDL 0.0012 BDL	0.00050 0.0050 0.00050 0.0005	mg/l mg/l mg/l mg/l	8021B 8021B 8021B 8021B	10/23/10 0135 10/23/10 0135 10/23/10 0135 10/23/10 0135	EAM EAM EAM EAM	1 1 1
a, a, a-Trifluorotoluene (PID)	100.		% Rec.	8021B	10/23/10 0135	EAM	1

BDL - Below Detection Limit Det. Limit - Practical Quantitation Limit(PQL) Notes: The reported analytical results relate only to the sample submitted This report shall not be reproduced, except in full, without the written approval from ESC. All samples analyzed in accordance with 40 CFR, Part 136.3 Reported: 10/25/10 10:17 Printed: 10/25/10 10:18



12065 Lebanon Rd. Mt. Juliet, TN 37122 (615) 758-5858 1-800-767-5859 Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

October 25,2010

Jason Cooper GEC - Macon, GA 514 Hillcrest Industrial Blvd. Macon, GA 31204

Date Received : October 21, 2010 Description : The Telegraph

ESC Sample # : L485096-13

Site ID :

Sample ID : MW-12

Project #: 090265.210

Collected By : T Herrick/A Whipple Collection Date : 10/19/10 12:15

Parameter	Result	Det. Limit	Units	Method	Date/Time	Analys	t Dil.
Benzene Toluene Ethylbenzene Total Xylene	0.011 BDL 0.0010 BDL	0.00050 0.0050 0.00050 0.0015	mg/l mg/l mg/l	8021B 8021B 8021B 8021B	10/23/10 0156 10/23/10 0156 10/23/10 0156 10/23/10 0156	EAM EAM	1 1 1
Surrogate Recovery(%) a,a,a-Trifluorotoluene(PID)	99.5		% Rec.	8021B	10/23/10 0156	EAM	1

BDL - Below Detection Limit Det. Limit - Practical Quantitation Limit(PQL) Notes: The reported analytical results relate only to the sample submitted This report shall not be reproduced, except in full, without the written approval from ESC. All samples analyzed in accordance with 40 CFR, Part 136.3 Reported: 10/25/10 10:17 Printed: 10/25/10 10:18

# Summary of Remarks For Samples Printed 10/25/10 at 10:18:19

TSR Signing Reports: 350 R5 - Desired TAT

Report SPCON in umhos/cm.

Sample: L485096-01 Account: GEOSCIGA Received: 10/21/10 09:00 Due Date: 10/28/10 00:00 RPT Date: 10/25/10 10:17
Sample: L485096-02 Account: GEOSCIGA Received: 10/21/10 09:00 Due Date: 10/28/10 00:00 RPT Date: 10/25/10 10:17
Sample: L485096-03 Account: GEOSCIGA Received: 10/21/10 09:00 Due Date: 10/28/10 00:00 RPT Date: 10/25/10 10:17
Sample: L485096-04 Account: GEOSCIGA Received: 10/21/10 09:00 Due Date: 10/28/10 00:00 RPT Date: 10/25/10 10:17
Sample: L485096-05 Account: GEOSCIGA Received: 10/21/10 09:00 Due Date: 10/28/10 00:00 RPT Date: 10/25/10 10:17
Sample: L485096-06 Account: GEOSCIGA Received: 10/21/10 09:00 Due Date: 10/28/10 00:00 RPT Date: 10/25/10 10:17
Sample: L485096-07 Account: GEOSCIGA Received: 10/21/10 09:00 Due Date: 10/28/10 00:00 RPT Date: 10/25/10 10:17
Sample: L485096-08 Account: GEOSCIGA Received: 10/21/10 09:00 Due Date: 10/28/10 00:00 RPT Date: 10/25/10 10:17
Sample: L485096-09 Account: GEOSCIGA Received: 10/21/10 09:00 Due Date: 10/28/10 00:00 RPT Date: 10/25/10 10:17
Sample: L485096-10 Account: GEOSCIGA Received: 10/21/10 09:00 Due Date: 10/28/10 00:00 RPT Date: 10/25/10 10:17
Sample: L485096-11 Account: GEOSCIGA Received: 10/21/10 09:00 Due Date: 10/28/10 00:00 RPT Date: 10/25/10 10:17
Sample: L485096-12 Account: GEOSCIGA Received: 10/21/10 09:00 Due Date: 10/28/10 00:00 RPT Date: 10/25/10 10:17
Sample: L485096-13 Account: GEOSCIGA Received: 10/21/10 09:00 Due Date: 10/28/10 00:00 RPT Date: 10/25/10 10:17

APPENDIX IV

**GEC** 

facility ID: <u>04110030</u>
facility ID: <u>04110030</u>

County: Bibb

Ranked By: Jason A. Cooper, P.E.

Date Ranked: November 13, 2010

#### SITE RANKING FORM

### SOIL CONTAMINATION

A. Total Regulated PAHs – Maximum Concentration at the site (Assume < 0.660 mg/kg if only gasoline was stored on site)

\_\_\_\_ < 0.0660 = 0

 $_{---}$  0.066-0.99 mg/kg = 10

\_\_\_\_ 1-10 mg/kg = 25

X > 10 mg/kg = 50

B. Total Benzene – Maximum Concentration found on the site

 $_{_{_{_{_{_{}}}}}} \le 0.005 \text{ mg/kg} = 0$ 

 $_{---}$  > 0.005 - 0.05 mg/kg = 1

 $_{--}$  0.05 - 0.99 = 10

X = 1 - 9.9 mg/kg = 25

 $_{---}$  10 – 49.9 mg/kg = 40

 $_{\rm 2} \ge 50 \, \rm mg/kg = 50$ 

C. <u>DEPTHS TO GROUNDWATER</u> – (Shallowest) (bls = below land surface)

\_\_\_\_ > 50' bls = 1

> 25' bls = 2

\_\_\_ > 10' bls = 3

 $X \le 10' \text{ bls} = 10$ 

Fill in the blanks: (A. <u>50</u> + B. <u>25</u> ) x C. <u>10</u> = D. <u>750</u>

## **GROUNDWATER CONTAMINATION**

E. Free Product (Non-aqueous-phase Liquid hydrocarbons: See Guidelines for definition of "sheen").

X No free product = 0

\_\_\_\_ Sheen - 1/8" = 250

\_\_\_\_ > 1/8" - 6" = 500

\_\_\_\_ > 6" - 1ft. = 1,000

For every additional inch above a foot,

\_\_\_\_ add 100 more points = 1,000+

F. Dissolved Benzene – Maximum Concentration at the site (One well must be located at the Source of the release.)

 $\leq 5 \text{ ug/L} = 0$ 

\_\_\_\_ > 5 - 100 ug/L = 5

\_\_\_\_ > 100 - 1,000 ug/L = 50

X > 1,000 - 5,000 ug/L = 250

\_\_\_\_\_ > 5,000 - 10,000 ug/L = 500

\_\_\_\_ > 10,000 ug/L = 1,500

Fill in the blanks: (E. 0 + F. 250 ) = G. 250

Facility ID:	04110030	

### POTENTIAL RECEPTORS

Distance from nearest contaminant plume boundary to the nearest hydraulically connected Point of Withdrawai for water supply. This distance must be field verified. If the point of withdrawal is not hydraulically connected, evidence as outlined in the CAP-A guidance document MUST be presented to substantiate this claim.

H. Public

\_\_ < 500' = 500

\_ > 1/4 mi – 1 mi = 10



I. Non-Public

\_ Impacted = 1,000

>100' - 500' = 25



For lower susceptibility areas only:

For lower susceptibility areas only:

Note: If the site is in a lower susceptibility area do not use the shaded areas.

J. Distance from nearest contamination Plume boundary to downgradient Surface Waters OR UTILITY TRENCHES & VAULTS (Must be field-Verified)

\_Impacted = 500

\_ < 500' = 50

X\_ > 500'- 1,000' = 5

> 1,000' = 2

K. Distance from any Free Product to basements and crawl spaces

\_ Impacted = 500

\_\_\_ < 500' = 50

> 500'- 1,000' = 5

> 1,000' = 2

Fill in the blanks:

(H. <u>0</u> + I. <u>0</u> + J. <u>5</u> + K. <u>0</u> ) = L. <u>5</u>

(G. <u>250</u> x L. <u>5</u> ) = M. <u>1,250</u>

(M. 1,250 + D. 750 ) = N. 2,000

SUSCEPTABILITY AREA MULTIPLIER P.

\_\_\_\_ If site is located in Low Groundwater Pollution Susceptibility Area = 0.5

X All other sites = 1

Q. EXPLOSION HAZARD

Have any explosive petroleum vapors, possibly originated from this release, been detected in any subsurface structure (e.g., utility trenches, basements, vaults, crawl spaces, etc.)

F-2

\_\_\_ Yes = 200,000

X No = 0

 $(N. 2,000 \times P. 1) + Q. 0 = 2,000$ ENVIRONMENTAL SENSITIVITY SCORE APPENDIX V

# APPLICATION FOR REIMBURSEMENT

# GEORGIA UNDERGROUND STORAGE TANK TRUST FUND UNDERGROUND STORAGE TANK MANAGEMENT PROGRAM GEORGIA ENVIRONMENTAL PROCTECTION DIVISION

This application must have copies of itemized invoices with proof of payment. Mail completed request to the Underground Storage Tank Management Program, Georgia Environmental Protection Division, 4244 International Parkway, Suite 100, Atlanta, Georgia 30354.

APPLICATION#9 OF 11				
NAME AND LOCATION OF FACILITY	E AND LOCATION OF FACILITY NAME AND ADDRESS			
NAME: Macon Telegraph ADDRESS: 139 Broadway CITY,STATE,ZIP CODE: Macon, GA 31208 COUNTY: Bibb	NAME: Macon Telegraph  ADDRESS: 120 Broadway  CITY,STATE,ZIP CODE: Macon, GA 31208			
FACILITY ID: 4110030	FEDERAL TAX ID NU SOCIAL SECURITY #	MBER OR 58-0333650		
TOTAL COST FROM APPROVED CORRECTIV	E ACTION PLAN	\$375,220.26		
AMOUNT OF INVOICES SUBMITTED THIS AP	\$10,340.40			
AMOUNT OF REIMBURSEMENT REQUESTED	\$10,340.40			
I certify that I have examined this report and that i paid for under the approved corrective action plan	t is a true and complete report for the above facility.	of tasks completed and		
Signature of CAC or authorized representative	Date			
Print Name Conna Hardy	Phone Number (478) 744-4292			

# SPACE BELOW FOR STATE USE ONLY

Approval - Corrective Action Unit Coordinator	Date	Amount Approved	
Approval – Program Manager		Date	
Approval – Administrative Management		Date	
File:	OPPOSED STATE OF THE STATE OF T		
Facility ID:			

Print Date: 1/12/2011

SECT	LION	1.	COM	MON	DAT	A INDI	17
OLU	ION	- 1 -	CON	אל טועוו	IDAI	ΔΙΝΙΟΙ	17

EPD RECEIVED DATE:

County	Facility ID #	Release #	Bibb	4110030					
Facility Name; Address;	City w/ Postal Code		Macon Telegraph; 139 Broadway; Macon, GA 31208						
EPD Project Officer			Cyprian Fonge						
Consultant Daylord M									
Consultant Project Mana			Jason A. C	ooper	1840				
onsultant Company Name			Geotechnical & Environmental Counsultants, Inc.						
onsultant PM Telephone Number			478-757-1606						
onsultant PM Fax Number &/or Email Address		478-757-1608; jcooper@geconsultants.com							
Jonsultant Company Add	ress; City, State w/ Postal Code		514 Hillcrest Industrial Blvd., Macon GA 31204						
Responsible Party Repres	entative		W. 0						
tesponsible Party Compa	ny Name		Ms. Conna Hardy						
esponsible Party Teleph	one Number		The Macon Telegraph						
	mber &/or Email Address		478-744-4292						
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	ny Address; City, State w/ Postal C		<u>478-744-4584</u>						
, and wompa	ny radioss, ony, state w/ Postal C	ode	120 Broadway; Macon, GA 31208						

# SECTION 2: PROJECTED TASKS

Task	Task Detail (Optional)		Tack	Tools Detail (O. II.
Prog Rpt: System Start-Up		TASK 6:	Jask	Task Detail (Optional
O&M Only	Semi-Annual	As a second seco		
Monitoring w/ Rpting				
The second secon	- Com Amidai			
֡֡֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜	Prog Rpt: System Start-Up	Prog Rpt: System Start-Up  O&M Only  Monitoring w/ Rpting  Monitoring w/ Rpting  Semi-Annual  Monitoring w/ Rpting  Semi-Annual	Prog Rpt: System Start-Up  O&M Only  Semi-Annual  TASK 6:  Monitoring w/ Rpting  Semi-Annual  TASK 8:  Monitoring w/ Rpting  Semi-Annual  TASK 9:	Prog Rpt: System Start-Up  O&M Only  Semi-Annual  Monitoring w/ Rpting  Semi-Annual  TASK 6:  TASK 6:  TASK 7:  Monitoring w/ Rpting  Semi-Annual  TASK 8:  Well Abandonment

# SECTION 3: CAP - SITE DATA

Average Depth to Groundwater (ft)	IS PROVIDE AN ANSWER OR PUT AN "X" IN THE BOX PROVIDED  18					
Number of Monitoring Wells Installed	17 MW, 17 AS and 16 SVE wells					
What type of Drilling Method was used?	Air Poteni					
Were Split Spoon Samples collected?	Yes	· v		X	Other	
Average Number of Soll Samples per well	163	^	No		Unknown	
Monitoring Well diameter	2:	.,	1.13			
Average Monitoring Well depth	2 inches	Х	4 inches			
What was the Monitoring Well Construction Material?			28.73 feet			
	PVC Sch 40	Χ	PVC Sch 80		Stainless Steel	
Vas development water drummed?	Yes	X	4		Unknown	
Vere Drill Cuttings drummed?	Yes	Х	No		Unknown	
Vhat was the Formation Type?	Consolidated		Unconsolidated	Х	Stikilowii	

# SECTION 4: EAF/RCU COMPLIANCE

	THIS SECTION IS FOR EPD USE ONLY
Regulatory Compliance Approval Date	
Environmental Assurance Fee Approval Date	
CAP Received Date	

Print Date: 1/12/2011

Monitoring w/ Rpting	Sem	i-Annual		Proposed:		Incurred: X		
County/Facility #/Release #:	Bil			4110030	1			
Facility Name/Address/City: I			dway;	Macon, GA 31208				
Facility Name/Address/only.								
SCOPE OF WORK:	Quarterly San	npling Event						
Dates Covered by this Task (	f Incurred):	4/22/2010	2	to	1/7/2	011		
		vents (Years)	1		Annu	al # of Events		
Personnel	Prep/Field	Rpt Prep	•	\$/Hr	Ente	r 1 if markup applies		Total
egistered Engineer	1	6	x	\$105.00			-	\$735.00
enior Registered Engineer		1	×	\$105.00				\$105.00 \$770.00
nvironmental Technician	14		×	\$55.00	-			\$35.00
dministrative Assistant		1	X	\$35.00 \$45.00		The state of the s		\$135.00
raftsman		3	×	\$45.00			- [	
roject Management - CRFs		2.5	×	\$80.00			=	\$200.00
Total Hours:	15	13.5					-	
% Markup on	Sub Work =		Si	ubcontracted Cost =	\$0.00	Total =	= .	\$1,980.00
						Total -	-	
. Travel			and the state of t	\$/Unit	Fot	er 1 if markup applies		Total
		Units			ay		=	
lass 2 Vehicle Only	5.0	How many ro	und tri	ps to site per event?	1.0	10		
/hat is the one-way mileage to site?	5.0	non many re	×	\$0.500 pe	er mile		=	
lileage er Diem (must have overnight stay)		# of Travelers		day(s) @ rate =			=	-
odging	Western .	# of Travelers		_day(s) @ rate =		3	_	
				-: -: -: -: -: -: -: -: -: -: -: -: -: -			= :	
	Out Mark a	8 8	S	ubcontracted Cost =	\$0.00		=	
% Markup or	Sub Work =		0	abcomitacies cost	28.7 17010	Total =		\$0.00
A - Latest			-					
C. Analytical	Method	How Many	Units	\$/Unit	En	ter 1 if markup applies		Total
Type BTEX Soil Sample							=	\$390.00
STEX Water Sample	8021b	13	ea	\$30.00		1	=	\$10.00
energy surcharge		1	Is	\$10.00		1	=	\$2.00
Sample Disposal Charge		1	ls	\$2.00		-		
Related Analytical Items:		13	Is	\$15.00			Ħ	\$195.00
Small items - lump sum per well			2.5.5				=	
					* 100 00		=	\$60.30
% Markup o	n Sub Work =	15.0%		Subcontracted Cost =	\$402.00	Total =		\$657.30
D. Drilling		Hollow Stem		Air/Mud Rotary		Air Hammer		
Type of Drilling Boring or MW: Size & Description	How Many		Units	\$/Unit	E	nter 1 if markup applies		Total
Boring of MVV. Size & Description	T		50	30			=	
							=	-
							=	
	Mob/Demob		10				=	
Additional Delling Costs:	MobiDemor							
Additional Drilling Costs:			<del>0</del>				=	
	7.55		2				=	
% Markup	on Sub Work	=		Subcontracted Cost =	\$0.00	Total =	-	\$0.00
						10101		
E. Waste Management		U manau	Linite	\$/Unit		nter 1 if markup applies		Total
		How many	_ Units	\$701110			=	
Vacuum Truck					9		=	
Fluids Disposal Drill Cuttings Disposal			_		50 60		=	
Dini Cuttings Disposts							=	
			_	Cubentinated Cast -	\$0.00		=	
% Markup	on Sub Work	=		Subcontracted Cost =	\$0.00	Total =	NO LABOR	\$0.00
F. Miscellaneous		How Many	Unit	s \$/Unit		Enter 1 if markup applie		Total
Description Oit-Water Interface probe		1	day	\$50.00	-		=	\$50.00
Circulation internation property					-		=======================================	
			-		2		=	-
		-	-		-		=	-
					5 8		=	
			923		<del>-</del> 		=	-
			- 25		_		=	-
AND CONTRACTOR OF THE PROPERTY							=	-
				Subcontracted Cost :	= \$0.00		=	
% Markus	on Sub Worl	ζ =		Succession Cost -	\$0.00	Total =		\$50.00
			(	G. Cost per Event/Tasl	k A+B	+C+D+E+F =		\$2,687.30
Cost Review Form Ver 7	Tota	Cost for Dura	tion o	f Event(s)/Task(s)	\$	2,687.30		Updated June 200

				Task 2				Print Date:	: 1/12
O&M On		Semi-Annual		Propose	d:	Incurred	X	1	 T
County/Facility #/Release Facility Name/Address/Cli		Bibb	4	110030	1_				
					<u> </u>				_ 
SCOPE OF WOR  Dates Covered by this Tax	K: Monthly C	Operation and Ma		4 months					
A. Personnel			0	to		<i>[7]</i> 2011			1
Z. r Cradinier	Prep/Fiel	of Events (Years)	1		A	innual# of Events	1	1	
Registered Engineer	32	RptPrep	x -	\$/Hr \$105.00	_	Enter 1 if markup app	lies	Total	]
Senior Registered Engineer			x —	\$105.00			=	\$3,360.00	1
Environmental Technician	7.5		x	\$55.00	100		=	6440.50	1
Administrative Assistent			x	\$35.00	<del>117</del> 8		-	\$412.50	
			х		_		=		
Project Management - CRFs			x	\$80.00	<u> </u>		=		j
Total Hours	The Contract of the Contract o	0	^	\$60.00	-		=		ļ
% Markup	on Sub Work	=	Subco	ntracted Cost	\$0.00		=		
B. Travel					10 100	Total ≈		\$3,772.50	
Olare O.V. I. I. G.		Units	1 200	\$/Unit	-	Enter 1 if markup appl		Yalet 7	
Class 2 Vehicle Only What is the one-way mileage to site?			x		day	Титиаткор аррі	"·	Total	
Mileage	5.0	How many ro 40		site per event?		40		1 1 1 1 1 1 1	
Per Diem (must have overnight stay)		# of Travelers	X	\$0.500 (s) @ rate =	_per mile		π.	\$20.00	
Lodging		# of Travelers		(s) @ rate =		-			
						-			
% Markuo o	I. n Sub Work =		Cubac	ntracted Cost =	****	<del></del>	= -		
			Subcol	macied Cost =	\$0.00	Total =		\$20.00	
C. Analytical Type					N. F		New York	\$20,00	
BTEX Soil Sample	Method	How Many U	nits	\$/Unit	E	nter 1 if markup applie	3	Total	
BTEX Water Sample						·			
	19 Main 5		_				-		
Related Analytical Items:			-						
mall items - lump sum per well									
			-				<u>.</u>		
% Markup on	Sub Work =		Subcon	tracted Cost =	\$0.00		_		
). Drilling				-		Total =		\$0.00	
Type of Drilling:		Hollow Stem	A = // A						
oring or MW: Size & Description	How Many	Units Per Un	its	ud Rotary \$/Unit		Air Hammer			
				V/OIII	Εn	ter 1 if markup applies	=	Total	
			-						
	Aob/Demob:	-	+						
dditional Drilling Costs:	]						ш.		
9/ Mada	0.1.11						п —		
% Markup on	Sub Work =		Subconte	acted Cost =	\$0.00	*			
Waste Management						Total =		\$0.00	
	_	How many Uni	ls .	S/Unit	Foto	er 1 if markup applies		Total	
cuum Truck	-				Ling	ir i ii iilarkup appiles	=	rotar	
vids Disposal II Cuttings Disposal	-	750 gal		\$0.40		1	=	\$300.00	
el Surcharge		3 tota		******			2		
		3 tota	-	\$8.50	-	1		\$25.50	
% Markup on S	Sub Work =	15.0%	Subcontra	acted Cost =	\$325.50			840.00	
WW-						Total =	ST.	\$48.83 \$374.33	
Miscellaneous  Description									
Power-electric service 3/18/10 to 4/19/	10	How Many Unit		\$/Unit	Ente	r 1 if markup applies		Total	
Power-electric service 4/19/10 to 5/18/1	10	1mon		653.91	-		=	\$653.91	
Power-electric service 5/18/10 to 6/17/1	10	1mon	-	835.11	0.00	1	=	\$697.68	
Power-electric service 6/17/10 to 7/19/1	0	1 mon	-	775.80	-		= _	\$835.11 \$775.80	
Power-electric service 7/19/10 to 8/18/	10	1 mon	th \$	17.23	100	-		\$17.23	
Power-electric service 9/17/10 to 10/15/ Power-electric service 10/15/10 to 11/1	7/10	1 mon		17.21		1		\$17.21	
Power-electric service 11/17/10 to 12/10	3/10	1 mon		17.30				\$17.30	
		ls mon	\$	17.30	_	1	-	\$17.30	
		ls			-				
Of Madeus O	ub 14/t-	ls		-	_				
% Markup on Se	ub Work =	15.0%	Subcontra	cted Cost = \$	3,031.54			\$454.73	
	MATRICE - COM				т	otal =		\$3,486.27	
		G.	Cost per F	vent/Task	A+B+C+	D+F+F al	\$7,65	3 10	
Review Form Ver 7	Total Cos	t for Duration of I	vent(s)/Ta	sk(s)	\$7.653		\$7,05	3.10	

## Print Date: 1/12/2011

# Summary of All Project Cost

Facility County/ID:	Bibb	4110030 1 Facili	ty Name/Address/City:	31208	139 Broadway;	macon, GA
EPD Received Date:			Proposed	Incurred	EPD Pre-Approved Per Event Cost	Total EPD Pre- Approved Costs
		Events:	Duration	Per Event	Per Event	Duration
		Events.	1 1	1	1.0	1.0
sk 1: Prog Rpt: System	144 / 135 (1994) (1994) (1994) (1994)		\$0.00	\$0.00	\$0.00	\$0.00
Start-Up	A. Personnel		\$0.00	\$0.00	\$0.00	\$0.00
	B. Travel		\$0.00	\$0.00	\$0.00	\$0.00
	C. Analytical		\$0.00	\$0.00	\$0.00	\$0.00
	D. Drilling		\$0.00	\$0.00	\$0.00	\$0.00
	E. Waste Management		\$0.00	\$0.00	\$0.00	\$0.00
	F. Miscellaneous		\$0.00	\$0.00	\$0.00	\$0.00
		Events	Duration	Per Event	Per Event	Duration
	01 A		1 1	1	1.0	1.0
sk 2: O&M Only	Semi-Annual		\$0.00	\$3,772.50	\$0.00	\$0.00
	A. Personnel		\$0.00	\$20.00	\$0.00	\$0.00
	B. Travel		\$0.00	\$0.00	\$0.00	\$0.00
	C. Analytical		\$0.00	\$0.00	\$0.00	\$0.00
	D. Drilling		\$0.00	\$374.33	\$0.00	\$0.00
	E. Waste Management		\$0.00	\$3,486.27	\$0.00	\$0.00
	F. Miscellaneous		\$0.00	\$7,653.10	\$0.00	\$0.00
		Events		Per Event	Per Event	Duration
Water Provider to 40	CI Annual	Evelus	1 1	1 1	1.0	1.0
sk 3: Monitoring w/	Seml-Annual		\$0.00	\$1,980.00	\$0.00	\$0.00
Rpting	A. Personnel		\$0.00	\$0.00	\$0.00	\$0.00
	B. Travel		\$0.00	\$657.30	\$0.00	\$0.00
	C. Analytical		\$0.00	\$0.00	\$0.00	\$0.00
	D. Drilling			\$0.00	\$0.00	\$0.00
	E. Waste Management		\$0.00	\$50.00	\$0.00	\$0.00
	F. Miscellaneous		\$0.00	\$2,687.30	\$0.00	\$0.00
			\$0.00	Per Event	Per Event	Duration
		Event		2	1.0	1.0
sk 4: Monitoring w/	Seml-Annual		2	And in case of the last of the	\$0.00	\$0.00
Rpting	A. Personnel		\$8,560.00	\$0.00	\$0.00	\$0.00
	B. Travel		\$0.00	\$0.00		\$0.00
	C. Analytical		\$2,629.20	\$0.00	\$0.00	\$0.00
	D. Drilling		\$0.00	\$0.00	\$0.00	
	E. Waste Management		\$0.00	\$0.00	\$0.00	\$0.00
	F. Miscellaneous		\$200.00	\$0.00	\$0.00	\$0.00
	1. misconanicous		\$11,389.20	\$0.00	\$0.00	\$0.00
		Event	s: Duration	Per Event	Per Event	Duration 1.0
ask 5: Well			1	1	1.0	
Abandonment	A. Personnel		\$1,890.00	\$0.00	\$0.00	\$0.00
Abandonnen	B. Travel		\$14.63	\$0.00	\$0.00	\$0.00
	C. Analytical		\$0.00	\$0.00	\$0.00	\$0.00
	D. Drilling		\$20,925.00	\$0.00	\$0.00	\$0.00
	E. Waste Management		\$0.00	\$0.00	\$0.00	\$0.00
	F. Miscelianeous		\$50.00	\$0.00	\$0.00	\$0.00
	r. miscenations		\$22,879.63	\$0.00	\$0.00	\$0.00
					_	
dditional Tasks beyond #	5 are required, put an "X" in the		\$34,268.83	\$10,340.40		
pox ===	======>		SAA	,609.22	7	
	0/0 T	OTAL COSTS (PROPOSED & INCURRE	0):	,003.22		444
				ROVED TOTAL COSTS	3: \$	0.00
					T	
0					(EPD Program)	(Dare)
(EPD Project Officer -Print No	ive)	(5-3-3-010)	T.			
		a a tota do us	4244	international Pkwy,	Ste 104; Atlanta, G	eorgia 30354
404-362-4526 (Phone #)	404-362-2654 & " NAME "@dr	# & Email Address)		(Addre	ss*Ct, "Stato/Zip)	
(F700/6 #)	1			Geotechnical & E	Environmental	
Issan A Coope				Counsultants, In	c.	(Os'e)
Jason A. Coope (Consutant Project Manager - Pro		(Signature of Representative)		to	Company)	(03.4)
(but board) in the contract of	1					
478-757-1606 (Phone #)	478-757-1608; jcc	oper@geconsultants.com # & Email Address)		514 Hillcrest Industr	ial Blvd., Macon G.	A 31204
cknowledge that the actual arm	ount reimbursed will be determined after sts in accordance with those identified o mount identified on this form. I also und	all invoices, receipts, etc. are submitted and this form, and unless sound justification erstand that this certification is not intende	nd subjected to a techn is provided and subsect d to limit what an Inves	ical and financial review juently approved, the ma tigative/Remediation Co	and audit, respectively aximum amount efigible entractor may charge.	y. I further understar a for reimbursement v
	N()			The Mosen Tale	granh	
Ms. Conna Hard	у			The Macon Tele	угарп	(Date)
(Responsible Party Representative	Prostiere)	(Signature of Representative)	1			
	III .			120 Broadwa	y; Macon, GA 3120	18
478-744-4292	1	78-744-4584	II of the comment of	120 DIGAGIE	ess(C0/5:2/e/Z0)	



#### 514 Hillcrest Industrial Blvd Macon, GA 31204

The Macon Telegraph January 12, 2011 120 Broadway Invoice No: 000012524 Macon, GA 31201 Project 090265.210 Telegraph CAP B MCE-02-356C Professional Services through December 31, 2010 Professional Personnel Hours Rate Amount Registered Engineer 40.00 105.00 4,200.00 Senior Environmental Technician 21.50 55.00 1,182.50 Administrative Assistant 1.00 35.00 35.00 CRF Prep 2.50 80.00 200.00 Draftsman 3.00 45.00 135.00 Totals 68.00 5,752.50 Total Labor 5,752.50 Consultants **Environmental Science Corporation** 10/27/10 Environmental Science **TELEGRAPH** 462.30 Corporation Georgia Power 4/19/10 Georgia Power 752.00 5/18/10 Georgia Power 802.33 6/17/10 Georgia Power 960.38 7/19/10 Georgia Power **TELEGRAPH** 892.17 8/31/10 Georgia Power MACON TELEGRAPH 19.81 10/22/10 Georgia Power **TELEGRAPH** 19.79 11/17/10 Georgia Power MACON TEL 19.90 12/16/10 Georgia Power MACON TELEGRAPH 19.90 Greenleaf Treatment Services. LLC 6/24/10 Greenleaf Treatment TELEGRAPH 249.55 Services, LLC 8/31/10 Greenleaf Treatment **TELEGRAPH** 124.78 Services, LLC **Total Consultants** 4,322.91 4,322.91 **Unit Billing** Mileage .50 12/30/10 After 1-1-2010 40.0 Miles @ 0.50 20.00 Oil-water Interface Probe Rental 1.0 Day @ 50.00 50.00

Sampling Equipment with Standard Bailer

Project 090265.210 Telegraph CAP B MCE-02-356C Invoice 000012524

13.0 Per Wells @ 15.00 195.00

Total Units 265.00 265.00

Total this Invoice

\$10,340.41

#### GEOTECHNICAL & ENVIRONMENTAL CONSULTANTS, INC. MACON, GEORGIA 2010 ENVIRONMENTAL SERVICES FEE SCHEDULE

#### I. PROFESSIONAL SERVICES\*

1	Engineering Aide or Draftsman, per hour	\$45.00
2	是一个人,我们就是一个人的,我们就是一个人的,我们就是一个人的,我们就是一个人的,我们就是一个人的,我们就是一个人的,我们就是一个人的,我们就是一个人的,我们就	\$60.00
3	Senior Environmental Technician/Environmental Specialist, per hour	\$75.00
4	Staff Professional, Engineer, or Geologist per hour	\$105.00
5	Senior Staff Professional, per hour	\$120.00
6	Registered Engineer or Geologist, per hour	\$105.00
7	Wetland Specialist, per hour	\$75.00
8	Administrative Assistant, per hour	\$35.00
9	Mileage, per vehicle mile	\$0.50
10	Travel & Overnight Expenses	Cost + 15%
11	Per Diem, per man, per day	\$45.00
12	Special Printing, shipping & handling charges	Cost + 15%
13	In-House reproduction (after initial 3 copies)	nadarakan karpanara (kan ranga at ranga at kan katan da da da kan kan sa da d
	a. Black & White Copies, per page	\$0.50
	b. Color Copies, per page	\$1.25
Alter QAL	c. Binding Fees, per copy	\$5.00
14	Subcontract Analytical costs	Cost + 15%
15	Consumables or Rental Equipment	Cost + 15%

<sup>\*</sup>Fees for legal assistance, depositions, or court appearances will be negotiated separately.

#### II. EQUIPMENT RENTAL

1	Organic Vapor Analyzer (OVA or FID), per day	\$100.00
2	pH and Conductivity Meter, per day	\$25.00
3	Draeger Sampler, per day	\$100.00
4	Draeger Sampler, Expenses	Cost + 15%
5	XRF, per day	\$200.00
6	Turbidity Meter, per day	\$25.00
7	Explosimeter/oxygen meter, per day	\$75.00
8	Slug Test Equipment, per day	\$35.00
9	Oil-water Interface Probe, per day	\$50.00
10	Survey Equipment, per day	\$35.00
11	Globing Positioning Satellite (GPS) equipment, per day	\$100.00
12	Permeameter, per day	\$100.00
13	Pressure Transducer, per day	\$100.00
14	Sampling Equipment (Gloves, Strings, Bailers, etc.), per well	\$15.00

M:\Fee Schedule\2010\Environmental Revised: 12/09/2009

## III. ENVIRONMENTAL DRILLING & FIELD TESTING SERVICES, LEVEL D\*

1	Mobilization of Drill Rig and Support Vehicle	
1	a. Within 50-mile radius, lump sum	\$400.00
	b. Outside of 50-mile radius, per mile over 50 miles	\$3.70
2	Soil Test Borings, ASTM D 1586 *	
_	a. Less than 50 blows, per linear foot, including decontamination	\$10.50
	b. Additional split spoon samples each, add	\$16.25
	c. Less than 50 blows, per foot, including decontamination	\$18.00
	d. Undisturbed Samples, ASTM D 1587, each	\$75.00
	e. Bag Samples, each	\$35.00
	f. Mud Rotary / Wash Boring Set-up, Per Hole	\$50.00
3	Well Over Drilling, per linear foot	\$10.00
4	Borehole Grouting, per linear foot	\$9.00
5	Temporary well or piezometers (1" or 2"), per linear foot, including decontamination	\$25.00
6	Monitor Well Installation, per linear foot**	
-	a. 2" PVC	\$38.00
	b. 4" PVC	\$57.00
	c. Double Cased PVC (4" outside-2" inside)	\$80.00
7	Well Covers (includes lock)	
	a. Manhole Cover with 18" pad	\$150.00
	b. 4" X 4" Stick-up Cover with 3" X 3" pad	\$225.00
	c. 4" X 4" Stick-up Cover with 6" X 6" pad	\$425.00
8	Decontamination	\$150.00
	a. Crew, per hour	
-	b. Steam cleaner and generator rental, per day	\$100.00
9	Containerize Soil/Water, DOT approved drums, per drum	\$75.00
10	Difficult moving, laying water line, standby, site clean-up, cover removal, etc. per hour	\$150.00
11	Backhoe or dozer rental, Miscellaneous Supplies	Cost + 15%
12	Drill crew subsistence, per day	\$200.00

<sup>\*</sup> Add 25% to all services for Level C, Levels A&B quoted on individual basis. Add 25% for SPT values greater than 50 blows or depths greater than 50 feet and 60% for depths between 100 and 200 feet.

#### IV. HEALTH & SAFETY EQUIPMENT

1	Level D - disposable coveralls, gloves, boots, etc. per staff member, per day	\$30.00
2	Level C - respiratory protection, disposable coveralls, gloves, boots, etc.	\$45.00
	per staff member, per day	
3	Levels A or B, SCBA/Supplied Air	Quoted on Individual Basis

Revised: 08/01/2007

<sup>\*\*</sup> Includes boring, SPT Sampling, 10' PVC well screen, PVC riser pipe, sand pack, bentonite seal, grout to surface, does not include well cover and lock.



#### YOUR LAB OF CHOICE

Please Remit To:

ESC Lab Sciences P.O. Box 569 Mt. Juliet, TN 37121-0569

Tax I.D. 62-0814289

1-800-767-5859

Invoice No. 556607 Invoice Date 25-OCT-10

	Billy Wi	120			Jasc	orted To:		Purchase Or	der N	Number
	GEC - Macon 514 Hillcres	, GA st Industrial	Blvd.		Proje	265,210		Ter Net		
	Macon, GA 3:					te ID#		Amoun		
				14-GE0004	GEOSCI	GA-090265210		\$ 402	.00	
07, L4850	1, L485096-0	02, L485096-0 096-09, L4850	3, L485096-0 96 10, L4850	04, L485096- 096-11, L485	05, L485096- 096-12, L485	06, L485096 096-13		ollected 0-OCT-10		
Sample IDs: MW-8, MW-7,	MW-6, MW-11,	MW-2, MW-17,	MW-1, MWD-10,	MW-3, MW-15,	MW-4, MW-12	МИ-5,		R5		
Oty Matrix			Descripti	lon		Rush	Unit	Price		Amount
The Te	legraph									
13 GW 1 Misc 1 Misc	BTEX Sample Energy	Disposal Surcharge	Charge e				\$ \$ \$	30.00 2.00 10.00	\$	390.00 2.00 10.00
I A A	Project # Departme Acct Cod Amount _ Approved Date	ent(s) e(s) I by:	1200 10-29-		.Phase_					
			الله الله		(ال				10	
						Total			\$	402.00

In the absence of a contract or written agreement to the contrary, the ESC Standard Terms and Conditions accompanying this communication represent the entire agreement between ESC and the addressee. Accounts beyond terms are subject to 1 1/2% monthly service charge.

To help better serve you, please be green and allow us to invoice via email by sending your AP email address to argesclabsciences.com  $\,$ 









Please make checks payable to Greenleaf Treatment Services, LLC 4943 Austin Park Ave - Buford, GA 30518

#### Greenleaf Treatment Services 100 Waste Research Drive Macon, GA 31206 Phone- 478-788-8899 Fax- 478-788-7881

## Invoice

Da	ate	Invoice #
6/24/	2010	76264

Bill To					Service For		
Geo Technica 514 Hillcrest Macon, GA 3		ital Consults			MACON TELEGR 170 BROADWAY MACON, GA 3120		n .
	80		2			÷ 20	
				1		<u> </u>	
P.O. No.	Terms	Due Date	Rep		Load Date	Work Order	Manifest
	Net 30	7/24/2010	DN		6/9/2010	76264	60910
Quantity			Description			Rate	Amount
500	WATER					0.40	200.00
1	FUEL SURCHA	RGE				17.00	17.00
							a a
		M					8
				1 88		2	
	Project #	09.08	265,5	2) D		Mark.	
	Project #	Telegre	woh_	-	Phase		- Kee
	Departme	ent(s)	ZID			10.	
	Acct Code	e(s)	00			" The	
	Amount _	1 by	2				-100
	Approved Date	1 by	-29-11	2			
	Date						
Thank you for yo	our business.				1	 「otal	\$217.00
			- A	D. 0.4.1		Balance Due	\$217.00
Please n	nake checks payab	ole to			1.4	Jaianice Due	



Greenleaf Treatment Services, LLC 4943 Austin Park Ave - Buford, GA 30518

#### **Greenleaf Treatment Services** 100 Waste Research Drive Macon, GA 31206 Phone- 478-788-8899 Fax- 478-788-7881

## Invoice

Date	Invoice #
8/31/2010	76705

Bill To							
Geo Techn	ical and Environme st Ind Blvd 31204	ental Consults		MAC 170	ervice For CON TELEGR BROADWAY CON, GA 3120		92
P.O. No.	Terms	Due Date	Rep		Load Date	Work Order	Manifest
	Net 30	9/30/2010	DN		8/19/2010	76705	
Quantity			Description	•		Rate	Amount
250	WATER					0.40	100.00
1	FUEL SURCHA	RGE				8.50	8.50
	Project # Department Acct Code(s Amount Approved by Date	s) 108	50				
hank you for you	r business.	* 11	لغاز		Tot	09-356C	\$109.50
							\$108.50
Please mal	ke checks payable t	to			Ba	lance Due	\$108.50



PLEASE PAY BY 05/03/2010

A SOUTHER! COMPANY

# 024123943004460000065391000000000000000000000000000

GEOTECH ENVIRON CONSULT INC 30395-0001

Mail To:
96 ANNEX
ATLANTA GA
30395-0001

MACON GA 31204

TOTAL DUE \$653.91

ACCOUNT NUMBER 41239-43004 13

TOTAL DUE \$653

www.georgiapower.com
ACCOUNT ACCESS CODE: 592059
ACCOUNT NUMBER 41239-43004
CUSTOMER NAME GEOTECH ENVIRON CONSULT INC
SERVICE ADDRESS 139 BROADWAY
ENVRMMENTL REMEDIATI

GEORGIA POWER COMPANY 960 Key St. Macon, GA 31204 For Customer Service, Please Call 1-888-655-5888

	TL REMEDIATI SERVICE PERIOD	METER	READING	METER I	READING PRESENT	CONSTANT	USAGE
NAME	FROM TO 03-18-10 04-19-10	NUMBER	Tot kWh Pk kW	43630	51723 12.35	1	8,093 12.35

PAYMENTS SINCE LAST BILLING **EXPLANATION OF CHARGES** 04/01/10 Thank You! 03/18-04/19 PLS-C - Power and Light Small-COM 584.45 **Current Service** 15.00 **Environmental Compliance Cost** 17.45 Franchise Fee 37.01 HISTORICAL DATA Sales Tax Billed Project # Majon Cost Days KWH 10 653.91 This Mth 32 8093 Department(s) 10 523.53 Last Mth 29 6098 37 88.21 1 Yr Ago 32 364 Acct Code(s) Amount . Approved by: Date

PLEASE PAY BY 05/03/2010 TOTAL DUE \$653.91

Balances unpaid 7 days after this date are subject to a late charge of 1.6% of the amount due or \$2.00, whichever is greater.

In business, time is money. To save you time, we've created a fast, easy process that allows you to start or stop your electric service on the Web. We can connect your electric service every day except Sundays and holidays and next day service is available for most orders submitted before midnight. To use our easy and convenient online services, visit us today at GeorgiaPower.com.

ACCOUNT NUMBER 41239-43004



PLEASE PAY BY 06/02/2010

-Կի-ՈրհիկալիԿՈրդիիկիարկեւկալիանիալ

GEOTECH ENVIRON CONSULT INC 514 HILLCREST IND BLVD **MACON GA 31204** 

Mail To: 96 ANNEX ATLANTA GA 30396-0001 697.68 Electric Svc

ACCOUNT NUMBER 41239-43004 13

TOTAL DUE

\$697.68

www.georgiapower.com ACCOUNT ACCESS CODE: 592059 ACCOUNT NUMBER 41239-43004
CUSTOMER NAME GEOTECH ENVIRON CONSULT INC
SERVICE ADDRESS 139 BROADWAY
ENVRNMENTL REMEDIATI

GEORGIA POWER COMPANY 960 Key St. Macon, GA 31204 For Customer Service, Please Call 1-888-655-5888

RATE NAME	SERVICE PERIOD PROM TO	METER NUMBER	READING TYPE	METER I	READING PRESENT	METER CONSTANT	USAGE
PLS-C	04-19-10 05-18-10	AF1055	Tot kWh Pk kW	51723	60642 13.4	1	8,919 13.4

**EXPLANATION OF CHARGES** PLS-C - Power and Light Small-COM 04/19-05/18 **Current Service** 624.25 **Environmental Compliance Cost** 15.32 Franchise Fee 18.62 Sales Tax 39.49

PAYMENTS SINCE LAST BILLING Thank You! 05/03/10

HISTORICAL DATA

Billed Days KWH Cost Demand This Mth 29 8919 697.68 10 Last Mth 32 8093 653.91 10 1 Yr Ago 29 3320 513.87 37

PLEASE PAY BY 06/02/2010

TOTAL DUE \$697.68

Balances unpaid 7 days after this date are subject to a late charge of 1.5% of the amount due or \$2.00, whichever is greater.

ACCOUNT NUMBER

41239-43004

0265,210 Project # Department(s' Acct Code(s) Amount. Approved by:



PLEASE PAY BY 07/01/2010

02412394300446000008351100000000000000000000000000000

ժվերկերիկինիկին այիկինականիկինինի

GEOTECH ENVIRON CONSULT INC 514 HILLCREST IND BLVD **MACON GA 31204** 

Mail To: 96 ANNEX ATLANTA GA 30396-0001

Electric Svc 835.11

ACCOUNT NUMBER 41239-43004 13

TOTAL DUE

\$835.11

www.georgiapower.com ACCOUNT ACCESS CODE: 592059 ACCOUNT NUMBER 41239-43004
CUSTOMER NAME GEOTECH ENVIRON CONSULT INC
SERVICE ADDRESS 139 BROADWAY

GEORGIA POWER COMPANY 960 Key St. Macon, GA 31204 For Customer Service, Please Call 1-888-655-5888

RATE	SERVICE PE	RTOD	METER	READING	METER 1 PREVIOUS	READING PRESENT 69756	METER CONSTANT	USACE
PLS-C	05/18/10	06/17/10	AF1055	Tot kWh Pk kW	60642	69756 13.99	1	9,114

EXPLANATION OF CHARGES

Project #\_

05/18-06/17 745.71

19.85

22.28

47.27

Phase

PAYMENTS SINCE LAST BILLING 06/01/10

PLS-C - Power and Light Small-COM Current Service

**Environmental Compliance Cost** Franchise Fee Sales Tax

HISTORICAL DATA

This Mth 30 9114

CASTAIN 29 8919

1 Yr Ago 30 7073

DAVE KWH

Thank You!

Billed Cost Demand 14 835.11 10 697.68

1044.11

37

Department(s) Acct Code(s)

090265

Amount \_ Approved by: .

Date

PLEASE PAY BY 07/01/2010

TOTAL DUE \$835.11

Balances unpaid 7 days after this date are subject to a late charge of 1.5% of the amount due or \$2.00, whichever is greater.

Now it's easier than ever to support environmentally friendly energy generation from sources like solar and biomass. Just sign up for Georgia Power's Green-e Certified Green Energy program and help bring more renewable energy to Georgia. Sign up at www.georgiapower.com/greenenergy

In business, time is money. To save you time, we've created a fast, easy process that allows you to start or stop your electric service on the Web. We can connect your electric service every day except Sundays and holidays and next day service is available for most orders submitted before midnight. To use our easy and convenient online services, visit us today at GeorgiaPower.com.

41239-43004 ACCOUNT NUMBER

Our business offices will be closed on Monday, July 5th in observance of Independence Day. In case of an emergency, please call us at the number printed on your bill 24 hours a day, 7 days a week.



PLEASE PAY BY 08/02/2010

A SOUTHERN COMPANY

## 02412394300446000007758000000000000000000000000000

GEOTECH ENVIRON CONSULT INC 514 HILLCREST IND BLVD **MACON GA 31204** 

Mail To: 96 ANNEX ATLANTA GA 30396-0001 775.80 Electric Svc

**EXPLANATION OF CHARGES** 

ACCOUNT NUMBER 41239-43004 13

TOTAL DUE

\$775.80

PAYMENTS SINCE LAST BILLING

06/30/10

WWW.georgiapower.com
ACCOUNT ACCESS CODE: 592059
ACCOUNT NUMBER 41239-43004
CUSTOMER NAME GEOTECH ENVIRON CONSULT INC
SERVICE ADDRESS 139 BROADWAY
ENVRNMENTL REMEDIATI

GEORGIA POWER COMPANY 960 Key St. Macon, GA 31204 For Customer Service, Please Call 1-888-655-5888

Thank You!

RATE	SERVICE PE	RIOD	METER	RYADING	METER I PREVIOUS	READING PRESENT	METER CONSTANT	USACE
PLS-C	06/17/10	07/19/10	AF1055	Tot kWh Pk kW	69756	78207 13.18	1	8,451 13.18

PLS-C - Power and Light Small-COM 06/17-07/19 692.71 **Current Service** 18.48 **Environmental Compliance Cost** 20.70 Franchise Fee 43.91 Sales Tax HISTORICAL DATA Billed Demend Cost Days KWH Phase. Project #. 775.80 13 This Min 32 8451 835.11 14 Last Mth 30 9114 Department(s 36 766.49 1 Yr Ago 32 5108 Acct Code(s Amount Approved by: Date.

PLEASE PAY BY 08/02/2010

TOTAL DUE \$775.80

Balances unpaid 7 days after this date are subject to a late charge of 1.5% of the amount due or \$2.00, whichever is greater.

Well designed outdoor lighting provides an environment that enhances comfort and security and creates an attractive place to work and do business. To learn more about how Georgia Power Outdoor Lighting can benefit your business, or schedule a free lighting analysis, call 1.888.768.8458 or visit us at outdoorlighting.georgiapower.com

41239-43004 ACCOUNT NUMBER



A SOUTHERN COMPANY

## 

	իվոկ/  լկ <u>իի</u> ս	Mail To 96 ANNEX ATLANTA 30396-00	GA	17.23	Electric	: Svc
ACCOUNT NUMBER 41239-43004	13	TOTAL DU	E	\$17.2	3	
WWW.georgiapower.com ACCOUNT ACCESS CODE: 592059 ACCOUNT NUMBER 41239-43004 CUSTOMER NAME GEOTECH ENVIRON CO SERVICE ADDRESS 139 BROADWAY ENVRIMENT REMEDIATI	NSULT INC	960 Key St	31204 ier Service, Pl		Υ	
RATE SERVICE PERIOD METER	READING TYPE	AIETER F PREVIOUS	RADING PRESENT	METEL CONST.	lnr (	SAGE
PLS-C 07/19/10 08/18/10 AF1055	Tot kWh Pk kW	78207	78210 0.01	1 1		0.01
EXPLANATION OF CHARGES			PAYMEN		CE LAST	BILLING
PLS-C - Power and Light Small-COM Current Service Environmental Compliance Cost Franchise Fee Sales Tax	07/1	.9-08/18 14.89 0.90 0.46 0.98	Thank You		08/09/10	775.80
Sales Tax			HISTORIC	KWH	Cost	Billed Demand
			This Min 30		17.23	13
			Lest Mth 32 1 Yr Ago 30		775.80 1021.65	13 35
		¥0				
PLEASE PAY BY 09/16/2010	TOTAL \$1	DUE 7.23			93	

of the amount due or \$2.00, whichever is greater.

ACCOUNT NUMBER 41239-43004

aus or \$2.00, Whenever is greater.	
MBER 41239-43004	Lui Ju
Project # Jolesoph	Phase
Department(s) 210	ALCO CARACTER STATE CONTROL CO
Acct Code(s)	
Amount 17,23	
Approved by:	the same to the same and the sa
Date	



PLEASE PAY BY 11/02/2010

A SOUTHERN COMPANY

## 

կիրարդեփավիկյեկիրակիրկիլիրմը 17.21 Electric Svc Mail To: 96 ANNEX ATLANTA GA 30396-0001 GEOTECH ENVIRON CONSULT INC 514 HILLCREST IND BLVD MACON GA 31204 ACCOUNT NUMBER 41239-43004 TOTAL DUE \$17.23 WWW.georgiapower.com ACCOUNT ACCESS CODE: 592059 ACCOUNT NUMBER 41239-43004 GEORGIA POWER COMPANY 960 Key St. Macon, GA 31204 CUSTOMER NAME GEOTECH ENVIRON CONSULT INC SERVICE ADDRESS 139 BROADWAY ENVRNMENTL REMEDIATI For Customer Service, Please Call 1-888-655-5888 RATE NAME SERVICE PERIOD READING METER READING PREVIOUS PRESENT METER USAGE PLS-C 09/17/10 10/15/10 AF1055 Tot kWh 78215 78218 0.01 0.01 **EXPLANATION OF CHARGES** PAYMENTS SINCE LAST BILLING PLS-C - Power and Light Small-COM 09/17-10/15 Thank You! 10/14/10 **Current Service** 14.88 Environmental Compliance Cost 0.90 Franchise Fee 0.46 Sales Tax Project # HISTORICAL DATA Billed Department(s) Days KWH Demand This Mith 28 3 17.21 13 Acct Code(s) Last Mith 30 5 17.32 13 1 Yr Ago 31 9309 939.75 23 Amount. Approved by: Date \_ 090915,210 PLEASE PAY BY TOTAL DUE 11/02/2010 \$17.21

Balances unpaid 7 days after this date are subject to a late charge of 1.5% of the amount due or \$2.00, whichever is greater.

Well designed outdoor lighting provides an environment that enhances comfort and security and creates an attractive place to work and do business. To learn more about how Georgia Power Outdoor Lighting can benefit your business, or schedule a free lighting analysis, call 1.888.768.8458 or visit us at outdoorlighting.georgiapower.com

ACCOUNT NUMBER 41239-43004

Take the ENERGY STAR "Change the World, START with ENERGY STAR" pledge to do your part to save energy and help protect our environment. Choose ENERGY STAR qualified compact fluorescent light bulbs, appliances and products for your home and begin saving today. Go to georgiapower.com/changetheworld to take the ENERGY STAR pledge.

PLEASE PAY BY 12/06/2010

A SOUTHERN COMPANY

# 0241239430044600000017300000000000000000000000000000

իկիսարդիվայիիցրիցկարակինարհրենվ

GEOTECH ENVIRON CONSULT INC 514 HILLCREST IND BLVD MACON GA 31204

Mail To: 96 ANNEX ATLANTA GA 30396-0001 17.30 Electric Svc

ACCOUNT NUMBER 41239-43004 13

SERVICE PERIOD PROM TO

RATE

TOTAL DUE

\$17.30

WWW.georgiapower.com
ACCOUNT ACCESS CODE: 592059
ACCOUNT NUMBER 41239-43004
CUSTOMER NAME GEOTECH ENVIRON CONSULT INC
SERVICE ADDRESS
ENVRNMENTL REMEDIATI

GEORGIA POWER COMPANY 950 Key St. Macon, GA 31204 For Customer Service, Please Call 1-888-655-5888

USAGE METER CONSTANT METER READING PREVIOUS PRESENT 5.01 METER 1 NUMBER TOT kWh 78223 78218 AF1055 Pk kW

NAME FROM 10 NAME TO AF1055 Tot kWh Pk kW	0.01	L		
EXPLANATION OF CHARGES  PI S.C Power and Light Small-COM  10/15-11/17 14.96	PAYMENTS Thank You!	SINCE	LAST BII	LING 17.21
Environmental Compliance Cost Environmental Compliance Cost Franchise Fee Sales Tax  Project # Macon Liberaph  Phase Department(s) 210	HISTORICA  — Days KV  This Min 33 5  Lest Min 29 3  1 Yt Ago 23 9:	vH	Cost 17.30 17.21 905.16	Billed Demand 13 13
Acct Code(s)—\$17.30  Amount	<u> </u>	ıĹ	- <i>Jed</i>	Œ

PLEASE PAY BY 12/06/2010

TOTAL DUE \$17.30

Balances unpaid 7 days after this data are subject to a late charge of 1.5%

of the amount due or \$2.00, whichever is greater.

Well designed outdoor lighting provides an environment that enhances comfort and security and creates an attractive place to work and do business. To learn more about how Georgia Power Outdoor Lighting can benefit your business, or schedule a free lighting analysis, call 1.888.768.8458 or visit us at outdoorlighting.georgiapower.com

Our business offices will be closed on November 25 and 26 for the Thanksgiving Holiday. In case of an emergency, please call us at the number on your bill 24 hours a day, 7 days a week. R059443



PLEASE PAY BY 01/06/2011

I'II SHARE \$1 \_ \$2 \_ \$5 \_ \$10 \_

#### 

իրիարակայիայիայիարարոր		Mail To		17.30	Electri	le Sve
GEOTECH ENVIRON CONSULT INC 514 HILLCREST IND BLVD MACON GA 31204		ATLANTA 30396-0	GA	¥		
200 6	7			26		
ACCOUNT NUMBER 41239-43004	13	TOTAL DU	E	\$17.30		
www.georgiapower.com ACCOUNT ACCESS CODE: 592059 ACCOUNT NUMBER 41239-43004 CUSTOMER NAME GEOTECH ENVIRON CO SERVICE ADDRESS 139 BROADWAY ENVRNMENTL REMEDIATI	ONSULT INC	960 Key St Macon, GA	31204 er Service, Pl			
RATE SERVICE PERIOD METER NAME FROM TO NUMBER	READING TYPE	METER R PREVIOUS	EADING PRESENT	METER CONSTANT	, u	SAGE
PLS-C 11/17/10 12/16/10 AF1055	Tot kWh Pk kW	78223	78228 0.01	1		5 0.01
EXPLANATION OF CHARGES			PAYMEN	rs since	LAST	BILLING
PLS-C - Power and Light Small-COM Current Service Environmental Compliance Cost Franchise Fee 09 026		7-12/16 14.96 0.90 0.46 0.98	Thank You	1 12/	06/10	17.30
Project # Muy 7	Mercept	Phase	HISTORIC		Cost	Silled Demand
Department(s)	0'		This Mith 29		17.30	13
Acct Code(s)			Last Mith 33		17.30 231.71	13 10
. , , , , , , , , , , , , , , , , , , ,	27-10	2			231.71	10

PLEASE PAY BY 01/06/2011 TOTAL DUE \$17.30

Belances unpaid 7 days after this date are subject to a late charge of 1.5% of the amount due or \$2.00, whichever is greater.



Help a neighbor within your county each month by contributing to The Salvation Army's Project SHARE and Georgia Power will match your gift. To help, simply check \$1, \$2, \$5, or \$10 at the top of this bill. Starting next month, your pledge amount will be included on your monthly bill.

ACCOUNT NUMBER 41239-43004

Our business offices will be closed on December 23 and 24 for Christmas and December 31 for New Year's Day. In case of an emergency, please call us at the number on your bill 24 hours a day, 7 days a week.

Appendix F
COLDWELL BANKER COMMERCIAL PROPERTY LISTING

## **FOR SALE**



PROPERTY VIDEO: https://youtu.be/W0FrDGxc Ms



Former Macon Telegraph Publishing Company
& Adjacent Parking Lots
140,800± SF - 4.29 Total Acres

120 Broadway • 139 Broadway • 415 Walnut Street • 179 Fifth Street Macon, Bibb County, Georgia 31201

SALES PRICE: \$2,350,000

#### FOR MORE DETAILS CONTACT:

Revised 10/7/16

ARTHUR P. BARRY III, SIOR - EXCLUSIVE AGENT abarry@cbcworldwide.com
Coldwell Banker Commercial Eberhardt & Barry Inc.

 Main
 478-746-8171
 Toll Free
 800-926-0990

 Fax
 478-746-1362
 Cell
 478-731-8000

 www.coldwellbankercommercialeb.com

990 Riverside Drive Macon, GA 31201



120 Broadway - Macon, GA 31201

## PROPERTY OVERVIEW

PROPERTY	A AMOS DCue Me				
VIDEO:	https://youtu.be/W0FrDGxc Ms				
BUILDING INFORMATION:	<ul> <li>140,814± SF Three-Story Industrial Building with Basement</li> <li>50,694± SF Office Space over three floors</li> <li>Three elevators and one freight elevator</li> </ul>				
ACREAGE:	4.29 Total Acres				
TAX PARCEL ID:	<ul> <li>120 Broadway (Main Bldg.): R073-0118</li> <li>139 Broadway (Corner Parking Lot @ Riverside: R073-0117</li> <li>415 Walnut Street (Walnut @ Broadway Parking Lot): R073-0112</li> <li>179 Fifth Street (MLK Parking Lot): R073-0129</li> </ul>				
YEAR BUILT / RENOVATED:	1861 / 1989				
CONSTRUCTION:	Brick / Concrete Block / Steel				
FOUNDATION:	Poured concrete				
ROOF:	Membrane				
WINDOWS:	Double pane				
FLOOR:	<ul> <li>Office: Carpet &amp; tile</li> <li>Production area: Concrete</li> </ul>				
CEILING / LIGHTING:	<ul> <li>Office: Acoustical tile with fluorescent fixtures</li> <li>Production area: Exposed rafters with halide fixtures</li> </ul>				
HVAC:	100% heated and cooled				
COLUMN SPACING:	30' x 30'				
CEILING HEIGHTS:	10', 12', 16', 32'				
TRUCK LOADING:	15 dock high loading doors				
PARKING:	182 asphalt parking spaces				
FIRE PROTECTION:	: 100% wet system				
UTILITIES:	<ul> <li>Electricity: Georgia Power</li> <li>Water / Sewer: Macon Water Authority</li> <li>Natural Gas: None</li> <li>Telephone / Cable / Internet: Various Providers</li> </ul>				
ZONING:	CBD-1, Central Business District				
TRANSPORTATION	: One block from Interstate 16 / Interstate 75				
SALES PRICE:	\$2,350,000				





120 Broadway - Macon, GA 31201

**AERIAL VIEW** 



3



#1 - 2nd Floor - Executive Suite



#2 - 2nd Floor - Office - Right Side



#3 - 2nd Floor - Office - Right Side



#4 - 2nd Floor - Middle Bldg Office



#5 - 2nd Floor - Training Room



#6 - 2nd Floor - Back of Bldg Office



#7 - 1st Floor - Office Bldg



#8 - 1st Floor - Conference Room



#9 - 1st Floor - Left Side Office Bldg



#10 - 1st Floor - Left Side Office



#11 - 1st Floor - Break Room



#12 - 2nd Floor - Kitchen-Executive Conf Room



#1 - 2nd Floor - Executive Suite



#2 - 2nd Floor - Office - Right Side



#3 - 2nd Floor - Office - Right Side



#4 - 2nd Floor - Middle Bldg Office



#5 - 2nd Floor - Training Room



#6 - 2nd Floor - Back of Bldg Office



#7 - 1st Floor - Office Bldg



#8 - 1st Floor - Conference Room



#9 - 1st Floor - Left Side Office Bldg



#10 - 1st Floor - Left Side Office



#11 - 1st Floor - Break Room



#12 - 2nd Floor - Kitchen-Executive Conf Room



120 Broadway - Macon, GA 31201

EBERHARDT & BARRY INC.



#13 - 2 Story Offices - MLK View



#14 - 2nd Floor Executive Conference Room



#15 - 2nd Floor Executive Office



#16 - 2nd Floor Reception



#17 - 2nd Floor Training



#18 - 2nd Floor Rear Bldg Office



#19 - 2nd Floor Executive Secretary



#20 - Foyer & Stairwell



#21 - Lobby



#22 - Basement



#23 - Basement



#24 - Basement



#25 - Basement



#26 - Basement



#27 - Basement




#28 - Basement



#29 - Basement



#30 - Basement



#31 - Ink Room



#32 - Press Room



#33 - Receiving Doors-MLK Access



#34 - Freight Elevator



#35 - 120 Broadway



#36 - 139 Broadway Parking Lot



120 Broadway - Macon, GA 31201





#37 - 139 Broadway Parking Lot



#38 - 179 Fifth St Parking Lot



#39 - 415 Walnut St Building



#40 - 415 Walnut St Lot & Building



#41 - 415 Walnut St Parking Lot



#42 - Alley View




#43 - Drive-In Ramp



#44 - MLK Parking Lot



#45 - MLK Parking Lot 1 & 2



#46 - MLK Elevation



#47 - MLK View



#48 - Riverside Dr Elevation





120 Broadway - Macon, GA 31201

**PHOTOS** 





#49 - Riverside Dr View

#50 - Riverside Dr View






120 Broadway - Macon, GA 31201

FLOOR PLAN - MAIN LEVEL

Numbers correspond with photos beginning on Page 3.



8

9






120 Broadway - Macon, GA 31201

FLOOR PLAN - 2ND FLOOR

Numbers correspond with photos beginning on Page 3.




Front of Building



120 Broadway - Macon, GA 31201

FLOOR PLAN - BASEMENT



11



FRERHARDY & BARRY INC

120 Broadway - Macon, GA 31201

FLOOR PLAN - BASEMENT

Numbers correspond with photos beginning on Page 3.


13 48

46/47



120 Broadway - Macon, GA 31201

**FLOOR PLAN** 








FRERHARDT & BARRY INC

120 Broadway - Macon, GA 31201

FLOOR PLAN








120 Broadway - Macon, GA 31201


**AERIAL MAP** 






120 Broadway - Macon, GA 31201

**LOCATION MAPS** 







## Demographic and Income Profile

Bibb County, GA Geography: County

Source: U.S. Census Boreau, Census 2010 Summary File 1. Esri forecasts for 2016 and 2021.


Prepared by Esri

-					
Cer	sus 2010		2016		2021
	155,547		156,172		155,594
	60,295		59,914		59,365
	38,714		38,043		37,473
	2.48		2.51		2.52
	33,537		30,785		30,383
	26,758		29,129		28,982
	35.5		36.5		37.4
	Area		State		National
	-0.07%		1.02%		0.84%
	-0.18%		0.96%		0.79%
	-0.30%		0.87%		0.72%
	-0.26%		0.93%		0.73%
	1.05%		2.34%		1.86%
		20	16	20	021
		Number	Percent	Number	Percent
		12,080	20.2%	11,945	20.1%
		8,151	13.6%	7,603	12.8%
		7,054	11.8%	7,691	13.0%
		8,236	13.7%	5,289	8.9%
		9,594	16.0%	10,098	17.0%
		5,801	9.7%	6,342	10.7%
				6,273	10.6%
					3.5%
		1,835	3.1%	2,022	3.4%
		\$38,865		\$40,944	
		\$58,231		\$63,469	
		\$23,146		\$25,025	
Census 20	10	20	16		021
Number	Percent	Number	Percent		Percent
11,465	7.4%	10,794		10,641	6.8%
10,931	7.0%	10,593		10,093	6.5%
10,833	7.0%	10,606			6.6%
11,777	7.6%	11,113			6.9%
11,537	7.4%	11,498		10,813	6.9%
20,188	13.0%	20,709	13.3%	20,374	13.1%
19,047	12.2%	18,755	12.0%	19,303	12.4%
21,631	13.9%	19,323	12.4%	18,104	11.6%
18,449	11.9%	19,715	12.6%	18,975	12.2%
10,462	6.7%	13,385	8.6%	15,508	10.0%
6,602	4.2%	6,761	4.3%	7,674	4.9%
2,625	1.7%	2,920	1.9%	2,984	1.9%
Census 20	10	20	016	20	021
Number	Percent	Number	Percent	Number	Percent
67,199	43.2%	63,184	40.5%	59,296	38.1%
	52.1%	84,516	54.1%	86,624	55.7%
332	0.2%	341	0.2%	357	0.2%
2,531	1.6%	3,053	2.0%	3,537	2.3%
120	0.1%	128	0.1%	140	0.1%
2,014	1.3%	2,366	1.5%	2,677	1.7%
2,235	1.4%	2,584	1.7%	2,963	1.9%
4,389	2.8%	5,250	3.4%	6,078	3.9%
	Census 20 Number 11,465 10,931 10,833 11,777 11,537 20,188 19,047 21,631 18,449 10,462 6,602 2,625 Census 20 Number 67,199 81,116 332 2,531 120 2,014 2,235	155,547 60,295 38,714 2,48 33,537 26,758 35.5 Area -0.07% -0.18% -0.30% -0.26% 1.05%  1.05%  Census 2010 Number Percent 11,465 7.4% 10,931 7.0% 10,833 7.0% 11,777 7.6% 11,537 7.4% 20,188 13.0% 19,047 12.2% 21,631 13.9% 19,047 12.2% 21,631 13.9% 18,449 11.9% 10,462 6.7% 6,602 4.2% 2,625 1.7% Census 2010 Number Percent 67,199 43.2% 81,116 52.1% 332 0.2% 2,531 1.6% 120 0.1% 2,014 1.3% 2,235 1.4%	155,547 60,295 38,714 2,48 33,537 26,758 35.5 Area -0.07% -0.18% -0.30% -0.26% 1.05%  Number 12,080 8,151 7,054 8,236 9,594 5,801 5,406 1,757 1,835  \$38,865 \$58,231 \$23,146  Census 2010 Number Percent 11,465 7,4% 10,931 7,0% 10,931 7,0% 10,931 7,0% 11,177 7,6% 11,113 11,537 7,4% 11,498 20,188 13,0% 20,709 19,047 12,29% 18,755 21,631 13,9% 19,047 12,29% 18,449 11,9% 19,715 10,462 6,7% 6,602 4,2% 6,761 2,625 1,7% Census 2010 Number Percent Number 67,199 43,2% 81,116 52,1% 332 0,2% 341 2,531 1,6% 332 0,2% 341 2,531 1,6% 332 0,2% 341 2,531 1,6% 3,053 120 0,1% 128 2,014 1,3% 2,366 2,254	155,547	60,295



## Demographic and Income Profile

Bibb County, GA Geography: County Prepared by Esri



# 2016 Job Tax Credit Tier Map

